antibodies

Datasheet for ABIN3089877 B3GNT6 Protein (AA 32-384) (His tag)





Overview

Quantity:	1 mg
Target:	B3GNT6
Protein Characteristics:	AA 32-384
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This B3GNT6 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:	QAPRSPREER SPQEETPEGP TDAPAADEPP SELVPGPPCV ANASANATAD FEQLPARIQD
	FLRYRHCRHF PLLWDAPAKC AGGRGVFLLL AVKSAPEHYE RRELIRRTWG QERSYGGRPV
	RRLFLLGTPG PEDEARAERL AELVALEARE HGDVLQWAFA DTFLNLTLKH LHLLDWLAAR
	CPHARFLLSG DDDVFVHTAN VVRFLQAQPP GRHLFSGQLM EGSVPIRDSW SKYFVPPQLF
	PGSAYPVYCS GGGFLLSGPT ARALRAAARH TPLFPIDDAY MGMCLERAGL APSGHEGIRP
	FGVQLPGAQQ SSFDPCMYRE LLLVHRFAPY EMLLMWKALH SPALSCDRGH RVS
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	Human B3GNT6 Protein (raised in Insect Cells) purified by multi-step, protein-specific
	process to ensure crystallization grade.
	State-of-the-art algorithm used for plasmid design (Gene synthesis).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3089877 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering oustom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for oustom-made proteins, e.g. tees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. Purification: Two step purification of proteins expressed in bacuovirus infected SF0 insect cells: 1. In a first purification step, the protein is purified from the cleared cell yeate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE and Western Blot. Purification: 2.95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility: 0.22 µm filtered Endotoxin Level: Protein is	Product Details	
The big advantage of ordering our made to order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (after companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might papyl for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Two step purification of proteins expressed in baculovirus infected SP9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell ysate using three different His tag capture materials rish yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility 0.22 µm filtered		This protein is a made to order protein and will be made for the first time for your order. Our
made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification step, the protein is purified from the cleared cells stat Etuate if fact the Histag capture materials. high yield, EDTA resistant or DTT resistant. Etuate fractions are analyzed by SDS-PACE.Purify:>95 % as determined by SDS PAGE, Stze Exclusion Chromatography and Western Blot.Sterility:Q22 µm filteredEndotoxin Level:Protein is endotxin free.Grade:Crystallography gradeTarget DetailsE30N16		experts in the lab will ensure that you receive a correctly folded protein.
cannot be expressed or purified.In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His tag capture materials: high yield, EDTA resistant or DTT resistant. Eluste fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluste fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are analyzed by SDS-PAGE and Western blot.Purify:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level.Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsE30NT6<		The big advantage of ordering our made-to-order proteins in comparison to ordering custom
In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for oustorn-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		made proteins from other companies is that there is no financial obligation in case the protein
(other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different Histag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are analyzed by SDS-PAGE and Western blot.Purify:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsElGNT6		cannot be expressed or purified.
Purify: >95 % as determined by SDS PAGE. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target: B3GNT6		In the unlikely event that the protein cannot be expressed or purified we do not charge anything
experiments or purification optimization).When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification step, the protein is purified from the cleared cell lysate using three different His tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGEPurity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsElagerthTarget:B3GNT6		(other companies might charge you for any performed steps in the expression process for
When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different Histag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography grade.Target DetailsB3GNT6		experiments or purification optimization).
protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		When you order this made-to-order protein you will only pay upon receival of the correctly
The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Endotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		folded protein. With no financial risk on your end you can rest assured that our experienced
The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		protein experts will do everything to make sure that you receive the protein you ordered.
specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		The concentration of our recombinant proteins is measured using the absorbance at 280nm.
The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		The protein's absorbance will be measured in several dilutions and is measured against its
the Expasy's protparam tool to determine the absorption coefficient of each protein.Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells:1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		specific reference buffer.
Purification:Two step purification of proteins expressed in baculovirus infected SF9 insect cells:1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		The concentration of the protein is calculated using its specific absorption coefficient. We use
1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		the Expasy's protparam tool to determine the absorption coefficient of each protein.
different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6	Purification:	Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 μm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		1. In a first purification step, the protein is purified from the cleared cell lysate using three
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		
through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsB3GNT6		
Purity:>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.Sterility:0.22 μm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsSGNT6		
Sterility:0.22 µm filteredEndotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsSignT6		Western blot.
Endotoxin Level:Protein is endotoxin free.Grade:Crystallography gradeTarget DetailsSGNT6	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Grade: Crystallography grade Target Details	Sterility:	0.22 µm filtered
Target Details Target: B3GNT6	Endotoxin Level:	Protein is endotoxin free.
Target: B3GNT6	Grade:	Crystallography grade
Target: B3GNT6		
	Target Details	
Alternative Name: B3GNT6 (B3GNT6 Products)	Target:	B3GNT6
	Alternative Name:	B3GNT6 (B3GNT6 Products)

Background: Beta-1,3-N-acetylglucosaminyltransferase that synthesizes the core 3 structure of the O-glycan,

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3089877 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

Target Details	
	an important precursor in the biosynthesis of mucin-type glycoproteins. Plays an important role in the synthesis of mucin-type O-glycans in digestive organs.
Molecular Weight:	40.2 kDa Including tag.
UniProt:	Q6ZMB0
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3089877 | 09/11/2023 | Copyright antibodies-online. All rights reserved.