

Datasheet for ABIN3090140

## BIRC3 Protein (AA 1-604) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	250 µg
Target:	BIRC3
Protein Characteristics:	AA 1-604
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This BIRC3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Brand:	AlIcE®
Sequence:	<p>MNIVENSIFL SNLMKSANTF ELKYDLSCLE YRMSTYSTFP AGVPVSERSL ARAGFYITGV  NDKVKCFCCG LMLDNWKRGD SPTEKHKKLY PSCRQVQSLN SVNNLEATSQ PTFPSSVTNS  THSLPGTEN SGYFRGSYSN SPSNPVNSRA NQDFSALMRS SYHCAMNNEN ARLLTFQTWP  LTFLSPTDLA KAGFYIIGPG DRVACFACGG KLSNWEPKDN AMSEHLRHFP KCPFIENQLQ  DTSRYTVSNL SMQTHAARFK TFFNWPSVL VNPEQLASAG FYYVGNSSDDV KCFCCDGGRL  CWESGDDPWV QHAKWFPRCE YLIRIKGQEF IRQVQASYPH LLEQLLSTSD SPGDENAESS  IIHFEPGEDH SEDAIMMNTF VINAAVEMGF SRSLVKQTVQ RKILATGENY RLVNDLVLDL  LNAEDEIREE ERERATEEKE SNDLLIRKN RMALFQHLTC VIPILDSLLT AGIINEQEHD  VIKQKTQTSI QARELIDTIL VKGNIAATVF RNSLQAEAV LYEHFVQQD IKYIPTEDVS  DLPVEEQLRR LQEERTCKVC MDKEVSIVFI PCGHLVVCKD CAPSLRKCPH CRSTIKGTVR TFLS</p> <p><b>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression</b></p>

**system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

### Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

---

### Purity:

> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

---

### Grade:

custom-made

## Target Details

Target:	BIRC3
Alternative Name:	BIRC3 ( <a href="#">BIRC3 Products</a> )
Background:	<p>Baculoviral IAP repeat-containing protein 3 (EC 2.3.2.27) (Apoptosis inhibitor 2) (API2) (Cellular inhibitor of apoptosis 2) (C-IAP2) (IAP homolog C) (Inhibitor of apoptosis protein 1) (hIAP-1) (hIAP1) (RING finger protein 49) (RING-type E3 ubiquitin transferase BIRC3) (TNFR2-TRAF-signaling complex protein 1),FUNCTION: Multi-functional protein which regulates not only caspases and apoptosis, but also modulates inflammatory signaling and immunity, mitogenic kinase signaling and cell proliferation, as well as cell invasion and metastasis. Acts as an E3 ubiquitin-protein ligase regulating NF-kappa-B signaling and regulates both canonical and non-canonical NF-kappa-B signaling by acting in opposite directions: acts as a positive regulator of the canonical pathway and suppresses constitutive activation of non-canonical NF-kappa-B signaling. The target proteins for its E3 ubiquitin-protein ligase activity include: RIPK1, RIPK2, RIPK3, RIPK4, CASP3, CASP7, CASP8, IKBKE, TRAF1, and BCL10. Acts as an important regulator of innate immune signaling via regulation of Toll-like receptors (TLRs), Nodlike receptors (NLRs) and RIG-I like receptors (RLRs), collectively referred to as pattern recognition receptors (PRRs). Protects cells from spontaneous formation of the ripoptosome, a large multi-protein complex that has the capability to kill cancer cells in a caspase-dependent and caspase-independent manner. Suppresses ripoptosome formation by ubiquitinating RIPK1 and CASP8. {ECO:0000269 PubMed:21931591, ECO:0000269 PubMed:23453969}.</p>
Molecular Weight:	68.4 kDa
UniProt:	<a href="#">Q13489</a>
Pathways:	<a href="#">Apoptosis</a> , <a href="#">Caspase Cascade in Apoptosis</a> , <a href="#">Activation of Innate immune Response</a> , <a href="#">Toll-Like Receptors Cascades</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for</p>

Application Details

protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.  
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months