antibodies .- online.com





N-Cadherin Protein (AA 160-724) (His tag)



Overview

Quantity:	1 mg
Target:	N-Cadherin (CDH2)
Protein Characteristics:	AA 160-724
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This N-Cadherin protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

DWVIPPINLP ENSRGPFPQE LVRIRSDRDK NLSLRYSVTG PGADQPPTGI FIINPISGQL
SVTKPLDREQ IARFHLRAHA VDINGNQVEN PIDIVINVID MNDNRPEFLH QVWNGTVPEG
SKPGTYVMTV TAIDADDPNA LNGMLRYRIV SQAPSTPSPN MFTINNETGD IITVAAGLDR
EKVQQYTLII QATDMEGNPT YGLSNTATAV ITVTDVNDNP PEFTAMTFYG EVPENRVDII
VANLTVTDKD QPHTPAWNAV YRISGGDPTG RFAIQTDPNS NDGLVTVVKP IDFETNRMFV
LTVAAENQVP LAKGIQHPPQ STATVSVTVI DVNENPYFAP NPKIIRQEEG LHAGTMLTTF
TAQDPDRYMQ QNIRYTKLSD PANWLKIDPV NGQITTIAVL DRESPNVKNN IYNATFLASD
NGIPPMSGTG TLQIYLLDIN DNAPQVLPQE AETCETPDPN SINITALDYD IDPNAGPFAF
DLPLSPVTIK RNWTITRLNG DFAQLNLKIK FLEAGIYEVP IIITDSGNPP KSNISILRVK
VCQCDSNGDC TDVDRIVGAG LGTGA

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human CDH2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Grade:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin free.

Crystallography grade

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com | Page 2/3 | Product datasheet for ABIN3090223 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Target Details

sorting of heterogeneous cell types. Acts as a regulator of neural stem cells quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult subependymal zd upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading to modulate neurons tem cell quiescence. CDH2 may be involved in neuronal recognition mechanism. In hippocampal neurons, may regulate dendritic spine density (By similarity). (ECO.0000250). Molecular Weight: 62.8 kDa Including tag. UniProt: P19022 Pathways: Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membra Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional sturn as well. As the protein has not been tested for functional studies yet we cannot offer a gundance. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid		
Background: Cadherins are calcium-dependent cell adhesion proteins. They preferentially interact with themselves in a homophilic manner in connecting cells, cadherins may thus contribute to sorting of heterogeneous cell types. Acts as a regulator of neural stem cells quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult subependymal zo upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading to modulate neus stem cell quiescence. CDH2 may be involved in neuronal recognition mechanism. In hippocampal neurons, may regulate dendritic spine density (By similarity). (ECO:0000250). Molecular Weight: 62.8 kDa including tag. UniProt: P19022 Pathways: Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membra Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies yet we cannot offer a gunthough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. CST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacture of the manufacture of the complex	Target:	N-Cadherin (CDH2)
themselves in a homophilic manner in connecting cells, cadherins may thus contribute to the sorting of heterogeneous cell types. Acts as a regulator of neural stem cells quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult subependymal zerope upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading to modulate neustem cell quiescence. CDH2 may be involved in neuronal recognition mechanism. In hippocampal neurons, may regulate dendritic spine density (By similarity). (ECC:0000250): Molecular Weight: 62.8 kDa Including tag. UniProt: P19022 Pathways: Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membra Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gund though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacture of the manufacture of the protein and the description of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein and the discretion of the manufacture of the protein of the protein of the manufacture of the protein of the manufacture of the protein of the protein of the ma	Alternative Name:	CDH2 (CDH2 Products)
Pathways: Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membra Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gunthough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture than ding Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Background:	themselves in a homophilic manner in connecting cells, cadherins may thus contribute to the sorting of heterogeneous cell types. Acts as a regulator of neural stem cells quiescence by mediating anchorage of neural stem cells to ependymocytes in the adult subependymal zone: upon cleavage by MMP24, CDH2-mediated anchorage is affected, leading to modulate neural
Pathways: Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membra Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional sture as well. As the protein has not been tested for functional studies yet we cannot offer a gun though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Molecular Weight:	62.8 kDa Including tag.
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gund though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture than ding Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	UniProt:	P19022
Application Notes: In addition to the applications listed above we expect the protein to work for functional studies well. As the protein has not been tested for functional studies yet we cannot offer a gund though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacture of the manufacture of the manufacture of the protein has not been tested for functional studies yet we cannot offer a gundant to assure that your protein of interest and increase solubility. We will discuss all possible options with you in detail to assure that your receive your protein of interest. Restrictions: For Research Use only Format: Liquid Storage: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacture of the	Pathways:	Regulation of Muscle Cell Differentiation, Cell-Cell Junction Organization, Synaptic Membrane
as well. As the protein has not been tested for functional studies yet we cannot offer a gunthough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture. Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C.	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactu Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactu Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Comment:	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you
Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufactu Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Restrictions:	For Research Use only
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacture. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C.	Handling	
Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C.	Format:	Liquid
Storage: -80 °C Storage Comment: Store at -80 °C.	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Storage Comment: Store at -80°C.	Handling Advice:	Avoid repeated freeze-thaw cycles.
	Storage:	-80 °C
Expiry Date: Unlimited (if stored properly)	Storage Comment:	Store at -80°C.
	Expiry Date:	Unlimited (if stored properly)