
antibodies .- online.com





CC2D1A Protein (AA 1-951) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	CC2D1A
Protein Characteristics:	AA 1-951
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CC2D1A protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MHKRKGPPGP PGRGAAAARQ LGLLVDLSPD GLMIPEDGAN DEELEAEFLA LVGGQPPALE KLKGKGPLPM EAIEKMASLC MRDPDEDEEE GTDEDDLEAD DDLLAELNEV LGEEQKASET PPPVAQPKPE APHPGLETTL QERLALYQTA IESARQAGDS AKMRRYDRGL KTLENLLASI RKGNAIDEAD IPPPVAIGKG PASTPTYSPA PTQPAPRIAS APEPRVTLEG PSATAPASSP GLAKPQMPPG PCSPGPLAQL QSRQRDYKLA ALHAKQQGDT TAAARHFRVA KSFDAVLEAL SRGEPVDLSC LPPPPDQLPP DPPSPPSQPP TPATAPSTTE VPPPPRTLLE ALEQRMERYQ VAAAQAKSKG DQRKARMHER IVKQYQDAIR AHKAGRAVDV AELPVPPGFP PIQGLEATKP TQQSLVGVLE TAMKLANQDE GPEDEEDEVP KKQNSPVAPT AQPKAPPSRT PQSGSAPTAK APPKATSTRA QQQLAFLEGR KKQLLQAALR AKQKNDVEGA KMHLRQAKGL EPMLEASRNG LPVDITKVPP APVNKDDFAL VQRPGPGLSQ EAARRYGELT KLIRQQHEMC LNHSNQFTQL GNITETTKFE KLAEDCKRSM DILKQAFVRG LPTPTARFEQ RTFSVIKIFP DLSSNDMLLF IVKGINLPTP PGLSPGDLDV FVRFDFPYPN VEEAQKDKTS VIKNTDSPEF KEQFKLCINR

SHRGFRRAIQ TKGIKFEVVH KGGLFKTDRV LGTAQLKLDA LEIACEVREI LEVLDGRRPT GGRLEVMVRI REPLTAQQLE TTTERWLVID PVPAAVPTQV AGPKGKAPPV PAPARESGNR SARPLHSLSV LAFDQERLER KILALRQARR PVPPEVAQQY QDIMQRSQWQ RAQLEQGGVG IRREYAAQLE RQLQFYTEAA RRLGNDGSRD AAKEALYRRN LVESELQRLR R

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human CC2D1A Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Product Details	
Sterility:	0.22 μm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	CC2D1A
Alternative Name:	CC2D1A (CC2D1A Products)
Background:	Transcription factor that binds specifically to the DRE (dual repressor element) and represses HTR1A gene transcription in neuronal cells. The combination of calcium and ATP specifically inactivates the binding with FRE. May play a role in the altered regulation of HTR1A associated with anxiety and major depression. Mediates HDAC-independent repression of HTR1A promoter in neuronal cell. Performs essential function in controlling functional maturation of synapses (By similarity). Plays distinct roles depending on its localization. When cytoplasmic, acts as a scaffold protein in the PI3K/PDK1/AKT pathway. Repressor of HTR1A when nuclear. In the centrosome, regulates spindle pole localization of the cohesin subunit SCC1/RAD21, thereby mediating centriole cohesion during mitosis. {ECO:0000250, ECO:0000269 PubMed:20171170}.
Molecular Weight:	105.0 kDa Including tag.
UniProt:	Q6P1N0
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process