

Datasheet for ABIN3090331

## CALCOC01 Protein (AA 1-691) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	250 µg
Target:	CALCOC01
Protein Characteristics:	AA 1-691
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CALCOC01 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Brand:	AliCE®
Sequence:	<p>MEESPLSRAP SRGGVNFLNV ARTYIPNTKV ECHYTLPPGT MPSASDWIGI FKVEAACVRD</p> <p>YHTFWSSVP ESTTDGSPH TSVQFQASYL PKPGAQLYQF RYVNRQGQVC GQSPPFQFRE</p> <p>PRPMDELVT L EADGGSDIL LVVPKATVLQ NQLDESQQR NDLMQLKLQL EGQVTELRSR</p> <p>VQELERALAT ARQEHTELME QYKGISRSHG EITEERDILS RQQGDHVARI LELEDDIQT I</p> <p>SEKVL TKEVE LDRLRDTVKA LTREQEKL LG QLKEVQADKE QSEAE LQVAQ QENHHLNLDL</p> <p>KEAKSWQEEQ SAQAQRLKDK VAQMKDTLGQ AQRVAEELP LKEQLRGAQE LAASSQQKAT</p> <p>LLGEELASAA AARDRTIAEL HRSRLEVAEV NGR LAELGLH LKEEKQWSK ERAGLLQSVE</p> <p>AEKD KILKLS AEILRLEKAV QEERTQNQVF KTELAREKDS SLVQLSESKR ELTELR SALR</p> <p>VLQKEKEQLQ EEKQELLEYM RKLEARLEKV ADEKWNEDAT TEDEEA AVGL SCPAALTDSE</p> <p>DESPEDMR LP PYGLCER GDP GSSPAGPREA SPLVVISQPA PISPHLSGPA EDSSSDSEAE</p> <p>DEKSVLMAAV QSGGEEANLL LPELGSAFYD MASGFTVGTL SETSTGGPAT PTWKECPICK</p>

ERFPAESDKD ALEDHMDGHF FFSTQDPFTF E

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

---

### Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

---

## Product Details

Purity: > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Grade: custom-made

## Target Details

Target: CALCOC01

Alternative Name: CALCOC01 ([CALCOC01 Products](#))

Background: Calcium-binding and coiled-coil domain-containing protein 1 (Calphoglin) (Coiled-coil coactivator protein) (Sarcoma antigen NY-SAR-3),FUNCTION: Functions as a coactivator for aryl hydrocarbon and nuclear receptors (NR). Recruited to promoters through its contact with the N-terminal basic helix-loop-helix-Per-Arnt-Sim (PAS) domain of transcription factors or coactivators, such as NCOA2. During ER-activation acts synergistically in combination with other NCOA2-binding proteins, such as EP300, CREBBP and CARM1. Involved in the transcriptional activation of target genes in the Wnt/CTNNB1 pathway. Functions as a secondary coactivator in LEF1-mediated transcriptional activation via its interaction with CTNNB1. Coactivator function for nuclear receptors and LEF1/CTNNB1 involves differential utilization of two different activation regions (By similarity). In association with CCAR1 enhances GATA1- and MED1-mediated transcriptional activation from the gamma-globin promoter during erythroid differentiation of K562 erythroleukemia cells (PubMed:24245781). {ECO:0000250|UniProtKB:Q8CGU1, ECO:0000269|PubMed:24245781}., FUNCTION: Seems to enhance inorganic pyrophosphatase thus activating phosphoglucomutase (PMG). Probably functions as a component of the calphoglin complex, which is involved in linking cellular metabolism (phosphate and glucose metabolism) with other core functions including protein synthesis and degradation, calcium signaling and cell growth. {ECO:0000269|Ref.1}.

Molecular Weight: 77.3 kDa

UniProt: [Q9P1Z2](#)

Pathways: [Intracellular Steroid Hormone Receptor Signaling Pathway](#), [Chromatin Binding](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Application Details

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months