antibodies .- online.com





BRD8 Protein (AA 1-1235) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	BRD8
Protein Characteristics:	AA 1-1235
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This BRD8 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MATGTGKHKL LSTGPTEPWS IREKLCLASS VMRSGDQNWV SVSRAIKPFA EPGRPPDWFS
QKHCASQYSE LLETTETPKR KRGEKGEVVE TVEDVIVRKL TAERVEELKK VIKETQERYR
RLKRDAELIQ AGHMDSRLDE LCNDIATKKK LEEEEAEVKR KATDAAYQAR QAVKTPPRRL
PTVMVRSPID SASPGGDYPL GDLTPTTMEE ATSGVNESEM AVASGHLNST GVLLEVGGVL
PMIHGGEIQQ TPNTVAASPA ASGAPTLSRL LEAGPTQFTT PLASFTTVAS EPPVKLVPPP
VESVSQATIV MMPALPAPSS APAVSTTESV APVSQPDNCV PMEAVGDPHT VTVSMDSSEI
SMIINSIKEE CFRSGVAEAP VGSKAPSIDG KEELDLAEKM DIAVSYTGEE LDFETVGDII
AIIEDKVDDH PEVLDVAAVE AALSFCEEND DPQSLPGPWE HPIQQERDKP VPLPAPEMTV
KQERLDFEET ENKGIHELVD IREPSAEIKV EPAEPEPVIS GAEIVAGVVP ATSMEPPELR
SQDLDEELGS TAAGEIVEAD VAIGKGDETP LTNVKTEASP ESMLSPSHGS NPIEDPLEAE
TQHKFEMSDS LKEESGTIFG SQIKDAPGED EEEDGVSEAA SLEEPKEEDQ GEGYLSEMDN
EPPVSESDDG FSIHNATLQS HTLADSIPSS PASSQFSVCS EDQEAIQAQK IWKKAIMLVW

RAAANHRYAN VFLQPVTDDI APGYHSIVQR PMDLSTIKKN IENGLIRSTA EFQRDIMLMF
QNAVMYNSSD HDVYHMAVEM QRDVLEQIQQ FLATQLIMQT SESGISAKSL RGRDSTRKQD
ASEKDSVPMG SPAFLLSLFM GHEWVWLDSE QDHPNDSELS NDCRSLFSSW DSSLDLDVGN
WRETEDPEAE ELEESSPERE PSELLVGDGG SEESQEAARK ASHQNLLHFL SEVAYLMEPL
CISSNESSEG CCPPSGTRQE GREIKASEGE RELCRETEEL SAKGDPLVAE KPLGENGKPE
VASAPSVICT VQGLLTESEE GEAQQESKGE DQGEVYVSEM EDQPPSGECD DAFNIKETPL
VDTLFSHATS SKLTDLSQDD PVQDHLLFKK TLLPVWKMIA SHRFSSPFLK PVSERQAPGY
KDVVKRPMDL TSLKRNLSKG RIRTMAQFLR DLMLMFQNAV MYNDSDHHVY HMAVEMRQEV
LEQIQVLNIW LDKRKGSSSL EGEPANPVDD GKPVF

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human BRD8 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate

Product Details	
	fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade
Target Details	
Target:	BRD8
Alternative Name:	BRD8 (BRD8 Products)
Background:	May act as a coactivator during transcriptional activation by hormone-activated nuclear receptors (NR). Isoform 2 stimulates transcriptional activation by AR/DHTR, ESR1/NR3A1, RXRA/NR2B1 and THRB/ERBA2. At least isoform 1 and isoform 2 are components of the NuA4 histone acetyltransferase (HAT) complex which is involved in transcriptional activation of select genes principally by acetylation of nucleosomal histones H4 and H2A. This modification may both alter nucleosome - DNA interactions and promote interaction of the modified histones with other proteins which positively regulate transcription. This complex may be required for the activation of transcriptional programs associated with oncogene and proto-oncogene mediated growth induction, tumor suppressor mediated growth arrest and replicative senescence, apoptosis, and DNA repair. NuA4 may also play a direct role in DNA repair when recruited to sites of DNA damage. Component of a SWR1-like complex that specifically mediates the removal of histone H2A.Z/H2AFZ from the nucleosome. {ECO:0000269 PubMed:10517671, ECO:0000269 PubMed:14966270, ECO:0000269 PubMed:24463511}.
Molecular Weight:	136.3 kDa Including tag.
UniProt:	Q9H0E9
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee

Application Details

	though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)
Imanas	

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process