

Datasheet for ABIN3090684

CCDC78 Protein (AA 1-438) (Strep Tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|---|
| Quantity: | 250 µg |
| Target: | CCDC78 |
| Protein Characteristics: | AA 1-438 |
| Origin: | Human |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This CCDC78 protein is labelled with Strep Tag. |
| Application: | ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

| | |
|-----------|--|
| Brand: | AlIcE® |
| Sequence: | <p>MEHAATTGPR PGPPSRRVEN VVLRKDWLP GAPGGTAVWA TSLEAEVPPD LALNKEQQQLQ ISKELVDIQI TTHHLHEQHE AEIFQLKSEI LRLESRVLEL ELRGDGTSGQ CAVPVESDPR HPRAAAQELR HKAQVPGHSD DHRFQVQPKN TMNPENEQHR LGSGLQGEVK WALEHQEARQ QALVTRVATL GRQLQGAREE ARAAGQRLAT QAVVLCSCQG QLRQAEAEANA RLQLQLKKLK DEYVLRQLHC AWQAVEHADG AGQAPATTAL RTFLEATLED IRAAHSREQ QLARAARSYH KRLVDLSRRH EELLVAYRAP GNPQAIFDIA SLDLEPLPVP LVTDFSHRED QHGGPGALLS SPKKRPGGAS QGGTSEPQGL DAASWAQIHQ KLRDFSRSTQ SWNGSGHSCW SGPRWLKSNF LSYRSTWTST WAGTSTKS</p> <p>Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.</p> |

Product Details

| | |
|------------------|--|
| Characteristics: | <div>Key Benefits:</div> <ul style="list-style-type: none">• Made in Germany - from design to production - by highly experienced protein experts.• Protein expressed with ALiCE® and purified in one-step affinity chromatography• These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).• State-of-the-art algorithm used for plasmid design (Gene synthesis). <p>This protein is a made-to-order protein and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p> <div>Expression System:</div> <ul style="list-style-type: none">• ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.• During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein! <div>Concentration:</div> <ul style="list-style-type: none">• The concentration of our recombinant proteins is measured using the absorbance at 280nm.• The protein's absorbance will be measured against its specific reference buffer.• We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein. |
| Purification: | One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®). |
| Purity: | > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). |
| Grade: | custom-made |

Target Details

| | |
|-------------------|---|
| Target: | CCDC78 |
| Alternative Name: | CCDC78 (CCDC78 Products) |
| Background: | Coiled-coil domain-containing protein 78 (hsCCDC78),FUNCTION: Component of the deuterosome, a structure that promotes de novo centriole amplification in multiciliated cells that can generate more than 100 centrioles. Deuterosome-mediated centriole amplification occurs in terminally differentiated multiciliated cells (G1/0) and not in S phase. Essential for centriole amplification and is required for CEP152 localization to the deuterosome. {ECO:0000269 PubMed:24075808}. |
| Molecular Weight: | 48.5 kDa |
| UniProt: | A2IDD5 |
| Pathways: | Skeletal Muscle Fiber Development |

Application Details

| | |
|--------------------|--|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. |
| Comment: | <p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p> |
| Restrictions: | For Research Use only |

Handling

| | |
|---------|--|
| Format: | Liquid |
| Buffer: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. |

Handling

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months