# antibodies .- online.com





# Cyclin T2 Protein (CCNT2) (AA 1-730) (His tag)





Go to Product page

#### Overview

Quantity:	1 mg
Target:	Cyclin T2 (CCNT2)
Protein Characteristics:	AA 1-730
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Cyclin T2 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

#### **Product Details**

Sequence:

MASGRGASSR WFFTREQLEN TPSRRCGVEA DKELSCRQQA ANLIQEMGQR LNVSQLTINT
AIVYMHRFYM HHSFTKFNKN IISSTALFLA AKVEEQARKL EHVIKVAHAC LHPLEPLLDT
KCDAYLQQTQ ELVILETIML QTLGFEITIE HPHTDVVKCT QLVRASKDLA QTSYFMATNS
LHLTTFCLQY KPTVIACVCI HLACKWSNWE IPVSTDGKHW WEYVDPTVTL ELLDELTHEF
LQILEKTPNR LKKIRNWRAN QAARKPKVDG QVSETPLLGS SLVQNSILVD SVTGVPTNPS
FQKPSTSAFP APVPLNSGNI SVQDSHTSDN LSMLATGMPS TSYGLSSHQE WPQHQDSART
EQLYSQKQET SLSGSQYNIN FQQGPSISLH SGLHHRPDKI SDHSSVKQEY THKAGSSKHH
GPISTTPGII PQKMSLDKYR EKRKLETLDL DVRDHYIAAQ VEQQHKQGQS QAASSSSVTS
PIKMKIPIAN TEKYMADKKE KSGSLKLRIP IPPTDKSASK EELKMKIKVS SSERHSSSDE
GSGKSKHSSP HISRDHKEKH KEHPSSRHHT SSHKHSHSHS GSSSGGSKHS ADGIPPTVLR
SPVGLSSDGI SSSSSSSRKR LHVNDASHNH HSKMSKSSKS SGSSSSSSS VKQYISSHNS
VFNHPLPPPP PVTYQVGYGH LSTLVKLDKK PVETNGPDAN HEYSTSSQHM DYKDTFDMLD

#### **SLLSAQGMNM**

# Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human CCNT2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

# **Product Details** Grade: Crystallography grade **Target Details** Target: Cyclin T2 (CCNT2) Alternative Name CCNT2 (CCNT2 Products) Background: Regulatory subunit of the cyclin-dependent kinase pair (CDK9/cyclin T) complex, also called positive transcription elongation factor B (P-TEFB), which is proposed to facilitate the transition from abortive to production elongation by phosphorylating the CTD (carboxy-terminal domain) of the large subunit of RNA polymerase II (RNAP II) (PubMed:9499409, PubMed:15563843). The activity of this complex is regulated by binding with 7SK snRNA (PubMed:11713533). Plays a role during muscle differentiation, P-TEFB complex interacts with MYOD1, this tripartite complex promotes the transcriptional activity of MYOD1 through its CDK9-mediated phosphorylation and binds the chromatin of promoters and enhancers of muscle-specific genes, this event correlates with hyperphosphorylation of the CTD domain of RNA pol II (By similarity). In addition, enhances MYOD1-dependent transcription through interaction with PKN1 (PubMed:16331689). Involded in early embryo development (By similarity). {ECO:0000250|UniProtKB:Q7TQK0, ECO:0000269|PubMed:11713533, ECO:0000269|PubMed:15563843, ECO:0000269|PubMed:16331689, ECO:0000269|PubMed:9499409}., (Microbial infection) Promotes transcriptional activation of early and late herpes simplex virus 1/HHV-1 promoters. {ECO:0000269|PubMed:21509660}. Molecular Weight: 82.0 kDa Including tag. UniProt: 060583 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn | International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com

receive your protein of interest.

For Research Use only


Restrictions:

increase solubility. We will discuss all possible options with you in detail to assure that you

### Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

## Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process