

Datasheet for ABIN3091433 CHFR Protein (AA 1-664) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	CHFR
Protein Characteristics:	AA 1-664
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CHFR protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:	<p>MERPEEGKQS PPPQPWGRLL RLGAEEGEPH VLLRKREWTI GRRRGCDLSF PSNKLVS GDH</p> <p>CRIVVDEKSG QVTLEDSTST GTVINKLKVV KKQTCPLQTG DVIYLVYRKN EPEHNVAYLY</p> <p>ESLSEKQGMT QESFEANKEN VFHGT KDTS G AGAGRGADPR VPPSSPATQV CFEEPQPSTS</p> <p>TSDLFPTASA SSTEPSPAGR ERSSSCGSGG GGISPKGSGP SVASDEVSSF ASALPDRKTA</p> <p>SFSSLEPQDQ EDLEPVKKKM RGDGDLNLNG QLLVAQPRRN AQT VHEDVRA AAGKPKDMEE</p> <p>TLTCIICQDL LHDCVSLQPC MHTFCAACYS GWMERSSLC P TCRCPVERIC KNHILNNLVE</p> <p>AYLIQHPDKS RSEEDVQSMD ARNKITQDML QPKVRRSFSD EEGSSDLLL LSDVDSESSD</p> <p>ISQPYVVC RQ CPEYRRQAAQ PPHCPAPEGE PGAPQALGDA PSTSVSLTTA VQDYVCPLQG</p> <p>SHALCTCCFQ PMPDRAERE QDPRVAPQC AVCLQPFCHL YWGCTRTGCY GCLAPFCELN</p> <p>LGDKCLDGVL NNNSYESDIL KNYLATRGLT WKNMLTESLV ALQRGVFLLS DYRVTGDTV L</p> <p>CYCCGLRSFR ELTYQYRQNI PASELPVAVT SRPDCYWGRN CRTQVKAHHA MKFNHICEQT RFKN</p>
-----------	---

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human CHFR Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:	CHFR
Alternative Name:	CHFR (CHFR Products)
Background:	<p>E3 ubiquitin-protein ligase that functions in the antephasic checkpoint by actively delaying passage into mitosis in response to microtubule poisons. Acts in early prophase before chromosome condensation, when the centrosome move apart from each other along the periphery of the nucleus. Probably involved in signaling the presence of mitotic stress caused by microtubule poisons by mediating the 'Lys-48'-linked ubiquitination of target proteins, leading to their degradation by the proteasome. Promotes the ubiquitination and subsequent degradation of AURKA and PLK1. Probably acts as a tumor suppressor, possibly by mediating the polyubiquitination of HDAC1, leading to its degradation. May also promote the formation of 'Lys-63'-linked polyubiquitin chains and functions with the specific ubiquitin-conjugating UBC13-MMS2 (UBE2N-UBE2V2) heterodimer. Substrates that are polyubiquitinated at 'Lys-63' are usually not targeted for degradation, but are rather involved in signaling cellular stress.</p> <p>{ECO:0000269 PubMed:10935642, ECO:0000269 PubMed:11807090, ECO:0000269 PubMed:11912157, ECO:0000269 PubMed:14562038, ECO:0000269 PubMed:14694445, ECO:0000269 PubMed:18172500, ECO:0000269 PubMed:19182791}.</p>
Molecular Weight:	74.3 kDa Including tag.
UniProt:	Q96EP1

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
---------	--------

Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process