



[Go to Product page](#)

Datasheet for ABIN3091475
CDC5L Protein (AA 1-802) (Strep Tag)

Overview

Quantity:	1 mg
Target:	CDC5L
Protein Characteristics:	AA 1-802
Origin:	Human
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CDC5L protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence: MPRIMIKGGV WRNTEDEILK AAVMKYGKNQ WSRIASLLHR KSAKQCKARW YEWLDPSIKK
TEWSREEEEEK LLHLAKLMPT QWRTIAPIIG RTAAQCLEHY EFLLDKAAQR DNEEETDDDP
RKLKPGEIDP NPETKPARPD PIDMDEDELE MLSEARARLA NTQGKKAKRK AREKQLEEAR
RLAALQKRRE LRAAGIEIQK KRKRKRGVDY NAEIPFEKKP ALGFYDTSEE NYQALDADFR
KLRQQDL DGE LRSEKEGRDR KKDKQHLLK RKESDLPSAIL QTSGVSEFTK KRSKLVLPAP
QISDAELQEV VKVGQASEIA RQTAEESGIT NSASSTLLSE YNVTNNSVAL RTPRTPASQD
RILQEAQNLM ALTNVDTPLK GGLNTPHES DFSGVTPQRQ VVQTPNTVLS TPFRTPSNGA
EGLTPRSGTT PKPVINSTPG RTPLRDKLN NPEDGMADYS DPSYVKQMER ESREHLRLGL
LGLPAPKNDF EIVLPENAEK ELEEREIDDT YIEDAADVDA RKQAIRDAER VKEMKRMHKA
VQKDLPRPSE VNETILRPLN VEPPLTDLQK SEELIKKEMI TMLHYDLLHH PYEPSGNKKG
KTVGFGTNNS EHITYLEHNP YEKFSKEELK KAQDVLVQEM EVVKQGM SHG ELSSEAYNQV
WEECYSQVLY LPGQSR YTRA NLASKKDRIE SLEKRLEINR GHMTTEAKRA AKMEKKMKIL

LGGYQSRAMG LMKQLNDLWD QIEQAHLELR TFEELKKHED SAIPRRLECL KEDVQRQER
EKELQHRYAD LLEKETLKS KF

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): <ol style="list-style-type: none">1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Target Details

Target:	CDC5L
Alternative Name:	CDC5L (CDC5L Products)
Background:	<p>Cell division cycle 5-like protein (Cdc5-like protein) (Pombe cdc5-related protein),FUNCTION: DNA-binding protein involved in cell cycle control. May act as a transcription activator. Plays a role in pre-mRNA splicing as core component of precatalytic, catalytic and postcatalytic spliceosomal complexes (PubMed:11991638, PubMed:20176811, PubMed:28502770, PubMed:28076346, PubMed:29361316, PubMed:29360106, PubMed:29301961, PubMed:30728453, PubMed:30705154). Component of the PRP19-CDC5L complex that forms an integral part of the spliceosome and is required for activating pre-mRNA splicing. The PRP19-CDC5L complex may also play a role in the response to DNA damage (DDR) (PubMed:20176811). As a component of the minor spliceosome, involved in the splicing of U12-type introns in pre-mRNAs (Probable). {ECO:0000269 PubMed:10570151, ECO:0000269 PubMed:11082045, ECO:0000269 PubMed:11101529, ECO:0000269 PubMed:11544257, ECO:0000269 PubMed:11991638, ECO:0000269 PubMed:12927788, ECO:0000269 PubMed:18583928, ECO:0000269 PubMed:20176811, ECO:0000269 PubMed:24332808, ECO:0000269 PubMed:28076346, ECO:0000269 PubMed:28502770, ECO:0000269 PubMed:29301961, ECO:0000269 PubMed:29360106, ECO:0000269 PubMed:29361316, ECO:0000269 PubMed:30705154, ECO:0000269 PubMed:30728453, ECO:0000269 PubMed:9038199, ECO:0000269 PubMed:9468527, ECO:0000269 PubMed:9632794, ECO:0000305 PubMed:33509932}.</p>
Molecular Weight:	92.3 kDa

Target Details

UniProt: [Q99459](#)

Pathways: [Activation of Innate immune Response, Chromatin Binding](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)