antibodies .- online.com





CHST15 Protein (AA 102-561) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	CHST15
Protein Characteristics:	AA 102-561
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CHST15 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

Product Details

Sequence:

HQELLISSPF HYGGFPSNPS LMDSENPSDT KEHHHQSSVN NISYMKDYPS IKLIINSITT RIEFTTRQLP DLEDLKKQEL HMFSVIPNKF LPNSKSPCWY EEFSGQNTTD PYLTNSYVLY SKRFRSTFDA LRKAFWGHLA HAHGKHFRLR CLPHFYIIGQ PKCGTTDLYD RLRLHPEVKF SAIKEPHWWT RKRFGIVRLR DGLRDRYPVE DYLDLFDLAA HQIHQGLQAS SAKEQSKMNT IIIGEASAST MWDNNAWTFF YDNSTDGEPP FLTQDFIHAF QPNARLIVML RDPVERLYSD YLYFASSNKS ADDFHEKVTE ALQLFENCML DYSLRACVYN NTLNNAMPVR LQVGLYAVYL LDWLSVFDKQ QFLILRLEDH ASNVKYTMHK VFQFLNLGPL SEKQEALMTK SPASNARRPE DRNLGPMWPI TQKILRDFYR PFNARLAQVL ADEAFAWKTT

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- · Human CHST15 Protein (raised in Insect Cells) purified by multi-step, protein-specific

process to ensure crystallization grade.

· State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target: CHST15

Alternative Name:

CHST15 (CHST15 Products)

Target Details

Sulfotransferase that transfers sulfate from 3'-phosphoadenosine 5'-phosphosulfate (PAPS) to the C-6 hydroxyl group of the GalNAc 4-sulfate residue of chondroitin sulfate A and forms chondroitin sulfate E containing GlcA-GalNAc(4,6-SO(4)) repeating units. It also transfers sulfate to a unique non-reducing terminal sequence, GalNAc(4SO4)-GlcA(2SO4)-GalNAc(6SO4), to yield a highly sulfated structure similar to the structure found in thrombomodulin chondroitin sulfate. May also act as a B-cell receptor involved in BCR ligation-mediated early activation that mediate regulatory signals key to B-cell development and/or regulation of B-cell-specific RAG expression, however such results are unclear in vivo. {ECO:0000269 PubMed:11572857, ECO:0000269 PubMed:12874280}.
54.7 kDa Including tag.
Q7LFX5
Glycosaminoglycan Metabolic Process
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
For Research Use only
Liquid
100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Avoid repeated freeze-thaw cycles.
-80 °C
Store at -80°C.
Unlimited (if stored properly)



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process