

Datasheet for ABIN3091862 CNOT6L Protein (AA 1-555) (His tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	CNOT6L
Protein Characteristics:	AA 1-555
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CNOT6L protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MRLIGMPKEK YDPPDPRRIY TIMSAEEVAN GK KSHWAELE ISGRVRSLSL SLWSLTHLTA
LHLNDNYLSR IPPDIAKLHN LVYLDLSSNK LRSLPAELGN MVSLRELLLN NNLLRVLPYE
LGRLFQLQTL GLKGNPLSQD ILNLYQDPDG TRKLLNFMLD NLAVHPEQLP PRPWITLKER
DQILPSASFT VMCYNVLC DK YATRQLYGYC PSWALNWEYR KKGIMEEIVN CDADIISLQE
VETEYFTLF LPALKERGYD GFFSPKSR AK IMSEQRKHV DGCAIFFKTE KFTLVQKH TV
EFNQVAMANS DGSEAMLNRV MTKDNIGVAV VLEVHKELFG AGMKPIHAAD KQLLIVANAH
MHWDP EYSDV KLIQTM MFVS EVKNILEKAS SRPGSPTADP NSIPLVLCAD LNSLPDSGVV
EYLSNGGVAD NHKDFKELRY NECLMNFSCN GKNGSSEGRI THGFQLKSAY ENNLMPYTNY
TFDFKGV IDY IFYSKTHMNV LGVLGPLDPQ WLVENNITGC PHPHIPSDHF SLLTQLELHP
PLLPLVNGVH LPNRR

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Product Details

- Characteristics:
- Made in Germany - from design to production - by highly experienced protein experts.
 - Human CNOT6L Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
 - State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

- Purification:
- Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

Target:	CNOT6L
Alternative Name:	CNOT6L (CNOT6L Products)
Background:	<p>Has 3'-5' poly(A) exoribonuclease activity for synthetic poly(A) RNA substrate. Catalytic component of the CCR4-NOT complex which is one of the major cellular mRNA deadenylases and is linked to various cellular processes including bulk mRNA degradation, miRNA-mediated repression, translational repression during translational initiation and general transcription regulation. Additional complex functions may be a consequence of its influence on mRNA expression. May be involved in the deadenylation-dependent degradation of mRNAs through the 3'-UTR AU-rich element-mediated mechanism. Involved in deadenylation-dependent degradation of CDKN1B mRNA. Its mRNA deadenylase activity can be inhibited by TOB1. Mediates cell proliferation and cell survival and prevents cellular senescence.</p> <p>{ECO:0000269 PubMed:17452450, ECO:0000269 PubMed:21233283}.</p>
Molecular Weight:	64.0 kDa Including tag.
UniProt:	Q96LI5

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Handling

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process