

Datasheet for ABIN3091933  
**CTC1 Protein (AA 1-1217) (Strep Tag)**



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	CTC1
Protein Characteristics:	AA 1-1217
Origin:	Human
Source:	Tobacco ( <i>Nicotiana tabacum</i> )
Protein Type:	Recombinant
Purification tag / Conjugate:	This CTC1 protein is labelled with Strep Tag.
Application:	ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence: MAAGRAQVPS SEQAWLEDAQ VFIQKTLCPA VKEPNVQLTP LVIDCVKTWW LSQGRNQGST  
LPLSYSFVSV QDLKTHQRLP CCSHLSWSSS AYQAWAQEAG PNGNPLPREQ LLLLGLTLDL  
SADLEQECRN GSLYVRDNTG VLSCELIDLD LSWLGHFLF PRWSYLPPAR WNSSGEGHLE  
LWDAPVPVFP LTISPGPVTP IPVLYPESAS CLLRLRNKLR GVQRNLAGSL VRLSALVKSK  
QKAYFILSLG RSHPAVTHVS IIVQVPAQLV WHRALRPGTA YVTELRVSK IRGQRQHVWM  
TSQSSRLLLL KPECVQELEL ELEGPLLEAD PKPLPMPNS EDKDPESLV RYSRLLSYSG  
AVTGVLNEPA GLYELDGQLG LCLAYQQFRG LRRVMRPGVC LQLQDVHLLQ SVGGGTRRPV  
LAPCLRGAVL LQFSRQKPG AHSSRQAYGA SLYEQLVWER QLGLPLYLWA TKALEELACK  
LCPHVLRRHQ FLQHSSPGSP SLGLQLLAPT LDLLAPPGSP VRNAHNEILE EPHHCPLQKY  
TRLQTPSSFP TLATLKEEGQ RKAWASFDPK ALLPLPEASY LPSCQLNRRL AWSWLCLLPS  
AFCPAQVLLG VLVASSHKGC LQLRDQSGSL PCLLLAKHSQ PLSDPRLIGC LVRAERFQLI  
VERDVRSSFP SWKELSM PGF IQKQARVYV QFFLADALIL PVPRPCLHSA TPSTPQTDPT

GPEGPHLGQS RLFLLCHKEA LMKRNFCVPP GASPEVPKPA LSFYVLGSWL GGTQRKEGTG  
WGLPEPQGND DNDQKVHLIF FGSSVRWFEF LHPGQVYRLI APGPATPMLF EKDSSCISR  
RPLELAGCAS CLTVQDNWTL ELESSQDIQD VLDANKSLPE SSLTDLLSDN FTDSLVSFSA  
EILSRTLCEP LVASLWMKLG NTGAMRRCVK LTVALETAEC EFPPLDVYI EDPHLPPLG  
LLPGARVHFS QLEKRVSRSH NVYCCFRSST YVQVLSFPPE TTISIPLPHI YLAELLQGGQ  
SPFQATASCH IVSVFSLQLF WVCACTYSIC RQKCTRLGS TCPTQTAISQ AIIRLLVEDG  
TAEAVVTCRN HHVAAALGLC PREWASLLDF VQVPGRVVLQ FAGPGAQLES SARVDEPMTM  
FLWTLCTSPS VLRPIVLSFE LERKPSKIVP LPPRLQRFQ CGELPFLTHV NPRLRLSCLS  
IRESEYSSSL GILASSC

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

## Product Details

---

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

### Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

### Purity:

>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

### Endotoxin Level:

Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

### Grade:

Crystallography grade

## Target Details

---

### Target:

CTC1

### Alternative Name:

CTC1 ([CTC1 Products](#))

### Background:

CST complex subunit CTC1 (Conserved telomere maintenance component 1) (HBV DNAPTP1-transactivated protein B),FUNCTION: Component of the CST complex proposed to act as a specialized replication factor promoting DNA replication under conditions of replication stress or natural replication barriers such as the telomere duplex. The CST complex binds single-stranded DNA with high affinity in a sequence-independent manner, while isolated subunits bind DNA with low affinity by themselves. Initially the CST complex has been proposed to protect telomeres from DNA degradation (PubMed:19854130). However, the CST complex has been shown to be involved in several aspects of telomere replication. The CST complex inhibits telomerase and is involved in telomere length homeostasis, it is proposed to bind to newly telomerase-synthesized 3' overhangs and to terminate telomerase action implicating the association with the ACD:POT1 complex thus interfering with its telomerase stimulation activity. The CST complex is also proposed to be involved in fill-in synthesis of the telomeric C-strand probably implicating recruitment and activation of DNA polymerase alpha

## Target Details

---

(PubMed:22763445). The CST complex facilitates recovery from many forms of exogenous DNA damage, seems to be involved in the re-initiation of DNA replication at repaired forks and/or dormant origins (PubMed:25483097). Involved in telomere maintenance (PubMed:19854131, PubMed:22863775). Involved in genome stability (PubMed:22863775). May be involved in telomeric C-strand fill-in during late S/G2 phase (By similarity). {ECO:0000250|UniProtKB:Q5SUQ9, ECO:0000269|PubMed:19854130, ECO:0000269|PubMed:19854131, ECO:0000269|PubMed:22763445, ECO:0000269|PubMed:22863775, ECO:0000269|PubMed:25483097}.

Molecular Weight: 134.6 kDa

UniProt: [Q2NKJ3](#)

## Application Details

---

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

## Handling

---

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

## Images

---



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process