

Datasheet for ABIN3092011

CTF18 Protein (AA 1-975) (Strep Tag)



Overview

Quantity:	250 μg
Target:	CTF18 (CHTF18)
Protein Characteristics:	AA 1-975
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CTF18 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MEDYEQELCG VEDDFHNQFA AELEVLAELE GASTPSPSGV PLFTAGRPPR TFEEALARGD
	AASSPAPAAS VGSSQGGARK RQVDADLQPA GSLPHAPRIK RPRLQVVKRL NFRSEEMEEP
	PPPDSSPTDI TPPPSPEDLA ELWGHGVSEA AADVGLTRAS PAARNPVLRR PPILEDYVHV
	TSTEGVRAYL VLRADPMAPG VQGSLLHVPW RGGGQLDLLG VSLASLKKQV DGERRERLLQ
	EAQKLSDTLH SLRSGEEEAA QPLGAPEEEP TDGQDASSHC LWVDEFAPRH YTELLSDDFT
	NRCLLKWLKL WDLVVFGHER PSRKPRPSVE PARVSKEATA PGKWKSHEQV LEEMLEAGLD
	PSQRPKQKVA LLCGPPGLGK TTLAHVIARH AGYSVVEMNA SDDRSPEVFR TRIEAATQME
	SVLGAGGKPN CLVIDEIDGA PVAAINVLLS ILNRKGPQEV GPQGPAVPSG GGRRRRAEGG
	LLMRPIICIC NDQFAPSLRQ LKQQAFLLHF PPTLPSRLVQ RLQEVSLRQG MRADPGVLAA
	LCEKTDNDIR ACINTLQFLY SRGQRELSVR DVQATRVGLK DQRRGLFSVW QEVFQLPRAQ
	RRRVGQDPAL PADTLLLGDG DAGSLTSASQ RFYRVLHAAA SAGEHEKVVQ GLFDNFLRLR

LRDSSLGAVC VALDWLAFDD LLAGAAHHSQ SFQLLRYPPF LPVAFHVLFA SSHTPRITFP
SSQQEAQNRM SQMRNLIQTL VSGIAPATRS RATPQALLLD ALCLLLDILA PKLRPVSTQL
YSTREKQQLA SLVGTMLAYS LTYRQERTPD GQYIYRLEPN VEELCRFPEL PARKPLTYQT
KQLIAREIEV EKMRRAEASA RVENSPQVDG SPPGLEGLLG GIGEKGVHRP APRNHEQRLE
HIMRRAAREE QPEKDFFGRV VVRSTAVPSA GDTAPEQDSV ERRMGTAVGR SEVWFRFNEG
VSNAVRRSLY IRDLL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.

Froduct Details	
	 We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.
Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression
	System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	CTF18 (CHTF18)
Alternative Name:	CHTF18 (CHTF18 Products)
Background:	Chromosome transmission fidelity protein 18 homolog (hCTF18) (CHL12),FUNCTION:
	Chromosome cohesion factor involved in sister chromatid cohesion and fidelity of
	chromosome transmission. Component of one of the cell nuclear antigen loader complexes,
	CTF18-replication factor C (CTF18-RFC), which consists of CTF18, CTF8, DCC1, RFC2, RFC3,
	RFC4 and RFC5. The CTF18-RFC complex binds to single-stranded and primed DNAs and has
	weak ATPase activity that is stimulated by the presence of primed DNA, replication protein A
	(RPA) and by proliferating cell nuclear antigen (PCNA). The CTF18-RFC complex catalyzes the
	ATP-dependent loading of PCNA onto primed and gapped DNA. Interacts with and stimulates
	DNA polymerase POLH. During DNA repair synthesis, involved in loading DNA polymerase POL
	at the sites of local damage (PubMed:20227374). {ECO:0000269 PubMed:12766176,
	ECO:0000269 PubMed:12930902, ECO:0000269 PubMed:17545166,
	ECO:0000269 PubMed:20227374}.
Molecular Weight:	107.4 kDa
UniProt:	Q8WVB6
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational

Application Details

modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months