

Datasheet for ABIN3092012

CTNND1 Protein (AA 1-968) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	CTNND1
Protein Characteristics:	AA 1-968
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CTNND1 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence:	MDDSEVESTA SILASVKEQE AQFEKLTRAL EEERRHVSAQ LERVRVSPQD ANPLMANGTL TRRHQNGRFV GDADLERQKF SDLKLNGPQD HSHLLYSTIP RMQEPGQIVE TYTEEDPEGA MSVSVETSD DGTRRTETT VKKVVKTVTT RTVQPVAMGP DGLPVDASSV SNNYIQLGR DFRKNGNGGP GPYVGQAGTA TLPRNFHYPP DGYSRHYEDG YPGGSDNYGS LSRVTRIEER YRPSMEGYRA PSRQDVYGPQ PQVRVGGSSV DLHRFHPEPY GLEDDQRSMG YDDL DYGMMS DYGTARTGT PSDPRRLRS YEDMIGEEVP SDQYYWAPLA QHERGSLASL DSLRKGGPPP PNWRQPELPE VIAMLGFRD AVKSNAAYL QHLCYRNDKV KTDVRKLKGI PVLVGLLDHP KKEVHLGACG ALKNISFGRD QDNKIAIKNC DGVPALVRL RKARDMDLTE VITGTLWNLS SHDSIKMEIV DHALHALTDE VIIPHSOWER EPNEDCKPRH IEWESVLTNT AGCLRNVSS RSEARRKLRE CDGLVDALIF IVQAEIGQKD SDSKLVENCV CLLRNLSYQV HREIPQAERY QEAAPNVANN TGPHAASCFG AKKGKDEWFS RGKKPIEDPA NDTVDFPKRT SPARGYELLF QPEVVRIYIS LLKESKTPAI LEASAGAIQN LCAGRWTYGR YIRSALRQEK ALSAIADLLT
-----------	--

NEHERVVKAA SGALRNLAVD ARNKELIGKH AIPNLVKNLP GGQQNSSWNF SEDTVISILN
TINEVIAENL EAAKKLRETQ GIEKLVLINK SGNRSEKEVR AAALVLQTIW GYKELRKPLE
KEGWKKSDFQ VNLNNASRSQ SSHSYDDSTL PLIDRNQKSD KKPDRREEIQM SNMGSTNKS
DNNYSTPNER GDHNRTLDRS GDLGDMEPLK GTTPLMQDEG QESLEEELDV LVLDEGGQV
SYPSMQKI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its

Product Details

- specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	CTNND1
Alternative Name:	CTNND1 (CTNND1 Products)
Background:	Catenin delta-1 (Cadherin-associated Src substrate) (CAS) (p120 catenin) (p120(ctn)) (p120(cas)),FUNCTION: Key regulator of cell-cell adhesion that associates with and regulates the cell adhesion properties of both C-, E- and N-cadherins, being critical for their surface stability (PubMed:14610055, PubMed:20371349). Beside cell-cell adhesion, regulates gene transcription through several transcription factors including ZBTB33/Kaiso2 and GLIS2, and the activity of Rho family GTPases and downstream cytoskeletal dynamics (PubMed:10207085, PubMed:20371349). Implicated both in cell transformation by SRC and in ligand-induced receptor signaling through the EGF, PDGF, CSF-1 and ERBB2 receptors (PubMed:17344476). {ECO:0000269 PubMed:10207085, ECO:0000269 PubMed:14610055, ECO:0000269 PubMed:17344476, ECO:0000269 PubMed:20371349}.
Molecular Weight:	108.2 kDa
UniProt:	O60716
Pathways:	EGFR Signaling Pathway , Neurotrophin Signaling Pathway , Cell-Cell Junction Organization , CXCR4-mediated Signaling Events , Platelet-derived growth Factor Receptor Signaling

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process