

Datasheet for ABIN3092034

CWC22 Protein (AA 1-908) (Strep Tag)[Go to Product page](#)**1** Image

Overview

Quantity:	1 mg
Target:	CWC22
Protein Characteristics:	AA 1-908
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This CWC22 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MKSSVAQIKP SSGHDRRENL NSYQRNSSPE DRYEEQERSP RDRDYFDYSR SDYEHSSRRGR SYDSSMESRN RDREKRRERE RDTDRKRSRK SPSPGRRNPE TSVTQSSSAQ DEPATKKKKD ELDPLLTRTG GAYIPPAKLR MMQEQUITDKN SLAYQRMSWE ALKKSINGLI NKVNISNISI IIQELLQENI VRGRGLLSRS VLQAQSASPI FTHVYAALVA IINSKFPQIG ELILKRLILN FRKGYYRNDK QLCLTASKFV AHLINQNVAH EVLCLEMLTL LLERPTDDSV EVAIGFLKEC GLKLTQVSPR GINAIFERLR NILHESEIDK RVQYMIEVMF AVRKDGFKDH PIILEGLDLV EEDDQFTHML PLEDDYNPED VLVNFKMDPN FMENEEKYKA IKKEILDEGD TDSNTDQDAG SSEEEEEEE EEGEEDEEGQ KVTIHDKTEI NLVSFRRTIY LAIQSSLD FE ECAHKLLKME FPESQTKELC NMILDCCAQQ RTYEKFFGLL AGRFCMLKKE YMESFEGIFK EQYDTIHRLE TNKLRNVAKM FAHLLYTD SL PWSVLECIKL SEETTTSSSR IFVKIFFQEL CEYMGLPKLN ARLKDETLP FFEGLLPRDN PRNTRFAINF FTSIGLGGLT DELREHLKNT PKVIVAQKPD VEQNKSSPSS SSSASSSSSES DSSDSDSDSS DSSSESSSEE SDSSSISSHS SASANDVRKK GHGKTRSKEV
-----------	--

DKLIRNQQTN DRKQKERRQE HGHQETRTER ERRSEKHRDQ NSSGSNWRDP ITKYTSDKDV
PSERNNYSRV ANDRDQEMHI DLENKHGDPK KKRGERRNSF SENEKHTHRI KDFENFRRKD
RSKSKEMNRK HSGSRSEDR YQNGAERRWE KSSRYSEQSR ESKKNQDRRR EKSPAKQK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	CWC22
Alternative Name:	CWC22 (CWC22 Products)
Background:	<p>Pre-mRNA-splicing factor CWC22 homolog (Nucampholin homolog) (fSAPb),FUNCTION: Required for pre-mRNA splicing as component of the spliceosome (PubMed:12226669, PubMed:11991638, PubMed:22961380, PubMed:28502770, PubMed:28076346, PubMed:29360106, PubMed:29301961). As a component of the minor spliceosome, involved in the splicing of U12-type introns in pre-mRNAs (Probable). Promotes exon-junction complex (EJC) assembly (PubMed:22959432, PubMed:22961380). Hinders EIF4A3 from non-specifically binding RNA and escorts it to the splicing machinery to promote EJC assembly on mature mRNAs. Through its role in EJC assembly, required for nonsense-mediated mRNA decay.</p> <p>{ECO:0000269 PubMed:11991638, ECO:0000269 PubMed:12226669, ECO:0000269 PubMed:22959432, ECO:0000269 PubMed:22961380, ECO:0000269 PubMed:23236153, ECO:0000269 PubMed:28076346, ECO:0000269 PubMed:28502770, ECO:0000269 PubMed:29301961, ECO:0000269 PubMed:29360106, ECO:0000305 PubMed:33509932}.</p>
Molecular Weight:	105.5 kDa
UniProt:	Q9HCG8

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a
--------------------	--

Application Details

	guarantee though.
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process