antibodies.com

Datasheet for ABIN3092137 DNMBP Protein (AA 1-1577) (Strep Tag)



Overview

Quantity:	1 mg
Target:	DNMBP
Protein Characteristics:	AA 1-1577
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DNMBP protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MEAGSVVRAI FDFCPSVSEE LPLFVGDIIE VLAVVDEFWL LGKKEDVTGQ FPSSFVEIVT
	IPSLKEGERL FVCICEFTSQ ELDNLPLHRG DLVILDGIPT AGWLQGRSCW GARGFFPSSC
	VRELCLSSQS RQWHSQSALF QIPEYSMGQA RALMGLSAQL DEELDFREGD VITIIGVPEP
	GWFEGELEGR RGIFPEGFVE LLGPLRTVDE SVSSGNQDDC IVNGEVDTPV GEEEIGPDED
	EEEPGTYGVA LYRFQALEPN ELDFEVGDKI RILATLEDGW LEGSLKGRTG IFPYRFVKLC
	PDTRVEETMA LPQEGSLARI PETSLDCLEN TLGVEEQRHE TSDHEAEEPD CIISEAPTSP
	LGHLTSEYDT DRNSYQDEDT AGGPPRSPGV EWEMPLATDS PTSDPTEVVN GISSQPQVPF
	HPNLQKSQYY STVGGSHPHS EQYPDLLPLE ARTRDYASLP PKRMYSQLKT LQKPVLPLYR
	GSSVSASRVV KPRQSSPQLH NLASYTKKHH TSSVYSISER LEMKPGPQAQ GLVMEAATHS
	QGDGSTDLDS KLTQQLIEFE KSLAGPGTEP DKILRHFSIM DFNSEKDIVR GSSKLITEQE
	LPERRKALRP PPPRPCTPVS TSPHLLVDQN LKPAPPLVVR PSRPAPLPPS AQQRTNAVSP
	KLLSRHRPTC ETLEKEGPGH MGRSLDQTSP CPLVLVRIEE MERDLDMYSR AQEELNLMLE

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3092137 | 04/30/2024 | Copyright antibodies-online. All rights reserved. EKQDESSRAE TLEDLKFCES NIESLNMELQ QLREMTLLSS QSSSLVAPSG SVSAENPEQR MLEKRAKVIE ELLQTERDYI RDLEMCIERI MVPMQQAQVP NIDFEGLFGN MQMVIKVSKQ LLAALEISDA VGPVFLGHRD ELEGTYKIYC QNHDEAIALL EIYEKDEKIQ KHLQDSLADL KSLYNEWGCT NYINLGSFLI KPVQRVMRYP LLLMELLNST PESHPDKVPL TNAVLAVKEI NVNINEYKRR KDLVLKYRKG DEDSLMEKIS KLNIHSIIKK SNRVSSHLKH LTGFAPQIKD EVFEETEKNF RMQERLIKSF IRDLSLYLQH IRESACVKVV AAVSMWDVCM ERGHRDLEQF ERVHRYISDQ LFTNFKERTE RLVISPLNQL LSMFTGPHKL VQKRFDKLLD FYNCTERAEK LKDKKTLEEL QSARNNYEAL NAQLLDELPK FHQYAQGLFT NCVHGYAEAH CDFVHQALEQ LKPLLSLLKV AGREGNLIAI FHEEHSRVLQ QLQVFTFFPE SLPATKKPFE RKTIDRQSAR KPLLGLPSYM LQSEELRASL LARYPPEKLF QAERNFNAAQ DLDVSLLEGD LVGVIKKKDP MGSQNRWLID NGVTKGFVYS SFLKPYNPRR SHSDASVGSH SSTESEHGSS SPRFPRQNSG STLTFNPSSM AVSFTSGSCQ KQPQDASPPP KECDQGTLSA SLNPSNSESS PSRCPSDPDS TSQPRSGDSA DVARDVKQPT ATPRSYRNFR HPEIVGYSVP GRNGQSQDLV KGCARTAQAP EDRSTEPDGS EAEGNQVYFA VYTFKARNPN ELSVSANQKL KILEFKDVTG NTEWWLAEVN GKKGYVPSNY IRKTEYT

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALICE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

 ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3092137 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

	translational modifications.
	During lysate production, the cell wall and other cellular components that are not required for protein production are removed, locuing only the protein production machinery and the
	protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to
	produce something that functions like a cell, but without the constraints of a living system -
	all that's needed is the DNA that codes for the desired protein!
	Concentration:
	• The concentration of our recombinant proteins is measured using the absorbance at 280nm.
	• The protein's absorbance will be measured in several dilutions and is measured against its
	specific reference buffer.
	• We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.
Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System
Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):
Purification:	
Purification:	(ALICE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag
Purification:	(ALiCE®):1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
Purification: Purity:	 (ALiCE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
	 (ALICE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Target Details

Target:	DNMBP
Alternative Name:	DNMBP (DNMBP Products)
Background:	Dynamin-binding protein (Scaffold protein Tuba),FUNCTION: Plays a critical role as a guanine
	nucleotide exchange factor (GEF) for CDC42 in several intracellular processes associated with
	the actin and microtubule cytoskeleton. Regulates the structure of apical junctions through F-
	actin organization in epithelial cells (PubMed:19767742, PubMed:17015620). Participates in the
	normal lumenogenesis of epithelial cell cysts by regulating spindle orientation
	(PubMed:20479467). Plays a role in ciliogenesis (By similarity). May play a role in membrane
	trafficking between the cell surface and the Golgi (By similarity).

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3092137 | 04/30/2024 | Copyright antibodies-online. All rights reserved.

Target Details	
	{ECO:0000250 UniProtKB:E2RP94, ECO:0000250 UniProtKB:Q6TXD4, ECO:0000269 PubMed:17015620, ECO:0000269 PubMed:19767742, ECO:0000269 PubMed:20479467}.
Molecular Weight:	177.3 kDa
UniProt:	Q6XZF7
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3092137 | 04/30/2024 | Copyright antibodies-online. All rights reserved.