

Datasheet for ABIN3092161

**DNAJC10 Protein (AA 33-793) (His tag)****1** Image[Go to Product page](#)

## Overview

Quantity:	1 mg
Target:	DNAJC10
Protein Characteristics:	AA 33-793
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DNAJC10 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), ELISA, Western Blotting (WB), Crystallization (Crys)

## Product Details

Sequence:	DQDFYSL LGV SKTASSREIR QAFKKLALKL HPDKNPNNPN AHGDFLKINR AYEVLKDEDL RKKYDKYGEK GLEDNQGGQY ESWNYRYDF GIYDDPEII TLERREFDAA VNSGELWFDVN FYSPGCSHCH DLAPTWRDFA KEVDGLLRIG AVNCGDDRML CRMKGVNSYP SLFIFRSGMA PVKYHGDRSK ESLVSFAMQH VRSTVTELWT GNFVNSIQTA FAAGIGWLIT FCSKGGDCLT SQTRLRLSGM LDGLVNVGWM DCATQDNLCK SLDITTSTTA YFPPGATLNN KEKNSILFLN SLDAKEIYLE VIHNLPDFEL LSANTLEDRL AHHRWLLFFH FGKNENSNDP ELKKLKTLLK NDHIQVGRFD CSSAPDICSN LYVFQPSLAV FKGQGTKEYE IHHGKKILYD ILAFAKESVN SHVTTLGPQN FPANDKEPWL VDFPAPWCPP CRALLPELRR ASNLLYGQLK FGTLDCVTHE GLCNMYNIQA YPTTVVFNQS NIHEYEGHHS AEQILEFIED LMNPSVVS LT PTTFNELV TQ RKHNEVWMVD FYSPWCHPCQ VLMPEWK RMA RTLTGLINVG SIDCQYHSF CAQENVQ RYP EIRFFPPKSN KAYHYHSYNG WNRDAYSLRI WGLGFLPQVS TDLTPQTFSE KVLQGKNHWV IDFYAPWCGP CQNFAPEFEL LARMIKGKVK AGKVDCQAYA QTCQKAGIRA YPTVKFYFYE
-----------	---

RAKRNFQEEQ INTRDAKAIA ALISEKLETL RNQGKRNKDE L

**Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.**

---

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human DNAJC10 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's protparam tool to determine the absorption coefficient of each protein.

---

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

---

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

---

Sterility:

0.22 µm filtered

---

Endotoxin Level:

Protein is endotoxin free.

---

## Product Details

Grade: Crystallography grade

## Target Details

Target: DNAJC10

Alternative Name: DNAJC10 ([DNAJC10 Products](#))

Background: Endoplasmic reticulum disulfide reductase involved both in the correct folding of proteins and degradation of misfolded proteins. Required for efficient folding of proteins in the endoplasmic reticulum by catalyzing the removal of non-native disulfide bonds formed during the folding of proteins, such as LDLR. Also involved in endoplasmic reticulum-associated degradation (ERAD) by reducing incorrect disulfide bonds in misfolded glycoproteins recognized by EDEM1. Interaction with HSPA5 is required its activity, not for the disulfide reductase activity, but to facilitate the release of DNAJC10 from its substrate. Promotes apoptotic signaling pathway in response to endoplasmic reticulum stress. {ECO:0000269|PubMed:12411443, ECO:0000269|PubMed:18400946, ECO:0000269|PubMed:19122239, ECO:0000269|PubMed:23769672}.

Molecular Weight: 88.3 kDa Including tag.

UniProt: [Q8IXB1](#)

Pathways: [Cell RedoxHomeostasis](#)

## Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Restrictions: For Research Use only

## Handling

Format: Liquid

Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

## Handling

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

## Images



**Image 1.** „Crystallography Grade“ protein due to multi-step, protein-specific purification process