# antibodies .- online.com





# DSCAM Protein (AA 18-1595) (His tag)



### Overview

Quantity:	1 mg
Target:	DSCAM
Protein Characteristics:	AA 18-1595
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This DSCAM protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), Crystallization (Crys), SDS-PAGE (SDS)

### **Product Details**

Sequence:

EDLHSSLYFV NASLQEVVFA STTGTLVPCP AAGIPPVTLR WYLATGEEIY DVPGIRHVHP NGTLQIFPFP PSSFSTLIHD NTYYCTAENP SGKIRSQDVH IKAVLREPYT VRVEDQKTMR GNVAVFKCII PSSVEAYITV VSWEKDTVSL VSGSRFLITS TGALYIKDVQ NEDGLYNYRC ITRHRYTGET RQSNSARLFV SDPANSAPSI LDGFDHRKAM AGQRVELPCK ALGHPEPDYR WLKDNMPLEL SGRFQKTVTG LLIENIRPSD SGSYVCEVSN RYGTAKVIGR LYVKQPLKAT ISPRKVKSSV GSQVSLSCSV TGTEDQELSW YRNGEILNPG KNVRITGINH ENLIMDHMVK SDGGAYQCFV RKDKLSAQDY VQVVLEDGTP KIISAFSEKV VSPAEPVSLM CNVKGTPLPT ITWTLDDDPI LKGGSHRISQ MITSEGNVVS YLNISSSQVR DGGVYRCTAN NSAGVVLYQA RINVRGPASI RPMKNITAIA GRDTYIHCRV IGYPYYSIKW YKNSNLLPFN HRQVAFENNG TLKLSDVQKE VDEGEYTCNV LVQPQLSTSQ SVHVTVKVPP FIQPFEFPRF SIGQRVFIPC VVVSGDLPIT ITWQKDGRPI PGSLGVTIDN IDFTSSLRIS NLSLMHNGNY TCIARNEAAA VEHQSQLIVR VPPKFVVQPR DQDGIYGKAV ILNCSAEGYP VPTIVWKFSK GAGVPQFQPI

ALNGRIQVLS NGSLLIKHVV EEDSGYYLCK VSNDVGADVS KSMYLTVKIP AMITSYPNTT
LATQGQKKEM SCTAHGEKPI IVRWEKEDRI INPEMARYLV STKEVGEEVI STLQILPTVR
EDSGFFSCHA INSYGEDRGI IQLTVQEPPD PPEIEIKDVK ARTITLRWTM GFDGNSPITG
YDIECKNKSD SWDSAQRTKD VSPQLNSATI IDIHPSSTYS IRMYAKNRIG KSEPSNELTI
TADEAAPDGP PQEVHLEPIS SQSIRVTWKA PKKHLQNGII RGYQIGYREY STGGNFQFNI
ISVDTSGDSE VYTLDNLNKF TQYGLVVQAC NRAGTGPSSQ EIITTTLEDV PSYPPENVQA
IATSPESISI SWSTLSKEAL NGILQGFRVI YWANLMDGEL GEIKNITTTQ PSLELDGLEK
YTNYSIQVLA FTRAGDGVRS EQIFTRTKED VPGPPAGVKA AAASASMVFV SWLPPLKLNG
IIRKYTVFCS HPYPTVISEF EASPDSFSYR IPNLSRNRQY SVWVVAVTSA GRGNSSEIIT
VEPLAKAPAR ILTFSGTVTT PWMKDIVLPC KAVGDPSPAV KWMKDSNGTP SLVTIDGRRS
IFSNGSFIIR TVKAEDSGYY SCIANNNWGS DEIILNLQVQ VPPDQPRLTV SKTTSSSITL
SWLPGDNGGS SIRGYILQYS EDNSEQWGSF PISPSERSYR LENLKCGTWY KFTLTAQNGV
GPGRISEIIE AKTLGKEPQF SKEQELFASI NTTRVRLNLI GWNDGGCPIT SFTLEYRPFG
TTVWTTAQRT SLSKSYILYD LQEATWYELQ MRVCNSAGCA EKQANFATLN YDGSTIPPLI
KSVVQNEEGL TTNEGLKM

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

### Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Human DSCAM Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

### **Product Details**

specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade **Target Details** Target: **DSCAM** Alternative Name: **DSCAM (DSCAM Products)** Background: Cell adhesion molecule that plays a role in neuronal self-avoidance. Promotes repulsion between specific neuronal processes of either the same cell or the same subtype of cells. Mediates within retinal amacrine and ganglion cell subtypes both isoneuronal self-avoidance for creating an orderly dendritic arborization and heteroneuronal self-avoidance to maintain the mosaic spacing between amacrine and ganglion cell bodies (PubMed:10925149). Receptor for netrin required for axon guidance independently of and in collaboration with the receptor DCC. In spinal chord development plays a role in guiding commissural axons projection and pathfinding across the ventral midline to reach the floor plate upon ligand binding (PubMed:18585357, PubMed:19196994). Enhances netrin-induced phosphorylation of PAK1 and FYN (PubMed:15169762). Mediates intracellular signaling by stimulating the activation of MAPK8 and MAP kinase p38 (PubMed:18585357, PubMed:19196994). Adhesion molecule that

promotes lamina-specific synaptic connections in the retina: expressed in specific subsets of

interneurons and retinal ganglion cells (RGCs) and promotes synaptic connectivity via

homophilic interactions (By similarity). {ECO:0000250|UniProtKB:F1NY98,

ECO:0000269|PubMed:10925149, ECO:0000269|PubMed:15169762,

## **Target Details**

Expiry Date:

Target Details	
	ECO:0000269 PubMed:18585357, ECO:0000269 PubMed:19196994}.
Molecular Weight:	175.3 kDa Including tag.
UniProt:	060469
Pathways:	Regulation of Cell Size
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Unlimited (if stored properly)