antibodies .- online.com





Deltex Homolog 1 Protein (AA 1-620) (His tag)



Image



Go to Product page

Overview

Quantity:	1 mg
Target:	Deltex Homolog 1 (DTX1)
Protein Characteristics:	AA 1-620
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Deltex Homolog 1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MSRPGHGGLM PVNGLGFPPQ NVARVVVWEW LNEHSRWRPY TATVCHHIEN VLKEDARGSV VLGQVDAQLV PYIIDLQSMH QFRQDTGTMR PVRRNFYDPS SAPGKGIVWE WENDGGAWTA YDMDICITIQ NAYEKQHPWL DLSSLGFCYL IYFNSMSQMN RQTRRRRRLR RRLDLAYPLT VGSIPKSQSW PVGASSGQPC SCQQCLLVNS TRAASNAILA SQRRKAPPAP PLPPPPPPGG PPGALAVRPS ATFTGAALWA APAAGPAEPA PPPGAPPRSP GAPGGARTPG QNNLNRPGPQ RTTSVSARAS IPPGVPALPV KNLNGTGPVH PALAGMTGIL LCAAGLPVCL TRAPKPILHP PPVSKSDVKP VPGVPGVCRK TKKKHLKKSK NPEDVVRRYM QKVKNPPDED CTICMERLVT ASGYEGVLRH KGVRPELVGR LGRCGHMYHL LCLVAMYSNG NKDGSLQCPT CKAIYGEKTG TQPPGKMEFH LIPHSLPGFP DTQTIRIVYD IPTGIQGPEH PNPGKKFTAR GFPRHCYLPN NEKGRKVLRL LITAWERRLI FTIGTSNTTG ESDTVVWNEI HHKTEFGSNL TGHGYPDASY LDNVLAELTA QGVSEAAAKA

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Characteristics:

special request, please contact us. • Made in Germany - from design to production - by highly experienced protein experts. · Human DTX1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

Purification:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 μm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

Target Details

Target:	Deltex Homolog 1 (DTX1)
Alternative Name:	DTX1 (DTX1 Products)
Alternative Name: Background:	Functions as a ubiquitin ligase protein in vivo, mediating ubiquitination and promoting degradation of MEKK1, suggesting that it may regulate the Notch pathway via some ubiquitin ligase activity (By similarity). Regulator of Notch signaling, a signaling pathway involved in cell-cell communications that regulates a broad spectrum of cell-fate determinations. Mainly acts as a positive regulator of Notch, but it also acts as a negative regulator, depending on the developmental and cell context. Mediates the antineural activity of Notch, possibly by inhibiting the transcriptional activation mediated by MATCH1. Involved in neurogenesis, lymphogenesis and myogenesis, and may also be involved in MZB (Marginal zone B) cell differentiation. Promotes B-cell development at the expense of T-cell development, suggesting that it can antagonize NOTCH1. {ECO:0000250, ECO:0000269 PubMed:11564735, ECO:0000269 PubMed:11869684, ECO:0000269 PubMed:1156479590294}.
Molecular Weight:	68.3 kDa Including tag.
UniProt:	Q86Y01
Pathways:	Notch Signaling
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process