antibodies .- online.com





EIF2AK1 Protein (AA 1-630) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	EIF2AK1
Protein Characteristics:	AA 1-630
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EIF2AK1 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

MQGGNSGVRK REEEGDGAGA VAAPPAIDFP AEGPDPEYDE SDVPAEIQVL KEPLQQPTFP
FAVANQLLLV SLLEHLSHVH EPNPLRSRQV FKLLCQTFIK MGLLSSFTCS DEFSSLRLHH
NRAITHLMRS AKERVRQDPC EDISRIQKIR SREVALEAQT SRYLNEFEEL AILGKGGYGR
VYKVRNKLDG QYYAIKKILI KGATKTVCMK VLREVKVLAG LQHPNIVGYH TAWIEHVHVI
QPRADRAAIE LPSLEVLSDQ EEDREQCGVK NDESSSSSII FAEPTPEKEK RFGESDTENQ
NNKSVKYTTN LVIRESGELE STLELQENGL AGLSASSIVE QQLPLRRNSH LEESFTSTEE
SSEENVNFLG QTEAQYHLML HIQMQLCELS LWDWIVERNK RGREYVDESA CPYVMANVAT
KIFQELVEGV FYIHNMGIVH RDLKPRNIFL HGPDQQVKIG DFGLACTDIL QKNTDWTNRN
GKRTPTHTSR VGTCLYASPE QLEGSEYDAK SDMYSLGVVL LELFQPFGTE MERAEVLTGL
RTGQLPESLR KRCPVQAKYI QHLTRRNSSQ RPSAIQLLQS ELFQNSGNVN LTLQMKIIEQ
EKEIAELKKQ LNLLSQDKGV RDDGKDGGVG

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Product Details special request, please contact us. Characteristics: · Made in Germany - from design to production - by highly experienced protein experts. · Human EIF2AK1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Target Details

Target:	EIF2AK1
Alternative Name:	EIF2AK1 (EIF2AK1 Products)
Background:	Inhibits protein synthesis at the translation initiation level, in response to various stress
	conditions, including oxidative stress, heme deficiency, osmotic shock and heat shock. Exerts
	its function through the phosphorylation of EIF2S1 at 'Ser-48' and 'Ser-51', thus preventing its
	recycling. Binds hemin forming a 1:1 complex through a cysteine thiolate and histidine
	nitrogenous coordination. This binding occurs with moderate affinity, allowing it to sense the
	heme concentration within the cell. Thanks to this unique heme-sensing capacity, plays a
	crucial role to shut off protein synthesis during acute heme-deficient conditions. In red blood
	cells (RBCs), controls hemoglobin synthesis ensuring a coordinated regulation of the synthesis
	of its heme and globin moieties. Thus plays an essential protective role for RBC survival in
	anemias of iron deficiency. Similarly, in hepatocytes, involved in heme-mediated translational
	control of CYP2B and CYP3A and possibly other hepatic P450 cytochromes. May also contain
	ER stress during acute heme-deficient conditions (By similarity). {ECO:0000250}.
Molecular Weight:	72.1 kDa Including tag.
UniProt:	Q9BQI3
Pathways:	Hepatitis C
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Buffer:	100 million value, 20 million repeat, 1070 gly cerol. pri value 13 at the disoretion of the manufacturer.

Handling

Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process