

## Datasheet for ABIN3092256

# DYRK1B Protein (AA 1-629) (Strep Tag)



#### Go to Product page

()	ve	rvi	6	W
$\sim$	v C	1 V I	$\sim$	v v

Quantity:	250 μg
Target:	DYRK1B
Protein Characteristics:	AA 1-629
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This DYRK1B protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details		
Brand:	AliCE®	
Sequence:	MAVPPGHGPF SGFPGPQEHT QVLPDVRLLP RRLPLAFRDA TSAPLRKLSV DLIKTYKHIN	
	EVYYAKKKRR AQQAPPQDSS NKKEKKVLNH GYDDDNHDYI VRSGERWLER YEIDSLIGKG	
	SFGQVVKAYD HQTQELVAIK IIKNKKAFLN QAQIELRLLE LMNQHDTEMK YYIVHLKRHF	
	MFRNHLCLVF ELLSYNLYDL LRNTHFRGVS LNLTRKLAQQ LCTALLFLAT PELSIIHCDL	
	KPENILLCNP KRSAIKIVDF GSSCQLGQRI YQYIQSRFYR SPEVLLGTPY DLAIDMWSLG	
	CILVEMHTGE PLFSGSNEVD QMNRIVEVLG IPPAAMLDQA PKARKYFERL PGGGWTLRRT	
	KELRKDYQGP GTRRLQEVLG VQTGGPGGRR AGEPGHSPAD YLRFQDLVLR MLEYEPAARI	
	SPLGALQHGF FRRTADEATN TGPAGSSAST SPAPLDTCPS SSTASSISSS GGSSGSSSDN	
	RTYRYSNRYC GGPGPPITDC EMNSPQVPPS QPLRPWAGGD VPHKTHQAPA SASSLPGTGA	
	QLPPQPRYLG RPPSPTSPPP PELMDVSLVG GPADCSPPHP APAPQHPAAS ALRTRMTGGR	
	PPLPPPDDPA TLGPHLGLRG VPQSTAASS	

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- · Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Background:

custom-made

## DYRK1B

DYRK1B (DYRK1B Products)

,

Dual specificity tyrosine-phosphorylation-regulated kinase 1B (EC 2.7.12.1) (Minibrain-related kinase) (Mirk protein kinase), FUNCTION: Dual-specificity kinase which possesses both serine/threonine and tyrosine kinase activities. Plays an essential role in ribosomal DNA (rDNA) double-strand break repair and rDNA copy number maintenance (PubMed:33469661). During DNA damage, mediates transcription silencing in part via phosphorylating and enforcing DSB accumulation of the histone methyltransferase EHMT2 (PubMed:32611815). Enhances the transcriptional activity of TCF1/HNF1A and FOX01. Inhibits epithelial cell migration. Mediates colon carcinoma cell survival in mitogen-poor environments. Inhibits the SHH and WNT1 pathways, thereby enhancing adipogenesis. In addition, promotes expression of the gluconeogenic enzyme glucose-6-phosphatase catalytic subunit 1 (G6PC1). (ECO:0000269|PubMed:10910078, ECO:0000269|PubMed:11980910, ECO:0000269|PubMed:14500717, ECO:0000269|PubMed:24827035, ECO:0000269|PubMed:33469661}.

Molecular Weight: 69.2 kDa

UniProt: Q9Y463

## **Application Details**

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies

as well. As the protein has not been tested for functional studies yet we cannot offer a

guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from

Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce

even the most difficult-to-express proteins, including those that require post-translational

modifications.

During lysate production, the cell wall and other cellular components that are not required for

protein production are removed, leaving only the protein production machinery and the

mitochondria to drive the reaction. During our lysate completion steps, the additional

components needed for protein production (amino acids, cofactors, etc.) are added to produce

## **Application Details**

	something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months