# antibodies .- online.com





# ELP2 Protein (AA 1-826) (His tag)





Go to Product page

### Overview

Quantity:	1 mg
Target:	ELP2
Protein Characteristics:	AA 1-826
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This ELP2 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), Crystallization (Crys), ELISA

### **Product Details**

Sequence:

MVAPVLETSH VFCCPNRVRG VLNWSSGPRG LLAFGTSCSV VLYDPLKRVV VTNLNGHTAR VNCIQWICKQ DGSPSTELVS GGSDNQVIHW EIEDNQLLKA VHLQGHEGPV YAVHAVYQRR TSDPALCTLI VSAAADSAVR LWSKKGPEVM CLQTLNFGNG FALALCLSFL PNTDVPILAC GNDDCRIHIF AQQNDQFQKV LSLCGHEDWI RGVEWAAFGR DLFLASCSQD CLIRIWKLYI KSTSLETQDD DNIRLKENTF TIENESVKIA FAVTLETVLA GHENWVNAVH WQPVFYKDGV LQQPVRLLSA SMDKTMILWA PDEESGVWLE QVRVGEVGGN TLGFYDCQFN EDGSMIIAHA FHGALHLWKQ NTVNPREWTP EIVISGHFDG VQDLVWDPEG EFIITVGTDQ TTRLFAPWKR KDQSQVTWHE IARPQIHGYD LKCLAMINRF QFVSGADEKV LRVFSAPRNF VENFCAITGQ SLNHVLCNQD SDLPEGATVP ALGLSNKAVF QGDIASQPSD EEELLTSTGF EYQQVAFQPS ILTEPPTEDH LLQNTLWPEV QKLYGHGYEI FCVTCNSSKT LLASACKAAK KEHAAIILWN TTSWKQVQNL VFHSLTVTQM AFSPNEKFLL AVSRDRTWSL WKKQDTISPE FEPVFSLFAF TNKITSVHSR IIWSCDWSPD SKYFFTGSRD KKVVVWGECD STDDCIEHNI GPCSSVLDVG

GAVTAVSVCP VLHPSQRYVV AVGLECGKIC LYTWKKTDQV PEINDWTHCV ETSQSQSHTL AIRKLCWKNC SGKTEQKEAE GAEWLHFASC GEDHTVKIHR VNKCAL

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human ELP2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

## Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free

Target ELP2 Alternative Name: ELP2 ("ILP2 Products") Background: Regulates the ligand-dependent activation of STAT3. (ECO:0000250), Acts as subunit of the RNA polymerase II elongator complex, which is a histone acetyltransferase component of the RNA polymerase II (Pol II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and probably H4. (ECO:0000269)PubMed:11714725, ECO:0000269)PubMed:11818576).  Molecular Weight: 93.5 RDa Including tag.  UniProt: QGIA86 Pathways: Stem Cell Maintenance, Positive Regulation of Endopepticlase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.	Product Details	
Target: ELP2 Alternative Name: ELP2 (ELP2 Products)  Background: Regulates the ligand-dependent activation of STAT3. (ECO.0000250). Acts as subunit of the RNA polymerase II elongator complex, which is a histone acetyltransferase component of the RNA polymerase II (Pot II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and probably H4. (ECO.0000269 PubMed:11714725, ECO.0000269 PubMed:11818576).  Molecular Weight: 93.5 kDa Including tag.  UniProt: Q6iA86  Pathways: Stem Cell Maintenance, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.	Grade:	Crystallography grade
Alternative Name: ELP2 (ELP2 Products)  Background: Regulates the ligand-dependent activation of STAT3. (ECO.0000250)., Acts as subunit of the RNA polymerase II elongator complex, which is a histone acetyltransferase component of the RNA polymerase II (Pol II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and probably H4. (ECO.0000269)PubMed:11714725, ECO-0000269)PubMed:11818576).  Molecular Weight: 93.5 kDa Including tag.  UniProt: Q6iA86  Pathways: Stem Cell Maintenance, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze thaw cycles.	Target Details	
Background: Regulates the ligand-dependent activation of STAT3. (ECO.0000250), Acts as subunit of the RNA polymerase II elongator complex, which is a sistone acetyltransferase component of the RNA polymerase II (Pol II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and probably H4. (ECO.0000269]PubMed:11714725, ECO.0000269]PubMed:11818576).  Molecular Weight: 93.5 kDa Including tag.  UniProt: Q6iA86  Pathways: Stem Cell Maintenance, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.	Target:	ELP2
RNA polymerase II elongator complex, which is a histone acetyltransferase component of the RNA polymerase II (Pol II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and probably H4. (ECO.0000269 PubMed:11714725, ECO.0000269 PubMed:11818576).  Molecular Weight: 93.5 kDa including tag.  UniProt: Q6iA26  Pathways: Stem Cell Maintenance, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.	Alternative Name:	ELP2 (ELP2 Products)
UniProt: Q6IA86  Pathways: Stem Cell Maintenance, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.	Background:	RNA polymerase II elongator complex, which is a histone acetyltransferase component of the RNA polymerase II (Pol II) holoenzyme and is involved in transcriptional elongation. Elongator may play a role in chromatin remodeling and is involved in acetylation of histones H3 and
Pathways: Stem Cell Maintenance, Positive Regulation of Endopeptidase Activity, Protein targeting to Nucleus  Application Details  Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.  Storage: -80 °C	Molecular Weight:	93.5 kDa Including tag.
Application Details  Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice:  Avoid repeated freeze-thaw cycles.	UniProt:	Q6IA86
Application Notes:  In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice:  Avoid repeated freeze-thaw cycles.  Storage:  -80 °C	Pathways:	
as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.  Comment:  In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions:  For Research Use only  Handling  Format:  Liquid  Buffer:  100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice:  Avoid repeated freeze-thaw cycles.  Storage:  -80 °C	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.  Restrictions: For Research Use only  Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.  Storage: -80 °C	Application Notes:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
Handling  Format: Liquid  Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.  Storage: -80 °C	Comment:	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you
Format:  Buffer:  100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice:  Avoid repeated freeze-thaw cycles.  Storage:  -80 °C	Restrictions:	For Research Use only
Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.  Handling Advice: Avoid repeated freeze-thaw cycles.  Storage: -80 °C	Handling	
Handling Advice: Avoid repeated freeze-thaw cycles.  Storage: -80 °C	Format:	Liquid
Storage: -80 °C	Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
	Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage Comment: Store at -80°C.	Storage:	-80 °C
	Storage Comment:	Store at -80°C.

Expiry Date:

Unlimited (if stored properly)

**Images** 



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process