# antibodies.com

## Datasheet for ABIN3092402 EPH Receptor A7 Protein (EPHA7) (AA 577-998) (His tag)



Overview

Image

Quantity:	1 mg
Target:	EPH Receptor A7 (EPHA7)
Protein Characteristics:	AA 577-998
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EPH Receptor A7 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

#### Product Details

Sequence:	IIGRRHCGYS KADQEGDEEL YFHFKFPGTK TYIDPETYED PNRAVHQFAK ELDASCIKIE
	RVIGAGEFGE VCSGRLKLPG KRDVAVAIKT LKVGYTEKQR RDFLCEASIM GQFDHPNVVH
	LEGVVTRGKP VMIVIEFMEN GALDAFLRKH DGQFTVIQLV GMLRGIAAGM RYLADMGYVH
	RDLAARNILV NSNLVCKVSD FGLSRVIEDD PEAVYTTTGG KIPVRWTAPE AIQYRKFTSA
	SDVWSYGIVM WEVMSYGERP YWDMSNQDVI KAIEEGYRLP APMDCPAGLH QLMLDCWQKE
	RAERPKFEQI VGILDKMIRN PNSLKTPLGT CSRPISPLLD QNTPDFTTFC SVGEWLQAIK
	MERYKDNFTA AGYNSLESVA RMTIEDVMSL GITLVGHQKK IMSSIQTMRA QMLHLHGTGI QV
	Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a
	special request, please contact us.
Characteristics:	Made in Germany - from design to production - by highly experienced protein experts.
	• Human EPHA7 Protein (raised in Insect Cells) purified by multi-step, protein-specific process
	to ensure crystallization grade.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3092402 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

State-of-the-art algorithm used for plasmid design (Gene synthesis).
This protein is a made to order protein and will be made for the first time for your order. Our
experts in the lab will ensure that you receive a correctly folded protein.
The big advantage of ordering our made-to-order proteins in comparison to ordering custom
made proteins from other companies is that there is no financial obligation in case the protein
cannot be expressed or purified.
In the unlikely event that the protein cannot be expressed or purified we do not charge anything
(other companies might charge you for any performed steps in the expression process for
custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression
experiments or purification optimization).
When you order this made-to-order protein you will only pay upon receival of the correctly
folded protein. With no financial risk on your end you can rest assured that our experienced
protein experts will do everything to make sure that you receive the protein you ordered.
The concentration of our recombinant proteins is measured using the absorbance at 280nm.
The protein's absorbance will be measured in several dilutions and is measured against its
specific reference buffer.
The concentration of the protein is calculated using its specific absorption coefficient. We use
the Expasy's protparam tool to determine the absorption coefficient of each protein.
Two step purification of proteins expressed in baculovirus infected SF9 insect cells:
1. In a first purification step, the protein is purified from the cleared cell lysate using three
different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate
fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step
fractions are analyzed by SDS-PAGE.
fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step
<ul><li>fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and</li></ul>
<ul><li>fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ul>
<ul> <li>fractions are analyzed by SDS-PAGE.</li> <li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> <li>&gt;95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.</li> </ul>
<ul> <li>fractions are analyzed by SDS-PAGE.</li> <li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> <li>&gt;95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.</li> <li>0.22 μm filtered</li> </ul>
<ul> <li>fractions are analyzed by SDS-PAGE.</li> <li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> <li>&gt;95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.</li> <li>0.22 µm filtered</li> <li>Protein is endotoxin free.</li> </ul>
<ul> <li>fractions are analyzed by SDS-PAGE.</li> <li>Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> <li>&gt;95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.</li> <li>0.22 μm filtered</li> <li>Protein is endotoxin free.</li> <li>Crystallography grade</li> </ul>
<ul> <li>fractions are analyzed by SDS-PAGE.</li> <li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li> <li>&gt;95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.</li> <li>0.22 µm filtered</li> <li>Protein is endotoxin free.</li> </ul>

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3092402 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

## Target Details

Background:	Receptor tyrosine kinase which binds promiscuously GPI-anchored ephrin-A family ligands
	residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring
	cells. The signaling pathway downstream of the receptor is referred to as forward signaling
	while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling.
	Among GPI-anchored ephrin-A ligands, EFNA5 is a cognate/functional ligand for EPHA7 and
	their interaction regulates brain development modulating cell-cell adhesion and repulsion. Has a
	repellent activity on axons and is for instance involved in the guidance of corticothalamic axons
	and in the proper topographic mapping of retinal axons to the colliculus. May also regulate
	brain development through a caspase(CASP3)-dependent proapoptotic activity. Forward
	signaling may result in activation of components of the ERK signaling pathway including
	MAP2K1, MAP2K2, MAPK1 AND MAPK3 which are phosphorylated upon activation of EPHA7.
	{EC0:0000269 PubMed:17726105}.
Molecular Weight:	48.6 kDa Including tag.
UniProt:	Q15375
Pathways:	RTK Signaling
Analisation Dataila	

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only

### Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3092402 | 09/11/2023 | Copyright antibodies-online. All rights reserved.

```
Handling
```

Expiry Date:

Unlimited (if stored properly)

#### Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 4/4 | Product datasheet for ABIN3092402 | 09/11/2023 | Copyright antibodies-online. All rights reserved.