# antibodies .- online.com





## EPH Receptor B4 Protein (EPHB4) (AA 561-987) (His tag)



**Image** 



#### Go to Product page

#### Overview

Quantity:	1 mg
Target:	EPH Receptor B4 (EPHB4)
Protein Characteristics:	AA 561-987
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This EPH Receptor B4 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

#### **Product Details**

#### Sequence:

LCLRKQSNGR EAEYSDKHGQ YLIGHGTKVY IDPFTYEDPN EAVREFAKEI DVSYVKIEEV
IGAGEFGEVC RGRLKAPGKK ESCVAIKTLK GGYTERQRRE FLSEASIMGQ FEHPNIIRLE
GVVTNSMPVM ILTEFMENGA LDSFLRLNDG QFTVIQLVGM LRGIASGMRY LAEMSYVHRD
LAARNILVNS NLVCKVSDFG LSRFLEENSS DPTYTSSLGG KIPIRWTAPE AIAFRKFTSA
SDAWSYGIVM WEVMSFGERP YWDMSNQDVI NAIEQDYRLP PPPDCPTSLH QLMLDCWQKD
RNARPRFPQV VSALDKMIRN PASLKIVARE NGGASHPLLD QRQPHYSAFG SVGEWLRAIK
MGRYEESFAA AGFGSFELVS QISAEDLLRI GVTLAGHQKK ILASVQHMKS QAKPGTPGGT
GGPAPQY

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human EPHB4 Protein (raised in Insect Cells) purified by multi-step, protein-specific process

special request, please contact us.

to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its

specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

the Expasy's protparam tool to determine the absorption coefficient of each protein.

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

#### **Target Details**

Target: EPH Receptor B4 (EPHB4)

Alternative Name: EPHB4 (EPHB4 Products)

### **Target Details**

Background:	Receptor tyrosine kinase which binds promiscuously transmembrane ephrin-B family ligands residing on adjacent cells, leading to contact-dependent bidirectional signaling into neighboring cells. The signaling pathway downstream of the receptor is referred to as forward signaling while the signaling pathway downstream of the ephrin ligand is referred to as reverse signaling. Together with its cognate ligand/functional ligand EFNB2 plays a central role in heart
	morphogenesis and angiogenesis through regulation of cell adhesion and cell migration.
	EPHB4-mediated forward signaling controls cellular repulsion and segregation form EFNB2-
	expressing cells. Plays also a role in postnatal blood vessel remodeling, morphogenesis and
	permeability and is thus important in the context of tumor angiogenesis.
	{ECO:0000269 PubMed:12734395, ECO:0000269 PubMed:16424904}.
Molecular Weight:	48.6 kDa Including tag.
UniProt:	P54760
Pathways:	RTK Signaling
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process