# antibodies -online.com



Datasheet for ABIN3092441

## Eukaryotic Translation Initiation Factor 3, Subunit M (EIF3M) (AA 2-374) protein (His tag)



Go to Product page

#### Overview

Quantity:	1 mg	
Target:	Eukaryotic Translation Initiation Factor 3, Subunit M (EIF3M)	
Protein Characteristics:	AA 2-374	
Origin:	Human	
Source:	Insect Cells	
Protein Type:	Recombinant	
Purification tag / Conjugate:	His tag	
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)	

#### **Product Details**

#### Sequence:

SVPAFIDISE EDQAAELRAY LKSKGAEISE ENSEGGLHVD LAQIIEACDV CLKEDDKDVE
SVMNSVVSLL LILEPDKQEA LIESLCEKLV KFREGERPSL RLQLLSNLFH GMDKNTPVRY
TVYCSLIKVA ASCGAIQYIP TELDQVRKWI SDWNLTTEKK HTLLRLLYEA LVDCKKSDAA
SKVMVELLGS YTEDNASQAR VDAHRCIVRA LKDPNAFLFD HLLTLKPVKF LEGELIHDLL
TIFVSAKLAS YVKFYQNNKD FIDSLGLLHE QNMAKMRLLT FMGMAVENKE ISFDTMQQEL
QIGADDVEAF VIDAVRTKMV YCKIDQTQRK VVVSHSTHRT FGKQQWQQLY DTLNAWKQNL

NKVKNSLLSL SDT

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human EIF3M Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.

• State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Sterility:	0.22 µm filtered
Endotoxin Level:	Protein is endotoxin free.
Grade:	Crystallography grade

#### **Target Details**

Target:	Eukaryotic Translation Initiation Factor 3, Subunit M (EIF3M)	
Alternative Name:	EIF3M (EIF3M Products)	

### **Target Details**

Target Type:	Viral Protein	
Background:	Component of the eukaryotic translation initiation factor 3 (eIF-3) complex, which is required fo	
	several steps in the initiation of protein synthesis. The eIF-3 complex associates with the 40S	
	ribosome and facilitates the recruitment of eIF-1, eIF-1A, eIF-2:GTP:methionyl-tRNAi and eIF-5	
	to form the 43S preinitiation complex (43S PIC). The eIF-3 complex stimulates mRNA	
	recruitment to the 43S PIC and scanning of the mRNA for AUG recognition. The eIF-3 complex	
	is also required for disassembly and recycling of post-termination ribosomal complexes and	
	subsequently prevents premature joining of the 40S and 60S ribosomal subunits prior to	
	initiation. May favor virus entry in case of infection with herpes simplex virus 1 (HSV1) or	
	herpes simplex virus 2 (HSV2). {ECO:0000255 HAMAP-Rule:MF_03012,	
	ECO:0000269 PubMed:15919898, ECO:0000269 PubMed:17403899}.	
Molecular Weight:	43.3 kDa Including tag.	
UniProt:	Q7L2H7	
Pathways:	Ribonucleoprotein Complex Subunit Organization	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

1	1 11	١٠
$\vdash$	land	unc
	ıarıa	11110

Expiry Date:

Unlimited (if stored properly)