

## Datasheet for ABIN3092547

# FBXW5 Protein (AA 1-566) (Strep Tag)



Go to Product page

_				
()	ve.	rv/	101	Λ

Quantity:	250 μg	
Target:	FBXW5	
Protein Characteristics:	AA 1-566	
Origin:	Human	
Source:	Cell-free protein synthesis (CFPS)	
Protein Type:	Recombinant	
Purification tag / Conjugate:	This FBXW5 protein is labelled with Strep Tag.	
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)	

Brand:	AliCE®
Sequence:	MDEGGTPLLP DSLVYQIFLS LGPADVLAAG LVCRQWQAVS RDEFLWREQF YRYYQVARDV
	PRHPAAMSWY EEFQRLYDTV PCVEVQTLRE HTDQVLHLSF SHSGYQFASC SKDCTVKIWS
	NDLTISLLHS ADMRPYNWSY TQFSQFNKDD SLLLASGVFL GPHNSSSGEI AVISLDSFAL
	LSRVRNKPYD VFGCWLTETS LISGNLHRIG DITSCSVLWL NNAFQDVESE NVNVVKRLFK
	IQNLNASTVR TVMVADCSRF DSPDLLLEAG DPATSPCRIF DLGSDNEEVV AGPAPAHAKE
	GLRHFLDRVL EGRAQPQLSE RMLETKVAEL LAQGHTKPPE RSATGAKSKY LIFTTGCLTY
	SPHQIGIKQI LPHQMTTAGP VLGEGRGSDA FFDALDHVID IHGHIIGMGL SPDNRYLYVN
	SRAWPNGAVV ADPMQPPPIA EEIDLLVFDL KTMREVRRAL RAHRAYTPND ECFFIFLDVS
	RDFVASGAED RHGYIWDRHY NICLARLRHE DVVNSVVFSP QEQELLLTAS DDATIKAWRS
	PRTMRVLQAP RPRPRTFFSW LASQRR
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expres

# system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

#### Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- · The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

## **Target Details**

Target:	FBXW5
Alternative Name:	FBXW5 (FBXW5 Products)
Background:	F-box/WD repeat-containing protein 5 (F-box and WD-40 domain-containing protein
	5),FUNCTION: Substrate recognition component of both SCF (SKP1-CUL1-F-box protein) and
	DCX (DDB1-CUL4-X-box) E3 ubiquitin-protein ligase complexes. Substrate recognition
	component of the SCF(FBXW5) E3 ubiquitin-protein ligase complex which mediates the
	ubiquitination and subsequent proteasomal degradation of SASS6 during S phase, leading to
	prevent centriole reduplication. The SCF(FBXW5) complex also mediates ubiquitination and
	degradation of actin-regulator EPS8 during G2 phase, leading to the transient degradation of
	EPS8 and subsequent cell shape changes required to allow mitotic progression. Substrate-
	specific adapter of the DCX(FBXW5) E3 ubiquitin-protein ligase complex which mediates the
	polyubiquitination and subsequent degradation of TSC2. May also act as a negative regulator of
	MAP3K7/TAK1 signaling in the interleukin-1B (IL1B) signaling pathway.
	{ECO:0000269 PubMed:18381890, ECO:0000269 PubMed:19232515,
	ECO:0000269 PubMed:21725316}.
Molecular Weight:	63.9 kDa
UniProt:	Q969U6
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

## Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer.  Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol <b>Might differ depending on protein.</b>
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months