

Datasheet for ABIN3092570 FBX038 Protein (AA 1-1188) (Strep Tag)



Overview

| Quantity: | 250 µg |
|-------------------------------|---|
| Target: | FBXO38 |
| Protein Characteristics: | AA 1-1188 |
| Origin: | Human |
| Source: | Cell-free protein synthesis (CFPS) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This FBXO38 protein is labelled with Strep Tag. |
| Application: | ELISA, Western Blotting (WB), SDS-PAGE (SDS) |

Product Details

| Brand: | AliCE® |
|-----------|---|
| Sequence: | MGPRKKSVKT CIMNNEIPEE MTADETKDYM NQLSHEVLCH IFRYLPLQDI MCMECLSRKL |
| | KEAVTLYLRV VRVVDLCAGR WWEYMPSGFT DASFLTLLKK MPDVEQLYGL HPRYLERRRV |
| | RGHEAFSIPG VLEALQACPN LVGVETSHLE LVESIWTYMP HVHILGKFRN RNGAFPIPPE |
| | NKLKIPIGAK IQTLHLVGVN VPEIPCIPML RHLYMKWVRL TKPQPFKDFL CISLRTFVMR |
| | NCAGPTNSLK YVPLVTGLAS ARNLEHLEMV RVPFLGGLIQ HVVEDSWRSG GFRNLHTIVL |
| | GACKNALEVD LGYLIITAAR RLHEVRIQPS LTKDGVFSAL KMAELEFPQF ETLHLGYVDE |
| | FLLQSRMANA DLVKYGLADV VENPGIITDI GMKAVNEVFS CIKYLAIYNC PHLHNPYNWI |
| | SDHSRWTRLV DINLVRCHAL KLDSFGQFIE LLPSLEFISL DQMFREPPKG CARVGLSAGT |
| | GIGVSSALVS NQNSNNDDNN AQNNNANIHD NNHHHPDDSD EENDFRQDLQ PGEQQFAADA |
| | LNEMEDIVQE DGEVVAESGN NTPAHSQAII PVDVDEEQAG PSGLQRVVKP TSITVHDSES |
| | DDEEDSLELQ EVWIPKNGTR RYSEREEKTG ESVQSRELSV SGKGKTPLRK RYNSHQMGQS |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 1/4 | Product datasheet for ABIN3092570 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

| KQFPLEESSC EKGCQVTSEQ IKADMKAARD IPEKKKNKDV YPSCSSTTAS TVGNSSSHNT |
|--|
| ASQSPDFVRT VNSGGSSEPS PTEVDVSRQC ACSPGGSEDS EAMEEGDAES SVCPRCCCHR |
| PQESQRRTSR CSDEERPSTS RACVVNGPDG TRSAFSFRTL PQGGSSGPAH DERTNGSGSG |
| ATGEDRRGSS QPESCDVQSN EDYPRRPLTR ARSRLSHVLL VSESEVAKTK PRHAMKRKRT |
| ADKSTSTSDP VIEDDHVQVL VLKSKNLVGV TMTNCGITDL VLKDCPKMMF IHATRCRVLK |
| HLKVENAPIV NRFDYAQCKK LNMDQVLDQI LRMPPERNRI IYLRPMQQVD TLTLEQKLFS |
| GPYPYHICII HEFSNPPNVR NKVRIRSWMD TIANINQELI KYEFFPEATR SEEDLKKYPK |
| YPWGREIYTL EGVVDGAPYS MISDFPWLRS LRAAEPNSFA RYDFEDDEES TIYAPRRKGQ |
| LSADICMETI GEEISEMRQM KKGVFQRVVA IFIHYCDVNG EPVEDDYI |
| Sequence without tag. The proposed Strep-Tag is based on experience s with the expressio |
| system, a different complexity of the protein could make another tag necessary. In case you |
| have a special request, please contact us. |
| Key Benefits: |
| • Made in Germany - from design to production - by highly experienced protein experts. |
| Protein expressed with ALiCE® and purified in one-step affinity chromatography |
| These proteins are normally active (enzymatically functional) as our customers have |
| reported (not tested by us and not guaranteed). |
| State-of-the-art algorithm used for plasmid design (Gene synthesis). |
| This protein is a made-to-order protein and will be made for the first time for your order. Our |
| experts in the lab try to ensure that you receive soluble protein. |
| The big advantage of ordering our made-to-order proteins in comparison to ordering custom |
| made proteins from other companies is that there is no financial obligation in case the protein |
| cannot be expressed or purified. |
| Expression System: |
| ALIOES our Almost Living Call Free Expression Oveters is based on a lysete abtained from |
| ALICE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from |
| • ALICE , our Almost Living Cell-ree Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to |
| |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for the cellular components. |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional |
| Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the |
| |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 2/4 | Product datasheet for ABIN3092570 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

| Purification: | One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®). |
|---------------|--|
| Purity: | > 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC). |
| Grade: | custom-made |

Target Details

| Target: | FBX038 |
|---------------------|---|
| Alternative Name: | FBX038 (FBX038 Products) |
| Background: | F-box only protein 38,FUNCTION: Substrate recognition component of a SCF (SKP1-CUL1-F-box |
| | protein) E3 ubiquitin-protein ligase complex which mediates the ubiquitination and subsequent |
| | proteasomal degradation of PDCD1/PD-1, thereby regulating T-cells-mediated immunity |
| | (PubMed:30487606). Required for anti-tumor activity of T-cells by promoting the degradation of |
| | PDCD1/PD-1, the PDCD1-mediated inhibitory pathway being exploited by tumors to attenuate |
| | anti-tumor immunity and facilitate tumor survival (PubMed:30487606). May indirectly stimulate |
| | the activity of transcription factor KLF7, a regulator of neuronal differentiation, without |
| | promoting KLF7 ubiquitination (By similarity). {ECO:0000250 UniProtKB:Q8BMI0, |
| | ECO:0000269 PubMed:30487606}. |
| Molecular Weight: | 133.9 kDa |
| UniProt: | Q6PIJ6 |
| | |
| Application Details | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies |
| | as well. As the protein has not been tested for functional studies yet we cannot offer a |
| | guarantee though. |
| Comment: | ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from |
| | Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce |
| | even the most difficult-to-express proteins, including those that require post-translational |

Order at www.antibodies-online.com | www.antikoerper-online.de | www.anticorps-enligne.fr | www.antibodies-online.cn International: +49 (0)241 95 163 153 | USA & Canada: +1 877 302 8632 | support@antibodies-online.com Page 3/4 | Product datasheet for ABIN3092570 | 02/26/2025 | Copyright antibodies-online. All rights reserved.

| | modifications. |
|--|--|
| | During lysate production, the cell wall and other cellular components that are not required for |
| | protein production are removed, leaving only the protein production machinery and the |
| | mitochondria to drive the reaction. During our lysate completion steps, the additional |
| | components needed for protein production (amino acids, cofactors, etc.) are added to produce |
| | something that functions like a cell, but without the constraints of a living system - all that's |
| | needed is the DNA that codes for the desired protein! |
| Restrictions: | For Research Use only |
| | |
| Llondling | |
| Handling | |
| Format: | Liquid |
| | Liquid The buffer composition is at the discretion of the manufacturer. |
| Format: | |
| Format: | The buffer composition is at the discretion of the manufacturer. |
| Format: Buffer: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. |
| Format: Buffer: Handling Advice: | The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein. Avoid repeated freeze-thaw cycles. |

Expiry Date:

12 months