

Datasheet for ABIN3092579

## Fibulin 1 Protein (FBLN1) (AA 30-703) (His tag)



[Go to Product page](#)

### Overview

|                               |  |
|-------------------------------|--|
| Quantity:                     | 1 mg   |
| Target:                       | Fibulin 1 (FBLN1)  |
| Protein Characteristics:      | AA 30-703  |
| Origin:                       | Human  |
| Source:                       | Insect Cells   |
| Protein Type:                 | Recombinant  |
| Purification tag / Conjugate: | This Fibulin 1 protein is labelled with His tag.                     |
| Application:                  | Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys) |

### Product Details

|           |   |
|-----------|---|
| Sequence: | <p>DVLEACCAD GHRMATHQKD CSLPYATESK ECRMVQECC HSQLEELHCA TGISLANEQD</p> <p>RCATPHGDNA SLEATFVKRC CHCCLLGRAA QAQGQSCEYS LMVG YQCGQV FQACCVKSQE</p> <p>TGDLDVGGLQ ETDKIEVEE EQEDPYLNDR CRGGGPCKQQ CRDTGDEVVC SCFVG YQLLS</p> <p>DGVSCEDVNE CITGSHSCL GESCINTVGS FRCQRDSSCG TGYELTEDNS CKDIDECESG</p> <p>IHNCLPDFIC QNTLGSFR CR PKLQCKSGFI QDALGNCIDI NECLSISAPC PIGHTCINTE</p> <p>GSYTCQKNVP NCGRGYHLNE EGTRCVDVDE CAPPAEPCGK GHRCVNSPGS FRCECKTGY</p> <p>FDGISRM CVD VNECQRY PGR LCGHKCENTL GSYLCSCSVG FRLSVDGRSC EDINECSSSP</p> <p>CSQECANVYG SYQCYCRRGY QLSDVDGVTC EDIDECALPT GGHICSYRCI NIPGSFQCSC</p> <p>PSSGYRLAPN GRNCQDIDEC VTGIHNCSIN ETCFNIQGGF RCLAFECPEN YRRSAATLQQ</p> <p>EKTDTVRCIK SCRPN DVTCV FDPVHTISHT VISLPTFREF TRPEEIIFLR AITPPHPASQ ANIIFDITEG</p> <p>NLRDSFDI IK RYMDGMTVGV VRQVRPIVGP FHAVLKLEMN YVVGGVVSHR NVNVNHIFVS EYWF</p> <p><b>Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a</b></p> |
|-----------|---|

**special request, please contact us.**

|                  |  |
|------------------|--|
| Characteristics: | <ul style="list-style-type: none"><li>• Made in Germany - from design to production - by highly experienced protein experts.</li><li>• Human FBLN1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.</li><li>• State-of-the-art algorithm used for plasmid design (Gene synthesis).</li></ul> <p>This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.</p> <p>The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.</p> <p>In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).</p> <p>When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.</p> <p>The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.</p> <p>The concentration of the protein is calculated using its specific absorption coefficient. We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.</p> |
| Purification:    | <p>Two step purification of proteins expressed in baculovirus infected SF9 insect cells:</p> <ol style="list-style-type: none"><li>1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.</li><li>2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.</li></ol>   |
| Purity:          | >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.   |
| Sterility:       | 0.22 µm filtered   |
| Endotoxin Level: | Protein is endotoxin free.   |
| Grade:           | Crystallography grade  |

## Target Details

|                   |   |
|-------------------|---|
| Target:           | Fibulin 1 (FBLN1)   |
| Alternative Name: | FBLN1 ( <a href="#">FBLN1 Products</a> )  |
| Background:       | Incorporated into fibronectin-containing matrix fibers. May play a role in cell adhesion and migration along protein fibers within the extracellular matrix (ECM). Could be important for certain developmental processes and contribute to the supramolecular organization of ECM architecture, in particular to those of basement membranes. Has been implicated in a role in cellular transformation and tumor invasion, it appears to be a tumor suppressor. May play a role in haemostasis and thrombosis owing to its ability to bind fibrinogen and incorporate into clots. Could play a significant role in modulating the neurotrophic activities of APP, particularly soluble APP. {ECO:0000269 PubMed:11792823, ECO:0000269 PubMed:9393974, ECO:0000269 PubMed:9466671}. |
| Molecular Weight: | 75.2 kDa Including tag.   |
| UniProt:          | <a href="#">P23142</a>  |

## Application Details

|                    |   |
|--------------------|---|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.  |
| Comment:           | In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions:      | For Research Use only   |

## Handling

|                  |  |
|------------------|--|
| Format:          | Liquid   |
| Buffer:          | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Handling Advice: | Avoid repeated freeze-thaw cycles.   |
| Storage:         | -80 °C   |
| Storage Comment: | Store at -80°C.  |
| Expiry Date:     | Unlimited (if stored properly)   |