# antibodies .- online.com





# FOXO4 Protein (AA 1-505) (Strep Tag)



**Image** 



#### Overview

| Quantity:                     | 1 mg   |
|-------------------------------|--|
| Target:                       | FOXO4  |
| Protein Characteristics:      | AA 1-505                                       |
| Origin:                       | Human  |
| Source:                       | Tobacco (Nicotiana tabacum)                    |
| Protein Type:                 | Recombinant                                    |
| Purification tag / Conjugate: | This FOXO4 protein is labelled with Strep Tag. |
| Application:                  | ELISA, SDS-PAGE (SDS), Western Blotting (WB)   |

#### **Product Details**

Sequence:

MDPGNENSAT EAAAIIDLDP DFEPQSRPRS CTWPLPRPEI ANQPSEPPEV EPDLGEKVHT
EGRSEPILLP SRLPEPAGGP QPGILGAVTG PRKGGSRRNA WGNQSYAELI SQAIESAPEK
RLTLAQIYEW MVRTVPYFKD KGDSNSSAGW KNSIRHNLSL HSKFIKVHNE ATGKSSWWML
NPEGGKSGKA PRRRAASMDS SSKLLRGRSK APKKKPSVLP APPEGATPTS PVGHFAKWSG
SPCSRNREEA DMWTTFRPRS SSNASSVSTR LSPLRPESEV LAEEIPASVS SYAGGVPPTL
NEGLELLDGL NLTSSHSLLS RSGLSGFSLQ HPGVTGPLHT YSSSLFSPAE GPLSAGEGCF
SSSQALEALL TSDTPPPPAD VLMTQVDPIL SQAPTLLLLG GLPSSSKLAT GVGLCPKPLE
APGPSSLVPT LSMIAPPPVM ASAPIPKALG TPVLTPPTEA ASQDRMPQDL DLDMYMENLE
CDMDNIISDL MDEGEGLDFN FEPDP

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

#### Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
  protein production are removed, leaving only the protein production machinery and the
  mitochondria to drive the reaction. During our lysate completion steps, the additional
  components needed for protein production (amino acids, cofactors, etc.) are added to
  produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

- 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and

# **Product Details**

|                     | Western blot.  |
|---------------------|--|
| Purity:             | >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.   |
| Endotoxin Level:    | Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)  |
| Grade:              | Crystallography grade  |
| Target Details      |  |
| Target:             | FOXO4  |
| Alternative Name:   | FOXO4 (FOXO4 Products)   |
| Background:         | Forkhead box protein O4 (Fork head domain transcription factor AFX1), FUNCTION:  Transcription factor involved in the regulation of the insulin signaling pathway. Binds to insulin- response elements (IREs) and can activate transcription of IGFBP1. Down-regulates expression of HIF1A and suppresses hypoxia-induced transcriptional activation of HIF1A-modulated genes. Also involved in negative regulation of the cell cycle. Involved in increased proteasome activity in embryonic stem cells (ESCs) by activating expression of PSMD11 in ESCs, leading to enhanced assembly of the 26S proteasome, followed by higher proteasome activity.  {ECO:0000269 PubMed:10217147, ECO:0000269 PubMed:10783894, ECO:0000269 PubMed:12761217, ECO:0000269 PubMed:15126506, ECO:0000269 PubMed:16054032, ECO:0000269 PubMed:16964248, ECO:0000269 PubMed:20874444, ECO:0000269 PubMed:22972301}. |
| Molecular Weight:   | 53.7 kDa   |
| UniProt:            | P98177   |
| Pathways:           | Cell Division Cycle, Fc-epsilon Receptor Signaling Pathway, EGFR Signaling Pathway, Neurotrophin Signaling Pathway, Regulation of Muscle Cell Differentiation  |
| Application Details |  |
| Application Notes:  | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.   |
| Comment:            | ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational   |

modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!


Restrictions:

For Research Use only

# Handling

| Format:          | Liquid   |
|------------------|--|
| Buffer:          | The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us. |
| Handling Advice: | Avoid repeated freeze-thaw cycles.   |
| Storage:         | -80 °C   |
| Storage Comment: | Store at -80°C.  |
| Expiry Date:     | Unlimited (if stored properly)   |

### **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process