

Datasheet for ABIN3092657

WTAP Protein (AA 1-396) (Strep Tag)



()	V		rV	ĺ	9	V	V
'	\mathcal{I}	٧V	<u> </u>	v	1	$\overline{}$	٧	٧

Quantity:	250 μg
Target:	WTAP
Protein Characteristics:	AA 1-396
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This WTAP protein is labelled with Strep Tag.
Application:	Western Blotting (WB), ELISA, SDS-PAGE (SDS)

Product Details

Product Details	
Brand:	AliCE®
Sequence:	MTNEEPLPKK VRLSETDFKV MARDELILRW KQYEAYVQAL EGKYTDLNSN DVTGLRESEE
	KLKQQQQESA RRENILVMRL ATKEQEMQEC TTQIQYLKQV QQPSVAQLRS TMVDPAINLF
	FLKMKGELEQ TKDKLEQAQN ELSAWKFTPD SQTGKKLMAK CRMLIQENQE LGRQLSQGRI
	AQLEAELALQ KKYSEELKSS QDELNDFIIQ LDEEVEGMQS TILVLQQQLK ETRQQLAQYQ
	QQQSQASAPS TSRTTASEPV EQSEATSKDC SRLTNGPSNG SSSRQRTSGS GFHREGNTTE
	DDFPSSPGNG NKSSNSSEER TGRGGSGYVN QLSAGYESVD SPTGSENSLT HQSNDTDSSH
	DPQEEKAVSG KGNRTVGSRH VQNGLDSSVN VQGSVL
	Sequence without tag. The proposed Strep-Tag is based on experience s with the expression
	system, a different complexity of the protein could make another tag necessary. In case you
	have a special request, please contact us.
Characteristics:	Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- · Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- · State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made
Target Details	
Target:	WTAP

Target Details

Alternative Name:	WTAP (WTAP Products)
Background:	Pre-mRNA-splicing regulator WTAP (Female-lethal(2)D homolog) (hFL(2)D) (WT1-associated
	protein) (Wilms tumor 1-associating protein), FUNCTION: Associated component of the WMM
	complex, a complex that mediates N6-methyladenosine (m6A) methylation of RNAs, a
	modification that plays a role in the efficiency of mRNA splicing and RNA processing
	(PubMed:29507755). Required for accumulation of METTL3 and METTL14 to nuclear speckle
	(PubMed:24316715, PubMed:24407421, PubMed:24981863). Acts as a mRNA splicing
	regulator (PubMed:12444081). Regulates G2/M cell-cycle transition by binding to the 3' UTR of
	CCNA2, which enhances its stability (PubMed:17088532). Impairs WT1 DNA-binding ability and
	inhibits expression of WT1 target genes (PubMed:17095724).
	{ECO:0000269 PubMed:12444081, ECO:0000269 PubMed:17088532,
	ECO:0000269 PubMed:17095724, ECO:0000269 PubMed:24316715,
	ECO:0000269 PubMed:24407421, ECO:0000269 PubMed:24981863,
	ECO:0000269 PubMed:29507755}.
Molecular Weight:	44.2 kDa
UniProt:	Q15007
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a
	guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from
	Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce
	even the most difficult-to-express proteins, including those that require post-translational
	modifications.
	During lysate production, the cell wall and other cellular components that are not required for
	protein production are removed, leaving only the protein production machinery and the
	mitochondria to drive the reaction. During our lysate completion steps, the additional
	components needed for protein production (amino acids, cofactors, etc.) are added to produce
	something that functions like a cell, but without the constraints of a living system - all that's
	needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months