

Datasheet for ABIN3092823

GRIP1 Protein (AA 1-1128) (Strep Tag)



[Go to Product page](#)

Overview

| | |
|-------------------------------|--|
| Quantity: | 1 mg |
| Target: | GRIP1 |
| Protein Characteristics: | AA 1-1128 |
| Origin: | Human |
| Source: | Tobacco (Nicotiana tabacum) |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This GRIP1 protein is labelled with Strep Tag. |
| Application: | Western Blotting (WB), SDS-PAGE (SDS), ELISA |

Product Details

| | |
|-----------|---|
| Sequence: | MAVSFKCRC QILRRLTKDE SPYTKSASQT KPPDGALAVR RQSIPEEFKG STVVELMKKE GTTLGLTVSG GIDKDGKPRV SNLRQGGAIA RSDQLDVGDY IKAVNGINLA KFRHDEIISL LKNVGERVVL EVEYELPPVS VQGSSVIFRT VEVTLHKEGN TFGFVIRGGA HDDRNKSRPV VITCVRPGGP ADREGTIKPG DRLLSVDGIR LLGTTHAEAM SILKQCGQEA ALLIEYDVSV MDSVATASGP LLVEVAKTPG ASLGVALTTS MCCNKQVIVI DIKSASIASD RCGALHVGDH ILSIDGTSME YCTLAEATQF LANTTDQVKL EILPHHQTRL ALKGPDPHVKI QRSDRQLTWD SWASNHSSLH TNHHYNTYHP DHCRVPALTF PKAPPPNSPP ALVSSSFSPS SMSAYSLSSL NMGTLPRSLY STSPRGTM MRRLKKKDFKS SLSLASSTVG LAGQVVHTET TEVLTADPV TGFGIQLQGS VFATETLSSP PLISYIEADS PAERCGVLQI GDRVMAINGI PTEDSTFEEA SQLLRDSSIT SKVTLEIEFD VAESVIPSSG TFHVKLPKKH NVELGITISS PSSRKPGDPL VISDIKGSV AHRTGTLELG DKLLAIDNIR LDNCSMEDAV QILQQCEDLV KLIKRKDEDN SDEQESSGAI IYTVELKRYG GPLGITISGT EEPFDPIIS SLTKGGLAER TGAIHIGDRI LAINSSSLKG |
|-----------|---|

KPLSEAIHLL QMAGETVTLK IKKQTDAQSA SSPKKFPISS HLSDLGDVEE DSSPAQKPGK
LSDMYPSTVP SVDSAVDSWD GSAIDTSYGT QGTSFQASGY NFNTYDWRSP KQRGSLSPVT
KPRSQTYPDV GLSYEDWDRS TASGFAGAAD SAETEQUEENF WSQALEDLET CGQSGILREL
EEKADRRVSL RNMTLLATIM SGSTMSLNHE APTPRSQLGR QASFQERSSS RPHYSQTTRS
NTLPDVGGRK SVTLRKMKQE IKEIMSPTPV ELHKVTLYKD SDMEDFGFSV ADGLLEKGVY
VKNIRPAGPG DLGGLKPYDR LLQVNHVRTR DFDCCLVVPL IAESGNKLDL VISRNPLASQ
KSIDQQSLPG DWSEQNSAFF QQPSHGGNLE TREPTNTL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

Product Details

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

| | |
|------------------|--|
| Purification: | Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. |
| Purity: | >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. |
| Endotoxin Level: | Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg) |
| Grade: | Crystallography grade |

Target Details

| | |
|-------------------|---|
| Target: | GRIP1 |
| Alternative Name: | GRIP1 (GRIP1 Products) |
| Background: | Glutamate receptor-interacting protein 1 (GRIP-1),FUNCTION: May play a role as a localized scaffold for the assembly of a multiprotein signaling complex and as mediator of the trafficking of its binding partners at specific subcellular location in neurons (PubMed:10197531). Through complex formation with NSG1, GRIA2 and STX12 controls the intracellular fate of AMPAR and the endosomal sorting of the GRIA2 subunit toward recycling and membrane targeting (By similarity). {ECO:0000250 UniProtKB:P97879, ECO:0000269 PubMed:10197531}. |
| Molecular Weight: | 122.4 kDa |
| UniProt: | Q9Y3R0 |
| Pathways: | Intracellular Steroid Hormone Receptor Signaling Pathway |

Application Details

| | |
|--------------------|--|
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a |
|--------------------|--|

Application Details

| | |
|---------------|--|
| | guarantee though. |
| Comment: | <p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p> |
| Restrictions: | For Research Use only |

Handling

| | |
|------------------|--|
| Format: | Liquid |
| Buffer: | The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us. |
| Handling Advice: | Avoid repeated freeze-thaw cycles. |
| Storage: | -80 °C |
| Storage Comment: | Store at -80°C. |
| Expiry Date: | Unlimited (if stored properly) |



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process