

Datasheet for ABIN3092931
HLTF Protein (AA 1-1009) (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	HLTF
Protein Characteristics:	AA 1-1009
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This HLTF protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence:	MSWMFKRDPV WKYLQTVQYG VHGNFPRLSY PTFFPRFEFQ DVIPPDDFLT SDEEVDSVLF GSLRGHVVGL RYYTGVVNNN EMVALQRDPN NPYDKNAIKV NNVNGNQVGH LKKELAGALA YIMDNKLAQI EGVVPFGANN AFTMPLHMTF WGKEENRKAV SDQLKKHGFK LGPAPKTLGF NLESGWGSGR AGPSYSMPVH AAVQMTTEQL KTEFDKLFED LKEDDKTHEM EPAEAIETPL LPHQKQALAW MVSRENSKEL PPFWEQRNDL YYNTITNFSE KDRPENVHGG ILADDMGLGK TLTAIAVILT NFHDGRPLPI ERVKKNLLKK EYNVNDDSMK LGGNNTSEKA DGLSKDASRC SEQPSISDIK EKSKFRMSEL SSSRPKRRKT AVQYIESSDS EEIETSELPQ KMKGKLKNVQ SETKGRAKAG SSKVIEDVAF ACALTSSVPT TKKKMLKKGA CAVEGSKKTD VEERPRTTLI ICPLSVLSNW IDQFGQHIKS DVHLNFYVYY GPDRIREPAL LSKQDIVLTT YNILTHDYGT KGDSPLHSIR WLRVILDEGH AIRNPNAQQT KAVLDLESER RWVLTGTPIQ NSLKDLWSSL SFLKLKPFID REWWHRTIQR PVTMGDEGGL RRLQSLIKNI TLRRTKTSKI KGKPVLELPE RKVFIQHITL SDEERKIYQS VKNEGRATIG RYFNEGTVLA HYADVLGLLL RLRQICCHTY
-----------	--

LLTNAVSSNG PSGNDTPEEL RKKLIRKMKL ILSSGSDEEC AICLDSLTPV VITHCAHVFC
KPCICQVIQN EQPHAKCPLC RNDIHEDNLL ECPPEELARD SEKKSDMEWT SSSKINALMH
ALTDLRKKNP NIKSLVVSQF TTFLSLIEIP LKASGFVFTR LDGSMAQKKR VESIQCFQNT
EAGSPTIMLL SLKAGGVGLN LSAASRVFLM DPAWNPAED QCFDRCHRLG QKQEVITKF
IVKDSVEENM LKIQNKREL AAGAFGTKKP NADEMKQAKI NEIRTLIDL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its

Product Details

specific reference buffer.

- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	HLTF
Alternative Name:	HLTF (HLTF Products)
Background:	Helicase-like transcription factor (EC 2.3.2.27) (EC 3.6.4.-) (DNA-binding protein/plasminogen activator inhibitor 1 regulator) (HIP116) (RING finger protein 80) (RING-type E3 ubiquitin transferase HLTF) (SWI/SNF-related matrix-associated actin-dependent regulator of chromatin subfamily A member 3) (Sucrose nonfermenting protein 2-like 3),FUNCTION: Has both helicase and E3 ubiquitin ligase activities. Possesses intrinsic ATP-dependent nucleosome-remodeling activity, This activity may be required for transcriptional activation or repression of specific target promoters (By similarity). These may include the SERPINE1 and HIV-1 promoters and the SV40 enhancer, to which this protein can bind directly. Plays a role in error-free postreplication repair (PRR) of damaged DNA and maintains genomic stability through acting as a ubiquitin ligase for 'Lys-63'-linked polyubiquitination of chromatin-bound PCNA. {ECO:0000250, ECO:0000269 PubMed:10391891, ECO:0000269 PubMed:18316726, ECO:0000269 PubMed:18719106, ECO:0000269 PubMed:7876228, ECO:0000269 PubMed:8672239, ECO:0000269 PubMed:9126292}.
Molecular Weight:	113.9 kDa
UniProt:	Q14527

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process