



[Go to Product page](#)

Datasheet for ABIN3092953

HIPK3 Protein (AA 1-1215) (His tag)

1 Image

Overview

Quantity:	1 mg
Target:	HIPK3
Protein Characteristics:	AA 1-1215
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This HIPK3 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence: MASQVLVYPP YVYQTQSSAF CSVKCLKVEP SSCVFQERNY PRTYVNGRNF GNSHPPTKGS
AFQTKIPFNR PRGHNFSLQT SAVVLKNTAG ATKVIAAQAQ QAHVQAPQIG AWRNRLHFLE
GPQRCLGRK SEELDNHSSA MQIVDELSIL PAMLQTNMGN PVTVVATTG SKQNCTTGEG
DYQLVQHEVL CSMKNTYEVL DFLGRGTFGQ VVKCWKRGTN EIVAIIKILKN HPSYARQQI
EVSILARLST ENADEYNFVR AYECFQHRNH TCLVFEMLEQ NLYDFLKQNK FSPLPLKVIR
PILQQVATAL KKLKSLGLIH ADLKPENIML VDPVRQPYRV KVIDFGSASH VSKTVCSTYL
QSRYYRAPEI ILGLPFCEAI DMWSLGCVIA ELFLGWPLYG GALEYDQIRY ISQTQGLPGE
QLLNVGTKST RFFCKETDMS HSGWRLKLE EHEAETGMKS KEARKYIFNS LDDVAHVNTV
MDLEGSLLA EKADRREFVS LLLKMLLIDA DLRITPAETL NHPFVNMKHL LDFPHSNHVK
SCFHIMDICK SHLNCDTNN HNKTSLLRPV ASSSTATLTA NFKIGTLRS QALTTSAHSV
VHHGIPLQAG TAQFGCGDAF QQTLLICPPA IQGIPATHGK PTSYSIRVDN TVPLVTQAPA
VQPLQIRPGV LSQTSWGRTO QMLVPAWQQV TPLAPATTTL TSESVAGSHR LGDWGKMISC

SNHYNSVMPQ PLLTNQITLS APQPVSVGIA HVVWPQPATT KKNKQCQNRG ILVKLMEWEP
GREEINAFSW SNSLQNTNIP HSAFISPKII NGKDVVEEVSC IETQDNQNSE GEARNCCETS
IRQSDSSVS DKQRQTIIIA DSPSPAVSVI TISSDTDEEE TSQRHSLREC KGSLDCEACQ
STLNIDRMCS LSSPDSTLST SSSGQSSPSP CKRPNSMSDE EQESSCDTVD GSPTSDSSGH
DSPFAESTFV EDTHENTELV SSADTETKPA VCSVVVPPVE LENGNADEH MANTDSICQP
LIKGRSAPGR LNQPSAVGTR QQKLTSAFQQ QHLNFSQVQH FGSGHQEWNG NFGHRRQQAY
IPTSVTSNPF TLSHGSPNHT AVHAHLAGNT HLGQPTLLP YPSSATLSSA APVAHLLASP
CTSRPMLQHP TYNISHPSGI VHQVPVGLNP RLLPSPTIHQ TQYKPIFPPH SYIAASPAYT
GFPLSPTKLS QYPYM

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany - from design to production - by highly experienced protein experts.
- Human HIPK3 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receipt of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate

Product Details

fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility: 0.22 µm filtered

Endotoxin Level: Protein is endotoxin free.

Grade: Crystallography grade

Target Details

Target: HIPK3

Alternative Name: HIPK3 ([HIPK3 Products](#))

Background: Serine/threonine-protein kinase involved in transcription regulation, apoptosis and steroidogenic gene expression. Phosphorylates JUN and RUNX2. Seems to negatively regulate apoptosis by promoting FADD phosphorylation. Enhances androgen receptor-mediated transcription. May act as a transcriptional corepressor for NK homeodomain transcription factors. The phosphorylation of NR5A1 activates SF1 leading to increased steroidogenic gene expression upon cAMP signaling pathway stimulation. In osteoblasts, supports transcription activation: phosphorylates RUNX2 that synergizes with SPEN/MINT to enhance FGFR2-mediated activation of the osteocalcin FGF-responsive element (OCFRE).
{ECO:0000269|PubMed:14766760, ECO:0000269|PubMed:17210646}.

Molecular Weight: 134.7 kDa Including tag.

UniProt: [Q9H422](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: 100 mM NaCl, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process