antibodies .- online.com





CD101 Protein (CD101) (AA 21-954) (His tag)





Overview

Quantity:	1 mg
Target:	CD101
Protein Characteristics:	AA 21-954
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD101 protein is labelled with His tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA, Crystallization (Crys)

Product Details

Sequence:

QREVTVQKGP LFRAEGYPVS IGCNVTGHQG PSEQHFQWSV YLPTNPTQEV QIISTKDAAF
SYAVYTQRVR SGDVYVERVQ GNSVLLHISK LQMKDAGEYE CHTPNTDEKY YGSYSAKTNL
IVIPDTLSAT MSSQTLGKEE GEPLALTCEA SKATAQHTHL SVTWYLTQDG GGSQATEIIS
LSKDFILVPG PLYTERFAAS DVQLNKLGPT TFRLSIERLQ SSDQGQLFCE ATEWIQDPDE
TWMFITKKQT DQTTLRIQPA VKDFQVNITA DSLFAEGKPL ELVCLVVSSG RDPQLQGIWF
FNGTEIAHID AGGVLGLKND YKERASQGEL QVSKLGPKAF SLKIFSLGPE DEGAYRCVVA
EVMKTRTGSW QVLQRKQSPD SHVHLRKPAA RSVVMSTKNK QQVVWEGETL AFLCKAGGAE
SPLSVSWWHI PRDQTQPEFV AGMGQDGIVQ LGASYGVPSY HGNTRLEKMD WATFQLEITF
TAITDSGTYE CRVSEKSRNQ ARDLSWTQKI SVTVKSLESS LQVSLMSRQP QVMLTNTFDL
SCVVRAGYSD LKVPLTVTWQ FQPASSHIFH QLIRITHNGT IEWGNFLSRF QKKTKVSQSL
FRSQLLVHDA TEEETGVYQC EVEVYDRNSL YNNRPPRASA ISHPLRIAVT LPESKLKVNS
RSQVQELSIN SNTDIECSIL SRSNGNLQLA IIWYFSPVST NASWLKILEM DQTNVIKTGD

EFHTPQRKQK FHTEKVSQDL FQLHILNVED SDRGKYHCAV EEWLLSTNGT WHKLGEKKSG LTELKLKPTG SKVRVSKVYW TENVTEHREV AIRCSLESVG SSATLYSVMW YWNRENSGSK LLVHLQHDGL LEYGEEGLRR HLHCYRSSST DFVLKLHQVE MEDAGMYWCR VAEWQLHGHP SKWINQASDE SQRMVLTVLP SEPTLPSRIC SSAP

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human CD101 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Product Details Sterility: 0.22 µm filtered Protein is endotoxin free. Endotoxin Level: Grade: Crystallography grade **Target Details** CD101 Target: Alternative Name: CD101 (CD101 Products) Background: Plays a role as inhibitor of T-cells proliferation induced by CD3. Inhibits expression of IL2RA on activated T-cells and secretion of IL2. Inhibits tyrosine kinases that are required for IL2 production and cellular proliferation. Inhibits phospholipase C-gamma-1/PLCG1 phosphorylation and subsequent CD3-induced changes in intracellular free calcium. Prevents nuclear translocation of nuclear factor of activated T-cell to the nucleus. Plays a role in the inhibition of T-cell proliferation via IL10 secretion by cutaneous dendritic cells. May be a marker of CD4(+) CD56(+) leukemic tumor cells. {ECO:0000269|PubMed:11093127, ECO:0000269|PubMed:15737213, ECO:0000269|PubMed:7722299, ECO:0000269|PubMed:9233604, ECO:0000269|PubMed:9389317, ECO:0000269|PubMed:9647226}. Molecular Weight: 106.1 kDa Including tag. UniProt: Q93033 **Application Details Application Notes:** In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid

Handling

Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage: -	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process