antibodies .- online.com





IGF2BP2 Protein (AA 1-599) (Strep Tag)



Go to Product page

Overview

Quantity:	1 mg
Target:	IGF2BP2
Protein Characteristics:	AA 1-599
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This IGF2BP2 protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence:

MMNKLYIGNL SPAVTADDLR QLFGDRKLPL AGQVLLKSGY AFVDYPDQNW AIRAIETLSG KVELHGKIME VDYSVSKKLR SRKIQIRNIP PHLQWEVLDG LLAQYGTVEN VEQVNTDTET AVVNVTYATR EEAKIAMEKL SGHQFENYSF KISYIPDEEV SSPSPPQRAQ RGDHSSREQG HAPGGTSQAR QIDFPLRILV PTQFVGAIIG KEGLTIKNIT KQTQSRVDIH RKENSGAAEK PVTIHATPEG TSEACRMILE IMQKEADETK LAEEIPLKIL AHNGLVGRLI GKEGRNLKKI EHETGTKITI SSLQDLSIYN PERTITVKGT VEACASAEIE IMKKLREAFE NDMLAVNQQA NLIPGLNLSA LGIFSTGLSV LSPPAGPRGA PPAAPYHPFT THSGYFSSLY PHHQFGPFPH HHSYPEQEIV NLFIPTQAVG AIIGKKGAHI KQLARFAGAS IKIAPAEGPD VSERMVIITG PPEAQFKAQG RIFGKLKEEN FFNPKEEVKL EAHIRVPSST AGRVIGKGGK TVNELQNLTS AEVIVPRDQT PDENEEVIVR IIGHFFASQT AQRKIREIVQ QVKQQEQKYP QGVASQRSK

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.

Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
IGF2BP2
IGF2BP2 (IGF2BP2 Products)
Insulin-like growth factor 2 mRNA-binding protein 2 (IGF2 mRNA-binding protein 2) (IMP-2) (Hepatocellular carcinoma autoantigen p62) (IGF-II mRNA-binding protein 2) (VICKZ family member 2),FUNCTION: RNA-binding factor that recruits target transcripts to cytoplasmic protein-RNA complexes (mRNPs). This transcript 'caging' into mRNPs allows mRNA transport and transient storage. It also modulates the rate and location at which target transcripts encounter the translational apparatus and shields them from endonuclease attacks or microRNA-mediated degradation (By similarity). Preferentially binds to N6-methyladenosine (m6A)-containing mRNAs and increases their stability (PubMed:29476152). Binds to the 5'-UTF of the insulin-like growth factor 2 (IGF2) mRNAs (PubMed:9891060). Binding is isoform-specific. Binds to beta-actin/ACTB and MYC transcripts. Increases MYC mRNA stability by binding to the coding region instability determinant (CRD) and binding is enhanced by m6A-modification of the CRD (PubMed:29476152). {ECO:0000250, ECO:0000269 PubMed:23640942 ECO:0000269 PubMed:29476152, ECO:0000269 PubMed:29891060}.
66.1 kDa
Q9Y6M1
In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational

Application Details

modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions:

For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)