

Datasheet for ABIN3093064

EIF4G3 Protein (AA 1-1585) (Strep Tag)**1** Image[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	EIF4G3
Protein Characteristics:	AA 1-1585
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This EIF4G3 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MNSQPQTRSP FFQRPQIQPP RATIPNSSPS IRPGAQTPTA VYQANQHIMM VNHLPMYPYPV PQGPQYCIPQ YRHSGPPYVG PPQQYPVQPP GPGPFYPGPG PGDFPNAYGT PFYPSQPVYQ SAPIIVPTQQ QPPPAKREKK TIRIRDPNQG GKDITEEIMS GGGSRNPTTP IGRPTSTPTP PQQLPSQVPE HSPVVYGTVE SAHLAASTPV TAASDQKQEE KPKPDPVLKS PSPVLRRLVLS GEKKEQEGQT SETTAIVSIA ELPLPPSPTT VSSVARSTIA APTSSALSSQ PIFTTAIDDR CELSSPREDT IPIPSLTCT ETSDPLPTNE NDDICKKPC SVAPNDIPLV SSTNLININ GVSEKLSATE SIVEIVKQEV LPLTLELEIL ENPPEEMKLE CIPAPITPST VPSFPPTPPT PPASPPHTPV IPVAAATTVS SPSAAITVQR VLEEDESIRT CLSEDAKEIQ NKIEVEADGQ TEEILDSQNL NSRRSPVPAQ IAITVPKTKW KPKDRTRTTE EMLEAELELK AEEELSIDKV LESEQDKMSQ GFHPERDPSD LKKVKAVEEN GEEAEPVRNG AESVSEGEI DANSGSTDSS GDGVTFPFKP ESWKPTDTEG KKQYDREFLL DFQFMPACIQ KPEGLPPISD VVLDKINQPK LPMRTLDPRI LPRGPDFTPA FADFGRQTPG GRGVPLLNVG SRRSQPGQRR EPRKIITVSV
-----------	--

KEDVHLKKAENAWKPSQKRD SQADDPENIK TQELFRKVRS ILNKLTPQMF NQLMKQVSGL
TVDTEERLKG VIDLVFEKAI DEPSFSVAYA NMCRCCLVTLK VPMADKPGNT VNFRKLLLN
CQKEFEKDKA DDDVFEKKQK ELEAASAPPEE RTRLHDELEE AKDKARRRSI GNIKFIGELF
KLKMLTEAM HDCVVKLLKN HDEESLECLC RLLTTIGKDL DFEKAKPRMD QYFNQMEKIV
KERKTSSRIR FMLQDVIDLR LCNWVSRRAD QGPKTIEQIH KEAKIEEQEE QRKVQQLMTK
EKRRPGVQRV DEGGWNTVQG AKNSRVLDPS KFLKITKPTI DEKIQLVPA QLGSWGKGSS
GGAKASETDA LRSSASSLNR FSALQPPAPS GSTPSTPVEF DSRRTLTSRG SMGREKNDKP
LPSATARPNT FMRGGSSKDL LDNQSQEEQR REMLETVKQL TGGVDVERNS TEAERNKTRE
SAKPEISAMS AHDKAALSEE ELERKSKSII DEFLHINDFK EAMQCVEELN AQGLLHV FVR
VGVESTLERS QITRDHMGQL LYQLVQSEKL SKQDFFKGFS ETLELADDMA IDIPHIWLYL
AELVTPMLKE GGISMRELTI EFSKPLLPVG RAGVLLSEIL HLLCKQMSHK KVGALWREAD
LSWKDFLPEG EDVHNFLLEQ KLDIESDSP CSSEALSKKE LSAEELYKRL EKLIIDKAN
DEQIFDWVEA NLDEIQMSSP TFLRALMTAV CKAIIADSS TFRVDTAVIK QRVPIILLKYL
DSDTEKELQA LYALQASIVK LDQPANLLRM FFDCLYDEEV ISEDAFYKWE SSKDPAEQNG
KGVALKSVTA FFTWLREAEE ESEDN

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-

translational modifications.

- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:	Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®): 1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.
Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	EIF4G3
Alternative Name:	EIF4G3 (EIF4G3 Products)
Background:	Eukaryotic translation initiation factor 4 gamma 3 (eIF-4-gamma 3) (eIF-4G 3) (eIF4G 3) (eIF-4-gamma II) (eIF4GII),FUNCTION: Component of the protein complex eIF4F, which is involved in the recognition of the mRNA cap, ATP-dependent unwinding of 5'-terminal secondary structure and recruitment of mRNA to the ribosome (PubMed:9418880). Functional homolog of EIF4G1 (PubMed:9418880). {ECO:0000269 PubMed:9418880}.
Molecular Weight:	176.7 kDa

Target Details

UniProt: [O43432](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process