

Datasheet for ABIN3093096

Interleukin enhancer-binding factor 3 (ILF3) (AA 1-894) protein (Strep Tag)



[Go to Product page](#)

Overview

Quantity:	250 µg
Target:	Interleukin enhancer-binding factor 3 (ILF3)
Protein Characteristics:	AA 1-894
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	Strep Tag
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Brand:	AliCE®
Sequence:	MRP_MRIFVND DRH_VMAKHSS VYPT_QEELEA VQNM_VSHTER ALKAVSDWID EQE_KGSSEQA ESDNMDVPPE DDSKEGAGEQ KTEHMTRTLR GVMRVGLVAK GLLL_KGDL DLVL_LLCKEKP TTALLDKVAD NLAIQLAAVT EDKYEILQSV DDAIVIKNT KEPPLSLTIH LTSPVVREEM EKVLAGETLS VNDPPDVLD RQKCLAALASL RHAKW FQARA NGLKSCVIVI RVL_RDLCTRV PTWG_PLRGWP LELLCEKSIG TANRPMGAGE ALRRVLECLA SGIVMPDGSG IYDPCEKEAT DAIGH_LDRQQ REDITQSAQH ALRLA AFGQL HKVLGMDPLP SKMPKKPKNE NPVDYTVQIP PSTTYAITPM KRPMEEDEE KSPSKKKKKI QKKEEKA EPP QAMNALMRLN QLK_PGLQYKL VSQTGPVHAP IFTMSVEVDG NSF_EASGPSK KTA_KLHVAVK VLQDMGLPTG AEGRDSSKGE DSAEETEAKP AVVAPAPVVE AVSTPSA AFP SDAEAEQGPI LTKHGKNPVM ELNEKRRGLK YELISETGGS HDKRFVMEVE VDGQKFQGAG SNKKVAKAYA ALAALEKLFP DTPLALDANK KKRAPVPVRG GPKFAAKPHN PGFGMG GPMH NEVPPPPNLR GRGRGGSIRG RGRGRGF GGA

NHGGYMNAGA GYGSYGYGGN SATAGYSQFY SNGGHSNGAS GGGGGGGGGS SGYGSYYQGD
NYNSPVPPKH AGKKQPHGGQ QKPSYGSYGQ SHQGQQSYN QSPYSNYGPP QGKQKGYNHG
QGSYSYSNSY NSPGGGGGSD YNYESKFNYS GSGGRSGGNS YGSGGASYNP GSHGGYGGGS
GGGSSYQGKQ GGYSQSNYNS PGSGQNYSGP PSSYQSSQGG YGRNADHSMN YQYR

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Product Details

Purification:	One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALICE®).
---------------	--------------------------------------------------------------------------------------------------------------

Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
---------	------------------------------------------------------------------------------

Grade:	custom-made
--------	-------------

Target Details

Target:	Interleukin enhancer-binding factor 3 (ILF3)
---------	----------------------------------------------

Alternative Name:	ILF3 (ILF3 Products)
-------------------	----------------------------------------

Background:	<p>Interleukin enhancer-binding factor 3 (Double-stranded RNA-binding protein 76) (DRBP76) (M-phase phosphoprotein 4) (MPP4) (Nuclear factor associated with dsRNA) (NFAR) (Nuclear factor of activated T-cells 90 kDa) (NF-AT-90) (Translational control protein 80) (TCP80),FUNCTION: RNA-binding protein that plays an essential role in the biogenesis of circular RNAs (circRNAs) which are produced by back-splicing circularization of pre-mRNAs. Within the nucleus, promotes circRNAs processing by stabilizing the regulatory elements residing in the flanking introns of the circularized exons. Plays thereby a role in the back-splicing of a subset of circRNAs (PubMed:28625552). As a consequence, participates in a wide range of transcriptional and post-transcriptional processes. Binds to poly-U elements and AU-rich elements (AREs) in the 3'-UTR of target mRNAs (PubMed:14731398). Upon viral infection, ILF3 accumulates in the cytoplasm and participates in the innate antiviral response (PubMed:21123651, PubMed:34110282). Mechanistically, ILF3 becomes phosphorylated and activated by the double-stranded RNA-activated protein kinase/PKR which releases ILF3 from cellular mature circRNAs. In turn, unbound ILF3 Molecules are able to interact with and thus inhibit viral mRNAs (PubMed:21123651, PubMed:28625552).</p> <p>{ECO:0000269 PubMed:14731398, ECO:0000269 PubMed:21123651, ECO:0000269 PubMed:28625552, ECO:0000269 PubMed:9442054}., FUNCTION: (Microbial infection) Plays a positive role in HIV-1 virus production by binding to and thereby stabilizing HIV-1 RNA, together with ILF3. {ECO:0000269 PubMed:26891316}.</p>
-------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Molecular Weight:	95.3 kDa
-------------------	----------

UniProt:	Q12906
----------	------------------------

Pathways:	M Phase
-----------	-------------------------

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months