antibodies .- online.com





MAPK8IP1 Protein (AA 1-711) (His tag)



Image



Overview

Quantity:	1 mg
Target:	MAPK8IP1
Protein Characteristics:	AA 1-711
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This MAPK8IP1 protein is labelled with His tag.
Application:	ELISA, Crystallization (Crys), SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MAERESGGLG GGAASPPAAS PFLGLHIASP PNFRLTHDIS LEEFEDEDLS EITDECGISL
QCKDTLSLRP PRAGLLSAGG GGAGSRLQAE MLQMDLIDAT GDTPGAEDDE EDDDEERAAR
RPGAGPPKAE SGQEPASRGQ GQSQGQSQGP GSGDTYRPKR PTTLNLFPQV PRSQDTLNNN
SLGKKHSWQD RVSRSSSPLK TGEQTPPHEH ICLSDELPPQ SGPAPTTDRG TSTDSPCRRS
TATQMAPPGG PPAAPPGGRG HSHRDRIHYQ ADVRLEATEE IYLTPVQRPP DAAEPTSAFL
PPTESRMSVS SDPDPAAYPS TAGRPHPSIS EEEEGFDCLS SPERAEPPGG GWRGSLGEPP
PPPRASLSSD TSALSYDSVK YTLVVDEHAQ LELVSLRPCF GDYSDESDSA TVYDNCASVS
SPYESAIGEE YEEAPRPQPP ACLSEDSTPD EPDVHFSKKF LNVFMSGRSR SSSAESFGLF
SCIINGEEQE QTHRAIFRFV PRHEDELELE VDDPLLVELQ AEDYWYEAYN MRTGARGVFP
AYYAIEVTKE PEHMAALAKN SDWVDQFRVK FLGSVQVPYH KGNDVLCAAM QKIATTRRLT
VHFNPPSSCV LEISVRGVKI GVKADDSQEA KGNKCSHFFQ LKNISFCGYH PKNNKYFGFI
TKHPADHRFA CHVFVSEDST KALAESVGRA FQQFYKQFVE YTCPTEDIYL E

Purity:

Sterility:

Grade:

Endotoxin Level:

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us. Characteristics: Made in Germany - from design to production - by highly experienced protein experts. Human MAPK8IP1 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade. • State-of-the-art algorithm used for plasmid design (Gene synthesis). This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein. The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified. In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization). When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer. The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein. Purification: Two step purification of proteins expressed in baculovirus infected SF9 insect cells: 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot. >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

0.22 µm filtered

Protein is endotoxin free.

Crystallography grade

Target Details

Target:	MAPK8IP1
Alternative Name:	MAPK8IP1 (MAPK8IP1 Products)
Background:	The JNK-interacting protein (JIP) group of scaffold proteins selectively mediates JNK signaling by aggregating specific components of the MAPK cascade to form a functional JNK signaling module. Required for JNK activation in response to excitotoxic stress. Cytoplasmic MAPK8IP1 causes inhibition of JNK-regulated activity by retaining JNK in the cytoplasm and inhibiting JNK phosphorylation of c-Jun. May also participate in ApoER2-specific reelin signaling. Directly, or indirectly, regulates GLUT2 gene expression and beta-cell function. Appears to have a role in cell signaling in mature and developing nerve terminals. May function as a regulator of vesicle transport, through interactions with the JNK-signaling components and motor proteins (By similarity). Functions as an anti-apoptotic protein and whose level seems to influence the beta-cell death or survival response. {ECO:0000250}.
Molecular Weight:	78.5 kDa Including tag.
UniProt:	Q9UQF2
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Application Notes: Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you
Comment:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Comment: Restrictions:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.
Comment: Restrictions: Handling	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only
Comment: Restrictions: Handling Format:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only Liquid
Comment: Restrictions: Handling Format: Buffer:	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only Liquid 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.

Expiry Date:

Unlimited (if stored properly)

Images



Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process