
# antibodies .- online.com





# Kv2.2 Protein (AA 425-911) (His tag)



**Image** 



## Go to Product page

## Overview

Quantity:	1 mg
Target:	Kv2.2 (KCNB2)
Protein Characteristics:	AA 425-911
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This Kv2.2 protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

## **Product Details**

Sequence:

KEQKRQEKAI KRREALERAK RNGSIVSMNL KDAFARSMEL IDVAVEKAGE SANTKDSADD
NHLSPSRWKW ARKALSETSS NKSFENKYQE VSQKDSHEQL NNTSSSSPQH LSAQKLEMLY
NEITKTQPHS HPNPDCQEKP ERPSAYEEEI EMEEVVCPQE QLAVAQTEVI VDMKSTSSID
SFTSCATDFT ETERSPLPPP SASHLQMKFP TDLPGTEEHQ RARGPPFLTL SREKGPAARD
GTLEYAPVDI TVNLDASGSQ CGLHSPLQSD NATDSPKSSL KGSNPLKSRS LKVNFKENRG
SAPQTPPSTA RPLPVTTADF SLTTPQHIST ILLEETPSQG DRPLLGTEVS APCQGPSKGL
SPRFPKQKLF PFSSRERRSF TEIDTGDDED FLELPGAREE KQVDSSPNCF ADKPSDGRDP
LREEGSVGSS SPQDTGHNCR QDIYHAVSEV KKDSSQEGCK MENHLFAPEI HSNPGDTGYC
PTRETSM

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human KCNB2 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

 Purity:
 >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

 Sterility:
 0.22 μm filtered

 Endotoxin Level:
 Protein is endotoxin free.

Grade: Crystallography grade


# **Target Details**

Target:	Kv2.2 (KCNB2)
Alternative Name:	KCNB2 (KCNB2 Products)
Background:	Voltage-gated potassium channel that mediates transmembrane potassium transport in
	excitable membranes, primarily in the brain and smooth muscle cells. Channels open or close in
	response to the voltage difference across the membrane, letting potassium ions pass in
	accordance with their electrochemical gradient. Homotetrameric channels mediate a delayed-
	rectifier voltage-dependent outward potassium current that display rapid activation and slow
	inactivation in response to membrane depolarization. Can form functional homotetrameric and
	heterotetrameric channels that contain variable proportions of KCNB1, channel properties
	depend on the type of alpha subunits that are part of the channel. Can also form functional
	heterotetrameric channels with other alpha subunits that are non-conducting when expressed
	alone, such as KCNS1 and KCNS2, creating a functionally diverse range of channel complexes.
	In vivo, membranes probably contain a mixture of heteromeric potassium channel complexes,
	making it difficult to assign currents observed in intact tissues to any particular potassium
	channel family member. Contributes to the delayed-rectifier voltage-gated potassium current in
	cortical pyramidal neurons and smooth muscle cells. {ECO:0000250 UniProtKB:A6H8H5,
	ECO:0000250 UniProtKB:Q63099}.
Molecular Weight:	54.7 kDa Including tag.
UniProt:	Q92953
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to
	increase solubility. We will discuss all possible options with you in detail to assure that you
	receive your protein of interest.
Restrictions:	For Research Use only
Handling	

# Handling

Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

# **Images**



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process