antibodies .- online.com





KIF24 Protein (AA 1-1368) (His tag)





Go to Product page

Overview

Quantity:	1 mg
Target:	KIF24
Protein Characteristics:	AA 1-1368
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This KIF24 protein is labelled with His tag.
Application:	Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB)

Product Details

Sequence:

MASWLYECLC EAELAQYYSH FTALGLQKID ELAKITMKDY SKLGVHDMND RKRLFQLIKI IKIMQEEDKA VSIPERHLQT SSLRIKSQEL RSGPRRQLNF DSPADNKDRN ASNDGFEMCS LSDFSANEQK STYLKVLEHM LPDDSQYHTK TGILNATAGD SYVQTEISTS LFSPNYLSAI LGDCDIPIIQ RISHVSGYNY GIPHSCIRQN TSEKQNPWTE MEKIRVCVRK RPLGMREVRR GEINIITVED KETLLVHEKK EAVDLTQYIL QHVFYFDEVF GEACTNQDVY MKTTHPLIQH IFNGGNATCF AYGQTGAGKT YTMIGTHENP GLYALAAKDI FRQLEVSQPR KHLFVWISFY EIYCGQLYDL LNRRKRLFAR EDSKHMVQIV GLQELQVDSV ELLLEVILKG SKERSTGATG VNADSSRSHA VIQIQIKDSA KRTFGRISFI DLAGSERAAD ARDSDRQTKM EGAEINQSLL ALKECIRALD QEHTHTPFRQ SKLTQVLKDS FIGNAKTCMI ANISPSHVAT EHTLNTLRYA DRVKELKKGI KCCTSVTSRN RTSGNSSPKR IQSSPGALSE DKCSPKKVKL GFQQSLTVAA PGSTRGKVHP LTSHPPNIPF TSAPKVSGKR GGSRGSPSQE WVIHASPVKG TVRSGHVAKK KPEESAPLCS EKNRMGNKTV LGWESRASGP GEGLVRGKLS TKCKKVQTVQ PVQKQLVSRV

ELSFGNAHHR AEYSQDSQRG TPARPASEAW TNIPPHQKER EEHLRFYHQQ FQQPPLLQQK LKYQPLKRSL RQYRPPEGQL TNETPPLFHS YSENHDGAQV EELDDSDFSE DSFSHISSQR ATKQRNTLEN SEDSFFLHQT WGQGPEKQVA ERQQSLFSSP RTGDKKDLTK SWVDSRDPIN HRRAALDHSC SPSKGPVDWS RENSTSSGPS PRDSLAEKPY CSQVDFIYRQ ERGGGSSFDL RKDASQSEVS GENEGNLPSP EEDGFTISLS HVAVPGSPDQ RDTVTTPLRE VSADGPIQVT STVKNGHAVP GEDPRGQLGT HAEYASGLMS PLTMSLLENP DNEGSPPSEQ LVQDGATHSL VAESTGGPVV SHTVPSGDQE AALPVSSATR HLWLSSSPPD NKPGGDLPAL SPSPIRQHPA DKLPSREADL GEACQSRETV LFSHEHMGSE QYDADAEETG LDGSWGFPGK PFTTIHMGVP HSGPTLTPRT GSSDVADQLW AQERKHPTRL GWQEFGLSTD PIKLPCNSEN VTWLKPRPIS RCLARPSSPL VPSCSPKTAG TLRQPTLEQA QQVVIRAHQE QLDEMAELGF KEETLMSQLA SNDFEDFVTQ LDEIMVLKSK CIQSLRSQLQ LYLTCHGPTA APEGTVPS

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- · Made in Germany from design to production by highly experienced protein experts.
- Human KIF24 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered. The concentration of our recombinant proteins is measured using the absorbance at 280nm. The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

Restrictions:

different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE. 2. Protein containing fractions of the best purification are subjected to second purification through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE a Western blot. Purity: >95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot. Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free. Grade. Crystallography grade Target Details Target: KIF24 Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. (EC0.0000269]PubMed:21620453). Molecular Weight: 152.9 kDa Including tag. UniProt: QST788 Application Details Application Dotails Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a great though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will b insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead		
Sterility: 0.22 µm filtered Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details Target: KIF24 Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. (ECC.0000269 PubMed:21620453). Molecular Weight: 152.9 kDa Including tag. UniProt: Q51788 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a gradual to the study. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insters increase solubility. We will discuss all possible options with you in detail to assure that yet increase solubility. We will discuss all possible options with you in detail to assure that yet increase solubility.		2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and
Endotoxin Level: Protein is endotoxin free. Grade: Crystallography grade Target Details Target: KIF24 Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. (ECO:0000269 PubMed:21620453). Molecular Weight: 152.9 kDa Including tag. UniProt: Q517B8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a grathough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will b insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Purity:	>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Target Details Target: KIF24 Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centricle in cycling cells, leading to restrict nucleation of cilia at centricles. Mediates depolymerization of microtubules of centriclar possibly to suppress aberrant cilia formation. {ECO:0000269 PubMed:21620453}. Molecular Weight: 152.9 kDa Including tag. UniProt: Q51788 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a git though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will b insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Sterility:	0.22 μm filtered
Target: KIF24 Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. (ECO.0000269 PubMed:21620453). Molecular Weight: 152.9 kDa Including tag. UniProt: Q5T7B8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a grithough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will b insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Endotoxin Level:	Protein is endotoxin free.
Target: KIF24 Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. {ECO:0000269 PubMed:21620453}. Molecular Weight: 152.9 kDa Including tag. UniProt: Q5T7B8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a graph though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Grade:	Crystallography grade
Alternative Name: KIF24 (KIF24 Products) Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. {ECO:0000269 PubMed:21620453}. Molecular Weight: 152.9 kDa Including tag. UniProt: Q517B8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a graph though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Target Details	
Background: Microtubule-dependent motor protein that acts as a negative regulator of ciliogenesis by mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. {ECO:0000269 PubMed:21620453}. Molecular Weight: 152.9 kDa Including tag. UniProt: Q5T7B8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a guithough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Target:	KIF24
mediating recruitment of CCP110 to mother centriole in cycling cells, leading to restrict nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar possibly to suppress aberrant cilia formation. {ECO:0000269 PubMed:21620453}. Molecular Weight: 152.9 kDa Including tag. UniProt: Q5T7B8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a great though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will b insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Alternative Name:	KIF24 (KIF24 Products)
UniProt: Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional s as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Background:	nucleation of cilia at centrioles. Mediates depolymerization of microtubules of centriolar origin,
Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional state as well. As the protein has not been tested for functional studies yet we cannot offer a great though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Molecular Weight:	152.9 kDa Including tag.
Application Notes: In addition to the applications listed above we expect the protein to work for functional sawell. As the protein has not been tested for functional studies yet we cannot offer a great though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	UniProt:	Q5T7B8
as well. As the protein has not been tested for functional studies yet we cannot offer a guardinary though. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Application Details	
insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you	Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.
	Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.

For Research Use only

Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process