

Datasheet for ABIN3093521

KRIT1 Protein (AA 1-736) (Strep Tag)



Overview

Quantity:	250 μg
Target:	KRIT1
Protein Characteristics:	AA 1-736
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This KRIT1 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Brand:	AliCE®
Sequence:	MGNPENIEDA YVAVIRPKNT ASLNSREYRA KSYEILLHEV PIEGQKKKRK KVLLETKLQG
	NSEITQGILD YVVETTKPIS PANQGIRGKR VVLMKKFPLD GEKMGREASL FIVPSVVKDN
	TKYTYTPGCP IFYCLQDIMR VCSESSTHFA TLTARMLIAL DKWLDERHAQ SHFIPALFRP
	SPLERIKTNV INPAYATESG QTENSLHMGY SALEIKSKML ALEKADTCIY NPLFGSDLQY
	TNRVDKVVIN PYFGLGAPDY SKIQIPKQEK WQRSMSSVTE DKERQWVDDF PLHRSACEGD
	SELLSRLLSE RFSVNQLDSD HWAPIHYACW YGKVEATRIL LEKGKCNPNL LNGQLSSPLH
	FAAGGGHAEI VQILLNHPET DRHITDQQGR SPLNICEENK QNNWEEAAKL LKEAINKPYE
	KVRIYRMDGS YRSVELKHGN NTTVQQIMEG MRLSQETQQY FTIWICSENL SLQLKPYHKP
	LQHVRDWPEI LAELTNLDPQ RETPQLFLRR DVRLPLEVEK QIEDPLAILI LFDEARYNLL
	KGFYTAPDAK LITLASLLLQ IVYGNYESKK HKQGFLNEEN LKSIVPVTKL KSKAPHWTNR
	ILHEYKNLST SEGVSKEMHH LQRMFLQNCW EIPTYGAAFF TGQIFTKASP SNHKVIPVYV

GVNIKGLHLL NMETKALLIS LKYGCFMWQL GDTDTCFQIH SMENKMSFIV HTKQAGLVVK LLMKLNGQLM PTERNS

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany from design to production by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require posttranslational modifications.
- During lysate production, the cell wall and other cellular components that are not required for
 protein production are removed, leaving only the protein production machinery and the
 mitochondria to drive the reaction. During our lysate completion steps, the additional
 components needed for protein production (amino acids, cofactors, etc.) are added to
 produce something that functions like a cell, but without the constraints of a living system all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- · We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (AliCE®).

Product Details

Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

Grade:	custom-made
Target Details	
Target:	KRIT1
Alternative Name:	KRIT1 (KRIT1 Products)
Background:	Krev interaction trapped protein 1 (Krev interaction trapped 1) (Cerebral cavernous
	malformations 1 protein),FUNCTION: Component of the CCM signaling pathway which is a
	crucial regulator of heart and vessel formation and integrity (By similarity). Negative regulator of
	angiogenesis. Inhibits endothelial proliferation, apoptosis, migration, lumen formation and
	sprouting angiogenesis in primary endothelial cells. Promotes AKT phosphorylation in a
	NOTCH-dependent and independent manner, and inhibits ERK1/2 phosphorylation indirectly
	through activation of the DELTA-NOTCH cascade. Acts in concert with CDH5 to establish and
	maintain correct endothelial cell polarity and vascular lumen and these effects are mediated by
	recruitment and activation of the Par polarity complex and RAP1B. Required for the localization
	of phosphorylated PRKCZ, PARD3, TIAM1 and RAP1B to the cell junction, and cell junction
	stabilization. Plays a role in integrin signaling via its interaction with ITGB1BP1, this prevents
	the interaction between ITGB1 and ITGB1BP1. Microtubule-associated protein that binds to
	phosphatidylinositol 4,5-bisphosphate (PIP2)-containing membranes in a GTP-bound RAP1-
	dependent manner. Plays an important role in the maintenance of the intracellular reactive
	oxygen species (ROS) homeostasis to prevent oxidative cellular damage. Regulates the
	homeostasis of intracellular ROS through an antioxidant pathway involving FOXO1 and SOD2.
	Facilitates the down-regulation of cyclin-D1 (CCND1) levels required for cell transition from
	proliferative growth to quiescence by preventing the accumulation of intracellular ROS through
	the modulation of FOXO1 and SOD2 levels. May play a role in the regulation of macroautophagy
	through the down-regulation of the mTOR pathway (PubMed:26417067).
	{ECO:0000250 UniProtKB:Q6S5J6, ECO:0000269 PubMed:11741838,
	ECO:0000269 PubMed:17916086, ECO:0000269 PubMed:20332120,
	ECO:0000269 PubMed:20616044, ECO:0000269 PubMed:20668652,
	ECO:0000269 PubMed:21633110, ECO:0000269 PubMed:23317506,
	ECO:0000269 PubMed:26417067}.
Molecular Weight:	84.3 kDa
Liu Du et	000500

Molecular Weight:	84.3 kDa
UniProt:	000522

Target Details

Pathways:	Cell RedoxHomeostasis
Application Details	
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from Nicotiana tabacum c.v This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications. During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!
Restrictions:	For Research Use only
Handling	
Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol Might differ depending on protein.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	12 months