

Datasheet for ABIN3093563

LGR6 Protein (AA 25-567) (His tag)



Go to Product page

| _ | | | | | | |
|---|-------|-------------|----|----|-------------|-----|
| | V | \triangle | r۱ | /1 | \triangle | Λ/ |
| | ' V ' | | ΙV | | | v v |

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | LGR6 |
| Protein Characteristics: | AA 25-567 |
| Origin: | Human |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This LGR6 protein is labelled with His tag. |
| Application: | Western Blotting (WB), ELISA, Crystallization (Crys), SDS-PAGE (SDS) |

Product Details

Sequence:

APQPGPGPTA CPAPCHCQED GIMLSADCSE LGLSAVPGDL DPLTAYLDLS MNNLTELQPG
LFHHLRFLEE LRLSGNHLSH IPGQAFSGLY SLKILMLQNN QLGGIPAEAL WELPSLQSLR
LDANLISLVP ERSFEGLSSL RHLWLDDNAL TEIPVRALNN LPALQAMTLA LNRISHIPDY
AFQNLTSLVV LHLHNNRIQH LGTHSFEGLH NLETLDLNYN KLQEFPVAIR TLGRLQELGF
HNNNIKAIPE KAFMGNPLLQ TIHFYDNPIQ FVGRSAFQYL PKLHTLSLNG AMDIQEFPDL
KGTTSLEILT LTRAGIRLLP SGMCQQLPRL RVLELSHNQI EELPSLHRCQ KLEEIGLQHN
RIWEIGADTF SQLSSLQALD LSWNAIRSIH PEAFSTLHSL VKLDLTDNQL TTLPLAGLGG
LMHLKLKGNL ALSQAFSKDS FPKLRILEVP YAYQCCPYGM CASFFKASGQ WEAEDLHLDD
EESSKRPLGL LARQAENHYD QDLDELQLEM EDSKPHPSVQ CSPTPGPFKP CEYLFESWGI RLA
Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a

Characteristics:

• Made in Germany - from design to production - by highly experienced protein experts.

special request, please contact us.

- Human LGR6 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

Target Details

Target:

LGR6

Target Details

| marker of multipotent stem cells in the epidermis. Upon binding to R-spondins (RSPO1, R RSPO3 or RSPO4), associates with phosphorylated LRP6 and frizzled receptors that are activated by extracellular Wht receptors, triggering the canonical Wht signalling pathway to increase expression of target genes. In contrast to classical G-protein coupled receptors, not activate heterotrimeric G-proteins to transduce the signal. May act as a tumor suppres (ECO:0000269 PubMed:21727895, ECO:0000269 PubMed:22615920). Molecular Weight: 61.6 kDa Including tag. UniProt: O9HBX8 Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional strates as well. As the protein has not been tested for functional studies yet we cannot offer a guithough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insteas increase solubility. We will discuss all possible options with you in detail to assure that yo receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid | rargerberane | |
|--|---------------------|---|
| marker of multipotent stem cells in the epidermis. Upon binding to R-spondins (RSPO1, RSPO3 or RSPO4), associates with phosphorylated LRP6 and frizzled receptors that are activated by extracellular Wnt receptors, triggering the canonical Wnt signaling pathway tincrease expression of target genes. In contrast to classical G-protein coupled receptors, not activate heterotrimeric G-proteins to transduce the signal. May act as a tumor suppre (ECO:0000269lPubMed:21727895, ECO:0000269lPubMed:22615920). Molecular Welght: 61.6 kDa Including tag. UniProt: Q9HBXB Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional st as well. As the protein has not been tested for functional studies yet we cannot offer a guithough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instea increase solubility. We will discuss all possible options with you in detail to assure that yo receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol, pH value is at the discretion of the manufact Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C. | Alternative Name: | LGR6 (LGR6 Products) |
| UniProt: Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional strass well. As the protein has not been tested for functional studies yet we cannot offer a guithough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) insteal increase solubility. We will discuss all possible options with you in detail to assure that your receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact Handling Advice: Avoid repeated freeze-thaw cycles. Storage: 80 °C Storage Comment: Store at -80°C. | Background: | activated by extracellular Wnt receptors, triggering the canonical Wnt signaling pathway to increase expression of target genes. In contrast to classical G-protein coupled receptors, does not activate heterotrimeric G-proteins to transduce the signal. May act as a tumor suppressor. |
| Application Details Application Notes: In addition to the applications listed above we expect the protein to work for functional structional struction in the default tag will be insoluble upon protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact that the discretion of the manufact struction and the struction of the manufact struction and the struction and the struction of the stru | Molecular Weight: | 61.6 kDa Including tag. |
| Application Notes: In addition to the applications listed above we expect the protein to work for functional states as well. As the protein has not been tested for functional studies yet we cannot offer a guathough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that your receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufaction of the | UniProt: | Q9HBX8 |
| as well. As the protein has not been tested for functional studies yet we cannot offer a guithough. Comment: In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Handling Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C. | Application Details | |
| insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. Restrictions: For Research Use only Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C. | Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. |
| Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C. | Comment: | In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Format: Liquid Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufaction of the manuf | Restrictions: | For Research Use only |
| Buffer: 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufact. Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80°C. | Handling | |
| Handling Advice: Avoid repeated freeze-thaw cycles. Storage: -80 °C Storage Comment: Store at -80 °C. | Format: | Liquid |
| Storage: -80 °C Storage Comment: Store at -80 °C. | Buffer: | 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
| Storage Comment: Store at -80°C. | Handling Advice: | Avoid repeated freeze-thaw cycles. |
| | Storage: | -80 °C |
| Expiry Date: Unlimited (if stored properly) | Storage Comment: | Store at -80°C. |
| | Expiry Date: | Unlimited (if stored properly) |