
# antibodies .- online.com





# CD46 Protein (CD46) (AA 35-343) (His tag)





## Overview

Quantity:	1 mg
Target:	CD46
Protein Characteristics:	AA 35-343
Origin:	Human
Source:	Insect Cells
Protein Type:	Recombinant
Purification tag / Conjugate:	This CD46 protein is labelled with His tag.
Application:	SDS-PAGE (SDS), Western Blotting (WB), ELISA, Crystallization (Crys)

## **Product Details**

## Sequence:

CEEPPTFEAM ELIGKPKPYY EIGERVDYKC KKGYFYIPPL ATHTICDRNH TWLPVSDDAC YRETCPYIRD PLNGQAVPAN GTYEFGYQMH FICNEGYYLI GEEILYCELK GSVAIWSGKP PICEKVLCTP PPKIKNGKHT FSEVEVFEYL DAVTYSCDPA PGPDPFSLIG ESTIYCGDNS VWSRAAPECK VVKCRFPVVE NGKQISGFGK KFYYKATVMF ECDKGFYLDG SDTIVCDSNS TWDPPVPKCL KVLPPSSTKP PALSHSVSTS STTKSPASSA SGPRPTYKPP VSNYPGYPKP

**EEGILDSLD** 

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- · Human CD46 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free.

Grade:

Crystallography grade

## **Target Details**

Target: CD46

Alternative Name: CD46 (CD46 Products)

Background: Acts as a cofactor for complement factor I, a serine protease which protects autologous cells

against complement-mediated injury by cleaving C3b and C4b deposited on host tissue. May be involved in the fusion of the spermatozoa with the oocyte during fertilization. Also acts as a costimulatory factor for T-cells which induces the differentiation of CD4+ into T-regulatory 1 cells. T-regulatory 1 cells suppress immune responses by secreting interleukin-10, and therefore are thought to prevent autoimmunity. {ECO:0000269|PubMed:10843656, ECO:0000269|PubMed:12540904}., (Microbial infection) A number of viral and bacterial pathogens seem to bind MCP in order to exploit its immune regulation property and directly induce an immunosuppressive phenotype in T-cells. Acts as a receptor for adenovirus subgroup B2 and Ad3, cultured measles virus and herpesvirus 6 (PubMed:10972291, PubMed:12663806, PubMed:12724329, PubMed:12915534, PubMed:14566335, PubMed:15047806, PubMed:15078926, PubMed:15919905, PubMed:16254377). May act as a receptor for pathogenic bacteria Neisseria and Streptococcus pyogenes (PubMed:7708671, PubMed:9379894, PubMed:11260136, PubMed:11971006). {ECO:0000269|PubMed:10972291, ECO:0000269|PubMed:11260136, ECO:0000269|PubMed:11971006, ECO:0000269|PubMed:12663806, ECO:0000269|PubMed:12724329, ECO:0000269|PubMed:12915534, ECO:0000269|PubMed:14566335, ECO:0000269|PubMed:15047806, ECO:0000269|PubMed:15078926, ECO:0000269|PubMed:15919905, ECO:0000269|PubMed:16254377, ECO:0000269|PubMed:7708671, ECO:0000269|PubMed:9379894}.

Molecular Weight:

35.2 kDa Including tag.

UniProt:

P15529

Pathways:

Regulation of Actin Filament Polymerization

# **Application Details**

Application Notes:

In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though.

Comment:

In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest.


Restrictions:

For Research Use only

# Handling

Format:	Liquid
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)

# Images



**Image 1.** "Crystallography Grade" protein due to multi-step, protein-specific purification process