

Datasheet for ABIN3093703
ALOX15B Protein (AA 1-676) (Strep Tag)



[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	ALOX15B
Protein Characteristics:	AA 1-676
Origin:	Human
Source:	Tobacco (<i>Nicotiana tabacum</i>)
Protein Type:	Recombinant
Purification tag / Conjugate:	This ALOX15B protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence: MAEFRVRVST GEAFGAGTWD KVSIVSIVGTR GESPLPLDN LGKEFTAGAE EDFQVTLPED
VGRVLLLRVH KAPPVLP LLG PLAPDAWFCR WFQLTPPRGG HLLFPCYQWL EGAGTLVLQE
GTAKVSWADH HPVLQQQRQE ELQARQEMYQ WKAYNPGWPH CLDEKTVEDL ELNIKYSTAK
NANFYLQAGS AFAEMKIKGL LDRKGLWRSL NEMKRIFNFR RTPAAEHAFE HWQEDAFFAS
QFLNGLNPVL IRRCHYLPKN FPVTDAMVAS VLGPGTSLQA ELEKGSFLV DHGILSGIQT
NVINGKPQFS AAPMTLLYQS PGCGPLLPLA IQLSQTGPN SPIFLPTDDK WDWLLAKTWW
RNAEFSFHEA LTHLLSHLL PEVFTLATLR QLPHCHPLFK LLIPHTRYTL HINTLARELL
IVPGQVVDRS TGIGIEGFSE LIQRNMKQLN YSLLCLPEDI RTRGVEDIPG YYYRDDGMQI
WGAVERFVSE IIGIYPSDE SVQDDRELQA WVREIFSKGF LNQESSGIPS SLETREALVQ
YVTMVIFTCS AKHAAVSAGQ FDSCAWMPNL PPSMQLPPPT SKGLATCEGF IATLPPVNAT
CDVILALWLL SKEPGDQRPL GTYPDEHFTE EAPRRSIATF QSRLAQISRG IQERNQGLVL
PYTYLDPPLI ENSVSI

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

Product Details

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity: >80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Endotoxin Level: Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)

Grade: Crystallography grade

Target Details

Target: ALOX15B

Alternative Name: ALOX15B ([ALOX15B Products](#))

Background: Polyunsaturated fatty acid lipoygenase ALOX15B (15-lipoxygenase 2) (15-LOX-2) (Arachidonate 15-lipoxygenase B) (15-LOX-B) (EC 1.13.11.33) (Arachidonate 15-lipoxygenase type II) (Linoleate 13-lipoxygenase 15-LOb) (EC 1.13.11.-),FUNCTION: [Isoform A]: Non-heme iron-containing dioxygenase that catalyzes the stereo-specific peroxidation of free and esterified polyunsaturated fatty acids (PUFAs) generating a spectrum of bioactive lipid mediators (PubMed:9177185, PubMed:10625675, PubMed:12704195, PubMed:17493578, PubMed:18311922, PubMed:24282679, PubMed:10542053, PubMed:24497644, PubMed:32404334) (Probable). It inserts peroxy groups at C15 of arachidonate ((5Z,8Z,11Z,14Z)-eicosatetraenoate) producing (15S)-hydroperoxyeicosatetraenoate/(15S)-HPETE (PubMed:17493578, PubMed:12704195, PubMed:24282679, PubMed:9177185, PubMed:11956198, PubMed:10625675, PubMed:24497644) (Probable). Also peroxidizes linoleate ((9Z,12Z)-octadecadienoate) to 13-hydroperoxyoctadecadienoate/13-HPODE (Probable) (PubMed:10542053, PubMed:27435673). Oxygenates arachidonyl derivatives such as 2-arachidonoylglycerol (2-AG) leading to the production and extracellular release of 15-hydroxyeicosatetraenoyl glycerol (15-HETE-G) that acts as a peroxisome proliferator-activated receptor alpha agonist (PubMed:18311922, PubMed:17493578, PubMed:11956198). Has the ability to efficiently class-switch ALOX5 pro-inflammatory mediators into anti-inflammatory intermediates (PubMed:27145229). Participates in the sequential oxidations of DHA ((4Z,7Z,10Z,13Z,16Z,19Z)-docosahexaenoate) to generate specialized pro-resolving mediators (SPMs) resolvin D5 ((7S,17S)-diHPDHA), which can actively down-regulate the immune response and have anti-aggregation properties with platelets (PubMed:32404334). In addition to free PUFAs hydrolyzed from phospholipids, it directly oxidizes PUFAs esterified to

Target Details

membrane-bound phospholipids (PubMed:27435673). Has no detectable 8S-lipoxygenase activity on arachidonate but reacts with (8S)-HPETE to produce (8S,15S)-diHPETE (Probable). May regulate progression through the cell cycle and cell proliferation (PubMed:12704195, PubMed:11839751). May also regulate cytokine secretion by macrophages and therefore play a role in the immune response (PubMed:18067895). May also regulate macrophage differentiation into proatherogenic foam cells (PubMed:22912809). {ECO:0000269|PubMed:10542053, ECO:0000269|PubMed:10625675, ECO:0000269|PubMed:11839751, ECO:0000269|PubMed:11956198, ECO:0000269|PubMed:12704195, ECO:0000269|PubMed:17493578, ECO:0000269|PubMed:18067895, ECO:0000269|PubMed:18311922, ECO:0000269|PubMed:22912809, ECO:0000269|PubMed:24282679, ECO:0000269|PubMed:24497644, ECO:0000269|PubMed:27145229, ECO:0000269|PubMed:27435673, ECO:0000269|PubMed:32404334, ECO:0000269|PubMed:9177185, ECO:0000305|PubMed:10542053, ECO:0000305|PubMed:16112079, ECO:0000305|PubMed:27145229, ECO:0000305|PubMed:27435673},. FUNCTION: [Isoform B]: Does not convert arachidonic acid to 15S-hydroperoxyeicosatetraenoic acid/(15S)-HPETE. {ECO:0000269|PubMed:12704195}.

Molecular Weight: 75.9 kDa

UniProt: [O15296](#)

Application Details

Application Notes: In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.

Comment: ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Application Details

Restrictions: For Research Use only

Handling

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: Unlimited (if stored properly)

Images



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process