

Datasheet for ABIN3093730

## MED15 Protein (AA 1-788) (Strep Tag)



[Go to Product page](#)

### Overview

Quantity:	250 µg
Target:	MED15
Protein Characteristics:	AA 1-788
Origin:	Human
Source:	Cell-free protein synthesis (CFPS)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MED15 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

### Product Details

Brand:	AlIcE®
Sequence:	<p>MDVSGQETDW RSTAFRQKLVSQIEDAMRKA GVAHSKSSKD MESHVFLKAK TRDEYLSLVA</p> <p>RLIIHFRDIH NKKSQASVSD PMNALQSLTG GPAAGAAGIG MPPRGPQSL GGMGSLGAMG</p> <p>QPMSLSGQPP PGTSGMAPHS MAVVSTATPQ TQLQLQQVAL QQQQQQQQFQ QQQAALQQQ</p> <p>QQQQQQQQFQ AQQSAMQQQF QAVVQQQQQL QQQQQQQQHL IKLHHQNQQQ IQQQQQQLQR</p> <p>IAQLQLQQQQ QQQQQQQQQQ QQALQAQPPQ QPPMQQPQP PPSQALPQQL QQMHTQHQQ</p> <p>PPPQPQPPV AQNQPSQLPP QSQTQPLVSQ AQALPGQMLY TQPPLKFVRA PMVVQPPVQ</p> <p>PQVQQQTAV QTAQAQMVA PGVQMITEAL AQGGMHIRAR FPPTTAVSAI PSSSIPLGRQ</p> <p>PMAQVSQSSL PMLSSPSPGQ QVQTPQSMPP PPQPSPQPGQ PSSQPNSNVS SGPAPSPSSF</p> <p>LPSPSPQPSQ SPVTARTPQN FSVPSGPLN TPVNPSSVMS PAGSSQAEEQ QYLDKCLKLS</p> <p>KYIEPLRRMI NKIDKNEDRK KDLSKMKSL DILTDPSKRC PLKTLQKCEI ALEKLKNDMA</p> <p>VPTPPPPVP PTKQYLCQP LLDVLANIR SPVFNHSLYR TFVPAMTAIH GPPITAPVVC</p>

TRKRRLEDDE RQSIPSVLQG EVARLDPKFL VNLDPSHCSN NGTVHLICKL DDKDLPSVPP  
LELSVPADYP AQSPLWIDRQ WQYDANPFLQ SVHRCMTSRL LQLPDKHSVT ALLNTWAQSV  
HQACLSAA

**Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.**

---

### Characteristics:

#### Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

#### Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

#### Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

---

### Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression

## Product Details

	System (ALiCE®).
Purity:	> 70-80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).
Grade:	custom-made

## Target Details

Target:	MED15
Alternative Name:	MED15 ( <a href="#">MED15 Products</a> )
Background:	<p>Mediator of RNA polymerase II transcription subunit 15 (Activator-recruited cofactor 105 kDa component) (ARC105) (CTG repeat protein 7a) (Mediator complex subunit 15) (Positive cofactor 2 glutamine/Q-rich-associated protein) (PC2 glutamine/Q-rich-associated protein) (TPA-inducible gene 1 protein) (TIG-1) (Trinucleotide repeat-containing gene 7 protein),FUNCTION: Component of the Mediator complex, a coactivator involved in the regulated transcription of nearly all RNA polymerase II-dependent genes. Mediator functions as a bridge to convey information from gene-specific regulatory proteins to the basal RNA polymerase II transcription machinery. Mediator is recruited to promoters by direct interactions with regulatory proteins and serves as a scaffold for the assembly of a functional preinitiation complex with RNA polymerase II and the general transcription factors. Required for cholesterol-dependent gene regulation. Positively regulates the Nodal signaling pathway.</p> <p>{ECO:0000269 PubMed:12167862, ECO:0000269 PubMed:16630888, ECO:0000269 PubMed:16799563}.</p>
Molecular Weight:	86.8 kDa
UniProt:	<a href="#">Q96RN5</a>
Pathways:	<a href="#">Stem Cell Maintenance</a> , <a href="#">Regulation of Lipid Metabolism by PPARalpha</a>

## Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
Comment:	ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.

## Application Details

---

During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Restrictions: For Research Use only

## Handling

---

Format: Liquid

Buffer: The buffer composition is at the discretion of the manufacturer.  
Standard Storage Buffer: PBS pH 7.4, 10 % Glycerol **Might differ depending on protein.**

Handling Advice: Avoid repeated freeze-thaw cycles.

Storage: -80 °C

Storage Comment: Store at -80°C.

Expiry Date: 12 months