

Datasheet for ABIN3093749

Merlin Protein (AA 1-595) (Strep Tag)[Go to Product page](#)

Overview

Quantity:	1 mg
Target:	Merlin (NF2)
Protein Characteristics:	AA 1-595
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This Merlin protein is labelled with Strep Tag.
Application:	Western Blotting (WB), SDS-PAGE (SDS), ELISA

Product Details

Sequence: MAGAIASRMS FSSLKRKQPK TFTVRIVTMD AEMEFNCEMK WKGKDLFDLV CRTLGLRETW
FFGLQYTIKD TVAWLKMDKK VLDHDVSKEE PVTFHFLAKF YPENAEELV QEITQHLFFL
QVKKQILDEK IYCPPEASVL LASYAVQAKY GDYDPSVHKR GFLAQEELLP KRVINLYQMT
PEMWEERITA WYAEHRGRAR DEAEMEYLKI AQDLEMYGVN YFAIRNKKGT ELLLGVDALG
LHIYDPENRL TPKISFPWNE IRNISYSYDKE FTIKPLDKKI DVKFNSSKL RVNKLILQLC
IGNHDLFMRR RKADSLEVQO MKAQAREEKA RKQMERQLA REKQMREEAE RTRDELERRL
LQMKEEATMA NEALMRSEET ADLLAEKAQI TEEEAQLLAQ KAAEAQEMQ RIKATAIRTE
EEKRLMEQKV LEAEVLALKM AEESERRAKE ADQLKQDLQE AREAERRAKQ KLLIATKPT
YPPMNPAP LPPDIPSNL IGDLSLDFDK DTDKRLSME IEKEKVEYME KSKHLQEQLN
ELKTEIEALK LKERETALDI LHNENSDRGG SSKHNTIKKL TLQSAKSRVA FFEEL

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression system, a different complexity of the protein could make another tag necessary. In case you

have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified in one-step affinity chromatography
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab try to ensure that you receive soluble protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured against its specific reference buffer.
- We use the Expasy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

One-step Strep-tag purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®).

Purity:

> 80 % as determined by SDS PAGE, Western Blot and analytical SEC (HPLC).

Target Details

Target:	Merlin (NF2)
Alternative Name:	NF2 (NF2 Products)
Background:	<p>Merlin (Moesin-ezrin-radixin-like protein) (Neurofibromin-2) (Schwannomerlin) (Schwannomin),FUNCTION: Probable regulator of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway, a signaling pathway that plays a pivotal role in tumor suppression by restricting proliferation and promoting apoptosis. Along with WWC1 can synergistically induce the phosphorylation of LATS1 and LATS2 and can probably function in the regulation of the Hippo/SWH (Sav/Wts/Hpo) signaling pathway. May act as a membrane stabilizing protein. May inhibit PI3 kinase by binding to AGAP2 and impairing its stimulating activity. Suppresses cell proliferation and tumorigenesis by inhibiting the CUL4A-RBX1-DDB1-VprBP/DCAF1 E3 ubiquitin-protein ligase complex. {ECO:0000269 PubMed:20159598, ECO:0000269 PubMed:20178741, ECO:0000269 PubMed:21167305}.</p>
Molecular Weight:	69.7 kDa
UniProt:	P35240
Pathways:	Cell-Cell Junction Organization

Application Details

Application Notes:	<p>In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.</p>
Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
Restrictions:	For Research Use only

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)