
antibodies .- online.com





MEGF10 Protein (AA 26-857) (His tag)



Image



Go to Product page

Overview

| Quantity: | 1 mg |
|-------------------------------|--|
| Target: | MEGF10 |
| Protein Characteristics: | AA 26-857 |
| Origin: | Human |
| Source: | Insect Cells |
| Protein Type: | Recombinant |
| Purification tag / Conjugate: | This MEGF10 protein is labelled with His tag. |
| Application: | Crystallization (Crys), ELISA, SDS-PAGE (SDS), Western Blotting (WB) |

Product Details

Sequence:

LNLEDPNVCS HWESYSVTVQ ESYPHPFDQI YYTSCTDILN WFKCTRHRVS YRTAYRHGEK
TMYRRKSQCC PGFYESGEMC VPHCADKCVH GRCIAPNTCQ CEPGWGGTNC SSACDGDHWG
PHCTSRCQCK NGALCNPITG ACHCAAGFRG WRCEDRCEQG TYGNDCHQRC QCQNGATCDH
VTGECRCPPG YTGAFCEDLC PPGKHGPQCE QRCPCQNGGV CHHVTGECSC PSGWMGTVCG
QPCPEGRFGK NCSQECQCHN GGTCDAATGQ CHCSPGYTGE RCQDECPVGT YGVLCAETCQ
CVNGGKCYHV SGACLCEAGF AGERCEARLC PEGLYGIKCD KRCPCHLENT HSCHPMSGEC
ACKPGWSGLY CNETCSPGFY GEACQQICSC QNGADCDSVT GKCTCAPGFK GIDCSTPCPL
GTYGINCSSR CGCKNDAVCS PVDGSCTCKA GWHGVDCSIR CPSGTWGFGC NLTCQCLNGG
ACNTLDGTCT CAPGWRGEKC ELPCQDGTYG LNCAERCDCS HADGCHPTTG HCRCLPGWSG
VHCDSVCAEG RWGPNCSLPC YCKNGASCSP DDGICECAPG FRGTTCQRIC SPGFYGHRCS
QTCPQCVHSS GPCHHITGLC DCLPGFTGAL CNEVCPSGRF GKNCAGICTC TNNGTCNPID
RSCQCYPGWI GSDCSQPCPP AHWGPNCIHT CNCHNGAFCS AYDGECKCTP GWTGLYCTQR

CPLGFYGKDC ALICQCQNGA DCDHISGQCT CRTGFMGRHC EQKCPSGTYG YGCRQICDCL NNSTCDHITG TCYCSPGWKG ARCDQAGVII VGNLNSLSRT STALPADSYQ IG

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human MEGF10 Protein (raised in Insect Cells) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in baculovirus infected SF9 insect cells:

- In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Protein is endotoxin free

| Product Details | |
|---------------------|--|
| Grade: | Crystallography grade |
| Target Details | |
| Target: | MEGF10 |
| Alternative Name: | MEGF10 (MEGF10 Products) |
| Background: | Membrane receptor involved in phagocytosis by macrophages of apoptotic cells. Cooperates with ABCA1 within the process of engulfment. Promotes the formation of large intracellular vacuoles and may be responsible for the uptake of amyloid-beta peptides. May also function in the mosaic spacing of specific neuron subtypes in the retina through homotypic retinal neuron repulsion. Mosaics provide a mechanism to distribute each cell type evenly across the retina, ensuring that all parts of the visual field have access to a full set of processing elements. May play role in cell adhesion and motility. Is also an essential factor in the regulation of myogenesis. Controls the balance between skeletal muscle satellite cells proliferation and differentiation problably through regulation of the notch signaling pathway. {ECO:0000269 PubMed:17498693, ECO:0000269 PubMed:2101682}. |
| Molecular Weight: | 89.7 kDa Including tag. |
| UniProt: | Q96KG7 |
| Pathways: | Regulation of Muscle Cell Differentiation |
| Application Details | |
| Application Notes: | In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee though. |
| Comment: | In cases in which it is highly likely that the recombinant protein with the default tag will be insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to increase solubility. We will discuss all possible options with you in detail to assure that you receive your protein of interest. |
| Restrictions: | For Research Use only |
| Handling | |
| Format: | Liquid |

Handling

| 100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer. |
|--|
| Avoid repeated freeze-thaw cycles. |
| 80 °C |
| Store at -80°C. |
| Unlimited (if stored properly) |
| 3 |

Images




Image 1. "Crystallography Grade" protein due to multi-step, protein-specific purification process