# antibodies .- online.com





#### Go to Product page

#### Datasheet for ABIN3093973

### MUL1 Protein (AA 30-238) (His tag)

## Overview

Quantity:	1 mg
Target:	MUL1
Protein Characteristics:	AA 30-238
Origin:	Human
Source:	Escherichia coli (E. coli)
Protein Type:	Recombinant
Purification tag / Conjugate:	This MUL1 protein is labelled with His tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS), Crystallization (Crys)

#### **Product Details**

#### Sequence:

RQKARVSQEL KGAKKVHLGE DLKSILSEAP GKCVPYAVIE GAVRSVKETL NSQFVENCKG
VIQRLTLQEH KMVWNRTTHL WNDCSKIIHQ RTNTVPFDLV PHEDGVDVAV RVLKPLDSVD
LGLETVYEKF HPSIQSFTDV IGHYISGERP KGIQETEEML KVGATLTGVG ELVLDNNSVR
LQPPKQGMQY YLSSQDFDSL LQRQESSVR

Sequence without tag. Tag location is at the discretion of the manufacturer. If you have a special request, please contact us.

#### Characteristics:

- Made in Germany from design to production by highly experienced protein experts.
- Human MUL1 Protein (raised in E. Coli) purified by multi-step, protein-specific process to ensure crystallization grade.
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a made to order protein and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our made-to-order proteins in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

In the unlikely event that the protein cannot be expressed or purified we do not charge anything (other companies might charge you for any performed steps in the expression process for custom-made proteins, e.g. fees might apply for the expression plasmid, the first expression experiments or purification optimization).

When you order this made-to-order protein you will only pay upon receival of the correctly folded protein. With no financial risk on your end you can rest assured that our experienced protein experts will do everything to make sure that you receive the protein you ordered.

The concentration of our recombinant proteins is measured using the absorbance at 280nm.

The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.

The concentration of the protein is calculated using its specific absorption coefficient. We use the Expasy's protparam tool to determine the absorption coefficient of each protein.

#### Purification:

Two step purification of proteins expressed in bacterial culture:

- 1. In a first purification step, the protein is purified from the cleared cell lysate using three different His-tag capture materials: high yield, EDTA resistant, or DTT resistant. Eluate fractions are analyzed by SDS-PAGE.
- 2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:

>95 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.

Sterility:

0.22 µm filtered

Endotoxin Level:

Endotoxin has not been removed. Please contact us if you require endotoxin removal.

Grade:

Crystallography grade

#### Target Details

Target:	MUL1	
Alternative Name:	MUL1 (MUL1 Products)	
Background:	Exhibits weak E3 ubiquitin-protein ligase activity. E3 ubiquitin ligases accept ubiquitin from an	
	E2 ubiquitin-conjugating enzyme in the form of a thioester and then directly transfer the	
	ubiquitin to targeted substrates. Can ubiquitinate AKT1 preferentially at 'Lys-284' involving 'Lys-	

raiget Details		
	48'-linked polyubiquitination and seems to be involved in regulation of Akt signaling by targeting	
	phosphorylated Akt to proteosomal degradation. Proposed to preferentially act as a SUMO E3	
	ligase at physiological concentrations. Plays a role in the control of mitochondrial morphology.	
	Promotes mitochondrial fragmentation and influences mitochondrial localization. The function	
	may implicate its ability to sumoylate DNM1L. Inhibits cell growth. When overexpressed,	
	activates JNK through MAP3K7/TAK1 and induces caspase-dependent apoptosis. Involved in	
	the modulation of innate immune defense against viruses by inhibiting DDX58-dependent	
	antiviral response. Can mediate DDX58 sumoylation and disrupt its polyubiquitination.	
	{ECO:0000269 PubMed:18207745, ECO:0000269 PubMed:18213395,	
	ECO:0000269 PubMed:18591963, ECO:0000269 PubMed:19407830,	
	ECO:0000269 PubMed:22410793, ECO:0000269 PubMed:23399697}.	
Molecular Weight:	24.5 kDa Including tag.	
UniProt:	Q969V5	
Pathways:	Positive Regulation of Endopeptidase Activity	
Application Details		
Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies	
	as well. As the protein has not been tested for functional studies yet we cannot offer a gurantee	
	though.	
Comment:	In cases in which it is highly likely that the recombinant protein with the default tag will be	
	insoluble our protein lab may suggest a higher molecular weight tag (e.g. GST-tag) instead to	
	increase solubility. We will discuss all possible options with you in detail to assure that you	
	receive your protein of interest.	
Restrictions:	For Research Use only	
Handling		
Format:	Liquid	
Buffer:	100 mM NaCL, 20 mM Hepes, 10% glycerol. pH value is at the discretion of the manufacturer.	
Handling Advice:	Avoid repeated freeze-thaw cycles.	
Storage:	-80 °C	
Storage Comment:	Store at -80°C.	

1	1 11	١٠
$\vdash$	land	unc
	ıarıa	11110

Expiry Date:

Unlimited (if stored properly)