

Datasheet for ABIN3094035
NDC80 Protein (AA 1-642) (Strep Tag)[Go to Product page](#)

1 Image

Overview

Quantity:	1 mg
Target:	NDC80
Protein Characteristics:	AA 1-642
Origin:	Human
Source:	Tobacco (Nicotiana tabacum)
Protein Type:	Recombinant
Purification tag / Conjugate:	This NDC80 protein is labelled with Strep Tag.
Application:	ELISA, Western Blotting (WB), SDS-PAGE (SDS)

Product Details

Sequence:	MKRSSVSSGG AGRLSMQELR SQDVNKQGLY TPQTKEKPTF GKLSINKPTS ERKVSFLGKR TSGHGSRNSQ LGIFSSSEKI K DPRPLNDKA FIQQCIRQLC EFLTENGYAH NVSMKSLQAP SVKDFLKIFT FLYGFLCPSY ELPDTKFEE VPRIFKDLGY PFALSKSSMY TVGAPHTWPH IVAALVWLID CIKIHTAMKE SSPLFDDGQP WGEETEDGIM HNKLFLDYTI KCYESFMSG DSFDEMNAEL QSKLKDLFNV DAFKLESLEA KNRALNEQIA RLEQEREKEP NRLESLRKLK ASLQGDVQKY QAYMSNLESH SAILDQKLNG LNEEIARVEL ECETIKQENT RLQNIIDNQK YSVADIERIN HERNELQQTI NKLT KDLEAE QQKLWNEELK YARGKEAIET QLAEYHKLAR KLKLIPKGAE NSKGYDFEIK FNPEAGANCL VKYRAQVYVP LKELLNETEE EINKALNKKM GLEDTLQLN AMITESKRSV RTLKEEVQKL DDLYQQKIKE AEEDEKSCAS ELESLEKHKH LLESTVNQGL SEAMNELDAV QREYQLVVQT TTEERRKVG NNLQRLLEMVA THVGSVEKHL EEQIAKVDRE YEECMSEDLS ENIKEIRDKY EKKATLIKSS EE
-----------	---

Sequence without tag. The proposed Strep-Tag is based on experience s with the expression

system, a different complexity of the protein could make another tag necessary. In case you have a special request, please contact us.

Characteristics:

Key Benefits:

- Made in Germany - from design to production - by highly experienced protein experts.
- Protein expressed with ALiCE® and purified by multi-step, protein-specific process to ensure correct folding and modification.
- These proteins are normally active (enzymatically functional) as our customers have reported (not tested by us and not guaranteed).
- State-of-the-art algorithm used for plasmid design (Gene synthesis).

This protein is a **made-to-order protein** and will be made for the first time for your order. Our experts in the lab will ensure that you receive a correctly folded protein.

The big advantage of ordering our **made-to-order proteins** in comparison to ordering custom made proteins from other companies is that there is no financial obligation in case the protein cannot be expressed or purified.

Expression System:

- ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from *Nicotiana tabacum* c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.
- During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!

Concentration:

- The concentration of our recombinant proteins is measured using the absorbance at 280nm.
- The protein's absorbance will be measured in several dilutions and is measured against its specific reference buffer.
- We use the ExPASy's ProtParam tool to determine the absorption coefficient of each protein.

Purification:

Two step purification of proteins expressed in Almost Living Cell-Free Expression System (ALiCE®):

1. In a first purification step, the protein is purified from the cleared cell lysate using StrepTag

Product Details

- capture material. Eluate fractions are analyzed by SDS-PAGE.
2. Protein containing fractions of the best purification are subjected to second purification step through size exclusion chromatography. Eluate fractions are analyzed by SDS-PAGE and Western blot.

Purity:	>80 % as determined by SDS PAGE, Size Exclusion Chromatography and Western Blot.
Endotoxin Level:	Low Endotoxin less than 1 EU/mg (< 0.1 ng/mg)
Grade:	Crystallography grade

Target Details

Target:	NDC80
Alternative Name:	NDC80 (NDC80 Products)
Background:	<p>Kinetochore protein NDC80 homolog (Highly expressed in cancer protein) (Kinetochore protein Hec1) (HsHec1) (Kinetochore-associated protein 2) (Retinoblastoma-associated protein HEC),FUNCTION: Acts as a component of the essential kinetochore-associated NDC80 complex, which is required for chromosome segregation and spindle checkpoint activity (PubMed:9315664, PubMed:12351790, PubMed:14654001, PubMed:14699129, PubMed:15062103, PubMed:15235793, PubMed:15239953, PubMed:15548592, PubMed:16732327, PubMed:30409912). Required for kinetochore integrity and the organization of stable microtubule binding sites in the outer plate of the kinetochore (PubMed:15548592, PubMed:30409912). The NDC80 complex synergistically enhances the affinity of the SKA1 complex for microtubules and may allow the NDC80 complex to track depolymerizing microtubules (PubMed:23085020). Plays a role in chromosome congression and is essential for the end-on attachment of the kinetochores to spindle microtubules (PubMed:25743205, PubMed:23891108). {ECO:0000269 PubMed:12351790, ECO:0000269 PubMed:14654001, ECO:0000269 PubMed:14699129, ECO:0000269 PubMed:15062103, ECO:0000269 PubMed:15235793, ECO:0000269 PubMed:15239953, ECO:0000269 PubMed:15548592, ECO:0000269 PubMed:16732327, ECO:0000269 PubMed:23085020, ECO:0000269 PubMed:23891108, ECO:0000269 PubMed:25743205, ECO:0000269 PubMed:30409912, ECO:0000269 PubMed:9315664}.</p>
Molecular Weight:	73.9 kDa
UniProt:	O14777
Pathways:	Maintenance of Protein Location

Application Details

Application Notes:	In addition to the applications listed above we expect the protein to work for functional studies as well. As the protein has not been tested for functional studies yet we cannot offer a guarantee though.
--------------------	--

Comment:	<p>ALiCE®, our Almost Living Cell-Free Expression System is based on a lysate obtained from <i>Nicotiana tabacum</i> c.v.. This contains all the protein expression machinery needed to produce even the most difficult-to-express proteins, including those that require post-translational modifications.</p> <p>During lysate production, the cell wall and other cellular components that are not required for protein production are removed, leaving only the protein production machinery and the mitochondria to drive the reaction. During our lysate completion steps, the additional components needed for protein production (amino acids, cofactors, etc.) are added to produce something that functions like a cell, but without the constraints of a living system - all that's needed is the DNA that codes for the desired protein!</p>
----------	--

Restrictions:	For Research Use only
---------------	-----------------------

Handling

Format:	Liquid
Buffer:	The buffer composition is at the discretion of the manufacturer. If you have a special request, please contact us.
Handling Advice:	Avoid repeated freeze-thaw cycles.
Storage:	-80 °C
Storage Comment:	Store at -80°C.
Expiry Date:	Unlimited (if stored properly)



Image 1. „Crystallography Grade“ protein due to multi-step, protein-specific purification process